



McDOWELL & ASSOCIATES
Geotechnical, Environmental, & Hydrogeologic Services
21355 Hatcher Avenue • Ferndale, MI 48220
Phone: (248) 399-2066 • Fax: (248) 399-2157

LOG OF SOIL
BORING NO. A

PROJECT Soils Investigation
Proposed Soccer Field
LOCATION Huron High School
Fuller Road and Huron Parkway
Ann Arbor, Michigan

JOB NO. 08-019B

SURFACE ELEV. 765.0 DATE 3/6/08

Sample & Type	Depth	Legend	SOIL DESCRIPTION	Penetration Blows for 6"	Moisture %	Natural Wt. P.C.F.	Dry Den Wt. P.C.F.	Unc. Comp. Strength PSF	Str. %
	1		0'4" Frozen to moist dark brown silty fine to medium SAND with vegetation						
A	2		Extremely compact moist dark brown to brown silty fine to medium SAND with pebbles and moist brown silty clay layers	11					
UL	3		2'3"	18	11.2	120			
	4		Extremely compact moist SILT & fine SAND with trace of gravel	--					
B	5		4'9"	20					
UL	6			18/ 3"					
	7								
	8								
	9								
	10								
	11								
	12								
	13								
	14								
	15								
	16								
	17								
	18								
	19		Coordinates: 5039.7 North 4274.0 East						
	20								
	21								
	22								
	23								
	24								
	25								

TYPE OF SAMPLE D. - DISTURBED U.L. - UNDIST. LINER S.T. - SHELBY TUBE S.S. - SPLIT SPOON R.C. - ROCK CORE () - PENETROMETER	REMARKS: Standard Penetration Test - Driving 2" OD Sampler 1" With 140# Hammer Falling 30": Count Made at 6" Intervals	GROUND WATER OBSERVATIONS G.W. ENCOUNTERED AT FT. INS. G.W. ENCOUNTERED AT FT. INS. G.W. AFTER COMPLETION None FT. INS. G.W. AFTER HRS. FT. INS. G.W. VOLUMES
--	--	--