



McDOWELL & ASSOCIATES
Geotechnical, Environmental, & Hydrogeologic Services
21355 Hatcher Avenue • Ferndale, MI 48220
Phone: (248) 399-2066 • Fax: (248) 399-2157

LOG OF SOIL

BORING NO. 6

PROJECT

Soils Investigation -

McDonalds Restaurant Renovation

JOB NO. 09-017

LOCATION

3752 State

SURFACE ELEV.

DATE 2-2-09

Ann Arbor, Michigan

Sample & Type	Depth	Legend	SOIL DESCRIPTION	Penetration Blows for 6"	Moisture %	Natural Wt. P.C.F.	Dry Den Wt. P.C.F.	Unc. Comp. Strength PSF.	Str. %
	1		0'5" ASPHALT						
			Frozen light brown SAND & GRAVEL, aggregate fill						
A	2		1'7"						
UL			Extremely compact frozen to moist discolored brown fine SAND with gravel and stones, fill	61					
	3								
	4		3'4"						
B			Compact moist brown gravelly SAND with silt and clayey sand seams	8					
UL	5			7	7.1	127			
			5'6"	7					
	6								
	7								
	8								
	9								
	10								
	11								
	12								
	13								
	14								
	15								
	16								
	17								
	18								
	19								
	20								
	21								
	22								
	23								
	24								
	25								

TYPE OF SAMPLE
D. - DISTURBED
U.L. - UNDIST. LINER
S.T. - SHELBY TUBE
S.S. - SPLIT SPOON
R.C. - ROCK CORE
() - PENETROMETER

REMARKS:

Standard Penetration Test - Driving 2" OD Sampler 1' With
140# Hammer Falling 30": Count Made at 6" Intervals

GROUND WATER OBSERVATIONS

G.W. ENCOUNTERED AT FT. INS.
G.W. ENCOUNTERED AT FT. INS.
G.W. AFTER COMPLETION None FT. INS.
G.W. AFTER HRS. FT. INS.
G.W. VOLUMES