



McDOWELL & ASSOCIATES
Geotechnical, Environmental, & Hydrogeologic Services
21355 Hatcher Avenue • Ferndale, MI 48220
Phone: (248) 399-2066 • Fax: (248) 399-2157

LOG OF SOIL
BORING NO. 1

PROJECT Soils Investigation
Proposed Soccer Field
LOCATION Huron High School
Fuller Road and Huron Parkway
Ann Arbor, Michigan

JOB NO. 08-019B

SURFACE ELEV. 763.8 DATE 3-06-08

Sample & Type	Depth	Legend	SOIL DESCRIPTION	Penetration Blows for 6"	Moisture %	Natural Wt. P.C.F.	Dry Den Wt. P.C.F.	Unc. Comp. Strength PSF	Str. %
	1		0'4" Frozen to moist dark brown silty sandy TOPSOIL with pebbles and vegetation						
A	2			13					
UL	3		Extremely compact moist dark brown SAND & GRAVEL with trace of silt	16	8.2				
	4			--					
B	5		3'6" Extremely compact moist dark brown to brown SAND with gravel						
UL	6			12					
	7			16					
	8			--					
	9								
	10								
	11								
	12								
	13								
	14								
	15								
	16								
	17								
	18								
	19								
	20								
	21								
	22		Coordinates: 4769.6 North 4524.4 East						
	23								
	24								
	25								

TYPE OF SAMPLE D. - DISTURBED U.L. - UNDIST. LINER S.T. - SHELBY TUBE S.S. - SPOT SPOON R.C. - ROCK CORE () - PENETROMETER	REMARKS: Standard Penetration Test - Driving 2" OD Sampler 1' With 140# Hammer Falling 30". Count Made at 6" Intervals	GROUND WATER OBSERVATIONS G.W. ENCOUNTERED AT FT. INS. G.W. ENCOUNTERED AT FT. INS. G.W. AFTER COMPLETION none FT. INS. G.W. AFTER HRS. FT. INS. G.W. VOLUMES
---	--	--