



McDOWELL & ASSOCIATES
Geotechnical, Environmental, & Hydrogeologic Services
21355 Hatcher Avenue • Ferndale, MI 48220
Phone: (248) 399-2066 • Fax: (248) 399-2157

TEST PIT NO. 4

PROJECT

Phase I ESA with Backhoe Test Pits

JOB NO. 02-12698

LOCATION

West of Pontiac Trail, South of Dhu Varren Road

SURFACE ELEV. _____ DATE 6-17-02

Ann Arbor Township, Michigan

Sample & Type	Depth	Legend	SOIL DESCRIPTION	Penetration Blows for 6"	PID Readings H/Nu Units	Dry Den Wt. P.C.F.	Unc. Comp. Strength PSF	Str. %
	1		Moist brown medium to coarse SAND with gravel		ND			
	2							
	3							
	4							
	5		4'6" Moist variegated silty CLAY with pebbles		ND			
	6							
	7							
	8		6'8" Moist blue silty CLAY with oxidized streaks					
	7'6"							
	9							
	10							
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							
	19							
	20							
	21							
	22							
	23							
	24							
	25							

TYPE OF SAMPLE D. - DISTURBED U.L. - UNDIST. LINER S.T. - SHELBY TUBE S.S. - SPLIT SPOON R.C. - ROCK CORE () - PENETROMETER	REMARKS: Standard Penetration Test - Driving 2" OD Sampler 1' With 140# Hammer Falling 30": Count Made at 6" Intervals	GROUND WATER OBSERVATIONS G.W. ENCOUNTERED AT FT. INS. G.W. ENCOUNTERED AT FT. INS. G.W. AFTER COMPLETION FT. INS. G.W. AFTER HRS. FT. INS. G.W. VOLUMES none
--	--	--