



McDOWELL & ASSOCIATES
Geotechnical, Environmental, & Hydrogeologic Services
21355 Hatcher Avenue • Ferndale, MI 48220
Phone: (248) 399-2066 • Fax: (248) 399-2157

LOG OF SOIL
BORING NO. 6

PROJECT Phase II Environmental Site Assessment

LOCATION Southwest Corner of Packard & Platt Roads

JOB NO. 07-14083

SURFACE ELEV. _____ DATE 8-10-07

Ann Arbor, Michigan

Sample & Type	Depth	Legend	SOIL DESCRIPTION	Penetration Blows for 6"	PID Readings RAE Units	Dry Den Wt. P.C.F.	Unc. Comp. Strength PSF.	Str. %
			0'3" ASPHALT					
	1		0'9" Moist dark brown to brown silty fine to medium SAND with trace of pebbles, fill		ND			
	2							
	3		Moist to wet brown SAND with trace of gravel		ND			
	4							
	5				ND			
	6		5'6" Moist variegated silty CLAY with trace of pebbles		ND			
	7							
	8		8'0" Moist blue silty CLAY with trace of pebbles		ND			
	9							
	10		10'0"					
	11							
	12							
	13							
	14							
	15		Note:					
	16		ND = none detected					
	17							
	18							
	19							
	20							
	21							
	22							
	23							
	24							
	25							

TYPE OF SAMPLE
D. - DISTURBED
U.L. - UNDIST. LINER
S.T. - SHELBY TUBE
S.S. - SPLIT SPOON
R.C. - ROCK CORE
() - PENETROMETER

REMARKS:

Standard Penetration Test - Driving 2" OD Sampler 1' With
140# Hammer Falling 30": Count Made at 6" Intervals

GROUND WATER OBSERVATIONS

G.W. ENCOUNTERED AT 5 FT. 0 INS.
G.W. ENCOUNTERED AT FT. INS.
G.W. AFTER COMPLETION 4 FT. 9 INS.
G.W. AFTER HRS. FT. INS.
G.W. VOLUMES Medium Cave-in at 4'9"