



McDOWELL & ASSOCIATES
Geotechnical, Environmental, & Hydrogeologic Services
21355 Hatcher Avenue • Ferndale, MI 48220
Phone: (248) 399-2066 • Fax: (248) 399-2157

TEST PIT NO. 2

PROJECT

Phase I ESA with Backhoe Test Pits

JOB NO. 02-12698

LOCATION

West of Pontiac Trail, South of Dhu Varren Road

SURFACE ELEV. DATE 6-17-02

Ann Arbor Township, Michigan

Sample & Type	Depth	Legend	SOIL DESCRIPTION	Penetration Blows for 6"	PID Readings HINu Units	Dry Den Wt P.C.F.	Unc. Comp. Strength PSF	Str %
	1		0'8" Moist dark brown clayey sandy TOPSOIL with vegetation		ND			
	2							
	3		Moist brown sandy CLAY with pebbles					
	4		3'6"		ND			
	5							
	6		Moist variegated sandy CLAY with pebbles					
	7		6'6"		ND			
	8							
	9							
	10							
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							
	19							
	20							
	21							
	22							
	23							
	24							
	25							

TYPE OF SAMPLE
D. - DISTURBED
U.L. - UNDIST. LINER
S.T. - SHELBY TUBE
S.S. - SPLIT SPOON
R.C. - ROCK CORE
() - PENETROMETER

REMARKS:

Standard Penetration Test - Driving 2" OD Sampler 1' With
140# Hammer Falling 30": Count Made at 6" Intervals

GROUND WATER OBSERVATIONS

G.W. ENCOUNTERED AT FT. INS.
G.W. ENCOUNTERED AT FT. INS.
G.W. AFTER COMPLETION FT. INS.
G.W. AFTER HRS. FT. INS.
G.W. VOLUMES none