



Test Pit #: 4

Job Number: 15-240

Date: 7/28/2015

Project: Rudolf Steiner School

Weather: Sunny, T=80°F

Location: Ann Arbor Township, Washtenaw County, Michigan

Soil Stratigraphy:		Pipe Installation #1	
0" - 11"	Moist dark brown silty sandy Topsoil with roots	Soil Depth: <u>4'6"</u>	
11" - 3'3"	Moist brown silty Sand with clay, gravel and frequent cobbles (fill)	Pipe Diameter: <u>6"</u>	
3'3" - 3'6"	Moist brown silty sandy Topsoil	Embedment: <u>6"</u>	
3'6" - 5'10"	Moist brown fine to medium Sand with traces of silt, gravel and frequent cobbles (USDA Classification: Sand)	Stick-up: <u>12"</u>	
5'10" - 9'6"	Moist brown fine Sand with traces of silt	Total Length: <u>1'6"</u>	
End of Test Pit @ 9'6"		Pipe Installation #2	
		Soil Depth: <u>4'6"</u>	
		Pipe Diameter: <u>6"</u>	
		Embedment: <u>6"</u>	
		Stick-up: <u>12"</u>	
		Total Length: <u>1'6"</u>	
Groundwater Depth: <u>N/A</u>		Pipe Distance: <u>2'3"</u>	
Soak Period (Pipe #1)		Soak Period (Pipe #2)	
Start Date:	<u>7/28/2015</u>	Start Date:	<u>7/28/2015</u>
Start Time:	<u>9:17AM</u>	Water Head:	<u>12</u> inches
Notes:	<hr/>		
Time:	<u>9:19AM</u>	Water Head:	<u>0</u> inches
Notes:	<u>Refilled to 12"</u> <hr/>		
Time:	<u> </u>	Water Head:	<u> </u> inches
Notes:	<hr/>		
Time:	<u> </u>	Water Head:	<u> </u> inches
Notes:	<hr/>		
Time:	<u> </u>	Water Head:	<u> </u> inches
Notes:	<hr/>		
Time:	<u> </u>	Water Head:	<u> </u> inches
Notes:	<hr/>		
End Date:	<u>7/28/2015</u>	End Date:	<u>7/28/2015</u>
End Time:	<u>9:22AM</u>	Water Head:	<u>0</u> inches
Total Soak Duration:	<u>5 minutes</u>	Total Soak Duration:	<u>12 minutes</u>
Notes:	<hr/> <hr/>		