
Change with RET: CRE vs PLA (ANCOVA)
Baseline-adjusted POST − PRE ± 95% CI; points = observed change (paired participants)
Change (POST − PRE)
Weight (kg)
Pooled adj. change p = 0.493
CRE vs PLA p = 0.333
BMI
Pooled adj. change p = 0.616
CRE vs PLA p = 0.273
Lean Body Mass (kg)
Pooled adj. change p = 0.050
CRE vs PLA p = 0.588
Appendicular Lean Mass (kg)
Pooled adj. change p < 0.001
CRE vs PLA p = 0.309
ALM Index
Pooled adj. change p = 0.001
CRE vs PLA p = 0.241
Fat Mass (kg)
Pooled adj. change p = 0.020
CRE vs PLA p = 0.743
Fat (%)
Pooled adj. change p = 0.019
CRE vs PLA p = 0.875
Sit-to-Stand Max Power
Pooled adj. change p = 0.632
CRE vs PLA p = 0.684
Grip Strength (lbs)
Pooled adj. change p = 0.626
CRE vs PLA p = 0.705
Chest Press (lbs)
Pooled adj. change p < 0.001
CRE vs PLA p = 0.651
Leg Extension (lbs)
Pooled adj. change p < 0.001
CRE vs PLA p = 0.571
PLA
CRE