Annual Progress Report (APR)

THE CITY OF EDINBURGH COUNCIL

2025 Air Quality Annual Progress Report (APR) for The City of Edinburgh Council

In fulfilment of Part IV of the Environment Act 1995, as amended by the Environment Act 2021

Local Air Quality Management

October 2025

Appendix A: Monitoring Results

Table A.1 - Details of Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA?	Which AQMA?	Monitoring Technique	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Inlet Height (m)
ID4	Gorgie Road	Roadside	323121	672314	NO_2	Yes	Central	Chemiluminescent	0	2.5	2.63
ID5	St. John's Road	Kerbside	320101	672907	NO_2; PM_{10}; $PM_{2.5}$	Yes	St. John's Road	Chemiluminescent; FIDAS® 200	0	0.5	1.98
ID6	Currie High School	Suburban	317595	667909	NO_2; PM_{10}; $PM_{2.5}$	No	-	Chemiluminescent; TEOM; FIDAS® 200	N/A	N/A	3.59 – NO_2; 3.24 – PM_{10}
ID7	St. Leonard's	Urban Background (AURN)	326265	673129	NO_2; PM_{10}; $PM_{2.5}$; O_3; CO; SO_2; PAH	No	-	Chemiluminescent; FIDAS® 200; UV Adsorption; IR Adsorption; Digitel sampler	N/A	35	3.4 – NO_2, O_3, CO, SO_2, PAH; 3.2 – PM_{10}; 3.1 – $PM_{2.5}$
ID8	Salamander Street	Roadside	327616	676343	NO_2; PM_{10}; $PM_{2.5}$	Yes	Salamander Street	Chemiluminescent; TEOM; FIDAS® 200	0	2.13	2.86

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA?	Which AQMA?	Monitoring Technique	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Inlet Height (m)
ID9	Queensferry Road	Roadside	318736	674930	NO_2; PM_{10}; $PM_{2.5}$	No	-	Chemiluminescent; FIDAS® 200	6.5	1.7	2.96
EDNS	Nicolson Street	Roadside	326151	673041	NO_2; PM_{10}; $PM_{2.5}$	Yes	Central	Chemiluminescent; FIDAS® 200	2.2	2.9 (3)	2
ED012	Tower Street	Urban Industrial	327467	676537	PM_{10}; $PM_{2.5}$	Yes	Salamander Street	FIDAS® 200	0	N/A	2
ED011	Drumsheugh Place	Roadside	324407	673843	NO_2; PM_{10}; $PM_{2.5}$	No	-	Chemiluminescent; FIDAS® 200	0	1.0	2.0

Notes:

(1) 0 m if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).

(2) N/A if not applicable.

(3) Distance to nominal kerb, due to parking bay/parking restrictions/cycle lane in front of monitoring location.

Table A.2 - Details of Non-Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Tube co-located with a Continuous Analyser?	Tube Height (m)
NORTH WEST LOCALITY										
13a	Deanhaugh Street	Roadside	324533	674655	NO2	No	0.0	2.0	No	2.0
16	Glasgow Road 68/adj	Roadside	313028	672633	NO2	Yes - Glasgow Road	4.4	1.8	No	2.0
15a	Glasgow Road Facade/9	Roadside	312711	672674	NO2	Yes - Glasgow Road	0.0	7.5	No	2.0
58i, 58ii	Glasgow Rd Newbridge	Roadside	312693	672670	NO2	Yes - Glasgow Road	5.2	2.8	No	2.0
15	Glasgow Rd Newbridge	Roadside	312664	672672	NO2	Yes - Glasgow Road	3.8	4.0	No	2.0
41	Hillview Terrace	Urban Background	320081	673232	NO2	No		1.0	No	2.0
55i, 55ii	Inverleith Row/Ferry Rd	Roadside	324638	675993	NO2	No	0.0	4.7	No	2.0
64	Queensferry Road 550	Roadside	318698	674955	NO2	No	9.2	1.5	No	2.0
64b	Queensferry Road 550F	Roadside	318701	674964	NO2	No	0.0	11.0	No	2.0
69J	Queensferry Road 554	Roadside	318682	674957	NO2	No	8.6	1.4	No	2.0
69I	Queensferry Rd/Lyle Ct	Roadside	318616	674968	NO2	No	7.5	2.0	No	2.0
40	Queensferry Rd/Hillhouse	Roadside	322144	674497	NO2	No	0.0	2.0	No	2.0
22b	Roseburn Street PS	Roadside	322891	672958	NO2	No	0.0	2.0	No	2.0
23	Roseburn Terrace	Kerbside	323007	673198	NO2	Yes - City Centre	2.3	3.0	No	2.0
22a	Roseburn Terrace (W)	Kerbside	322984	673189	NO2	Yes - City Centre	1.7	2.3	No	2.0

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Tube co-located with a Continuous Analyser?	Tube Height (m)
22	Roseburn Terrace No21	Roadside	323008	673182	NO2	Yes - City Centre	0.0	1.8	No	2.0
1d	St John's Road 131	Roadside	320096	672907	NO2	Yes - St John's Road	0.0	2.1	No	2.0
1b	St John's Road IR	Roadside	320136	672914	NO2	Yes - St John's Road	0.0	2.0	No	2.0
39	St John's/Victor Park Terr	Roadside	319677	672991	NO2	Yes - St John's Road	4.2	4.8	No	2.0
SOUTH WEST LOCALITY										
76b	Angle Park Terrace 74	Roadside	323527	672285	NO2	Yes - City Centre	0.0	2.1	No	2.0
78a	14 Appin Street	Other	322783	671530	NO2	No	0.0	65.0	No	2.0
80e	Balgreen Rd/Library	Roadside	322110	672268	NO2	No	0.0	2.0	No	2.0
4a	Calder Road	Roadside	318894	670493	NO2	No	5.0	12.0	No	2.0
145	1 Corstorphine High St	Roadside	319990	672707	NO2	No	0.0	1.4	No	2.0
145a	Corstorphine P. School	Roadside	319834	672678	NO2	No	0.0	2.7	No	2.0
79d	Dundee St/Yeaman Pl	Roadside	323926	672550	NO2	Yes - City Centre	0.0	2.3	No	2.0
79	Fountainbridge/Tollcross	Roadside	324682	672939	NO2	No	0.0	3.3	No	2.0
79B	Fountainbridge 158	Roadside	324451	672864	NO2	No	0.0	2.0	No	2.0
80	Gorgie Road - Delhaigh	Roadside	321967	671666	NO2	Yes - City Centre	0.0	2.6	No	2.0
80f	Gorgie Road No160	Roadside	323141	672345	NO2	Yes - City Centre	0.0	3.2	No	2.0
5	Gorgie Rd/Murieston Rd	Kerbside	323484	672478	NO2	Yes - City Centre	4.9	0.3	No	2.0
11	Lanark Road 610	Roadside	319527	668420	NO2	No	3.7	1.5	No	2.0

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Tube co-located with a Continuous Analyser?	Tube Height (m)
77b	Slateford Road 93/95	Roadside	322999	671876	NO2	Yes - City Centre	0.0	2.6	No	2.0
NOTH EAST LOCALITY										
23i	Abbey Mount No5	Roadside	326928	674301	NO2	No	0.0	2.0	No	2.0
29a	Bernard Street	Roadside	327137	676529	NO2	Yes - Great Junction Street	0.0	2.1	No	2.0
29ci, 29cii	Bernard Street/PS	Roadside	327135	676515	NO2	Yes - Great Junction Street	0.0	2.1	No	2.0
29	Bernard Street	Roadside	327148	676507	NO2	Yes - Great Junction Street	0.0	2.2	No	2.0
119	Bonnington Rd/GJ St	Roadside	326723	676136	NO2	No	0.0	1.4	No	2.0
9d	Commercial Street	Roadside	326477	676759	NO2	Yes - Great Junction Street	0.0	2.6	No	2.0
9	Commercial Street 88	Roadside	326879	676626	NO2	Yes - Great Junction Street	0.0	2.6	No	2.0
9a	Commercial /Portland Pl	Roadside	326430	676754	NO2	Yes - Great Junction Street	3.9	1.5	No	2.0
30f	Duke Street	Roadside	327106	675816	NO2	No	0.0	2.2	No	2.0
25c	Easter Road 105/109	Roadside	326958	674770	NO2	Yes - City Centre	0.0	3.3	No	2.0
20a	East London Street	Roadside	325956	674725	NO2	No	0.0	8.0	No	2.0

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Tube co-located with a Continuous Analyser?	Tube Height (m)
25	Easter Road/CH shop	Roadside	326934	674503	NO2	Yes - City Centre	0.0	2.3	No	2.0
25b	Easter Rd/Rossie Place	Roadside	326950	674624	NO2	Yes - City Centre	0.0	3.3	No	2.0
53	Ferry Road/ 6 Bowhill Ter	Roadside	324726	676004	NO2	No	1.6	4.6	No	2.0
45b	Ferry Road/1 Madeira St	Roadside	326359	676420	NO2	No	0.0	8.6	No	2.0
45d	Ferry Road/N.Junction St	Roadside	326503	676436	NO2	Yes- Great Junction Street	0.0	3.1	No	2.0
30b	Great Junction Street 137	Roadside	326740	676138	NO2	Yes - Great Junction Street	0.0	2.9	No	2.0
30c	Great Junction Street 14	Roadside	326925	675949	NO2	Yes - Great Junction Street	0.0	2.8	No	2.0
30e	Great Junction/ Pirrie St	Roadside	326845	676015	NO2	Yes - Great Junction Street	0.0	2.7	No	2.0
30	Great Junction Street/FV	Roadside	326884	675997	NO2	Yes - Great Junction Street	0.0	2.8	No	2.0
20	Leith Walk/McDonald Rd	Roadside	326370	674881	NO2	Yes - City Centre	6.5	1.0	No	2.0
67	London Road/Earlston Pl	Roadside	327190	674433	NO2	Yes - City Centre	0.0	2.7	No	2.0
81	London Rd/East Norton P	Roadside	326980	674446	NO2	Yes - City Centre	0.0	2.5	No	2.0

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Tube co-located with a Continuous Analyser?	Tube Height (m)
116	London Rd/Jocks Lodge	Roadside	328245	674166	NO2	Yes - City Centre	0.0	2.3	No	2.0
46	London Rd/Easter Road	Roadside	326944	674472	NO2	Yes - City Centre	0.0	5.6	No	2.0
70	London Rd/Wolseley Terr	Roadside	328337	674129	NO2	Yes - City Centre	0.0	4.6	No	2.0
32	Niddrie Mains Road 28	Kerbside	328889	671649	NO2	No	4.7	2.6	No	2.0
71	Portobello High Street	Roadside	330533	673850	NO2	No	0.0	3.0	No	2.0
30X	Rodney Street 31	Roadside	325443	674969	NO2	No	0.0	2.4	No	2.0
51c	Salamander St/Baltic St	Roadside	327476	676418	NO2	No	0.0	2.3	No	2.0
90F	Southfield Place	Roadside	330123	673554	NO2	No	0.0	5.0	No	2.0
SOUTH EAST LOCALITY										
10B	Bank Street	Roadside	325598	673616	NO2	No	0.0	2.7	No	2.0
98	Bernard Terrace	Roadside	326383	672622	NO2	No	1.7	3.3	No	2.0
44	Broughton Street	Roadside	325918	674430	NO2	No	0.0	3.4	No	2.0
8A	Brougham Street 9	Roadside	324967	672916	NO2	No	0.0	3.7	No	2.0
6a	Bruntsfield Place 210	Roadside	324495	672035	NO2	No	0.0	2.8	No	2.0
48G	Cannongate	Roadside	326173	673700	NO2	No	0.0	2.6	No	2.0
48h	Canongate 206	Roadside	326271	673722	NO2	No	0.0	2.8	No	2.0
94	Chester Street 29	Roadside	324071	673608	NO2	No	0.0	6.9	No	2.0
138	Clerk Street 15	Roadside	326229	672789	NO2	No	0.0	4.4	No	2.0
151	Comiston Road No.116	Roadside	324367	670473	NO2	No	0.0	2.7	No	2.0
48f	Cowgate/St Mary's St	Roadside	326198	673587	NO2	No	0.0	2.6	No	2.0
48a	Cowgate/Blair Street	Roadside	325929	673490	NO2	Yes - City Centre	0.0	3.2	No	2.0
48e	Cowgatehead 2	Roadside	325537	673405	NO2	Yes - City Centre	0.0	1.9	No	2.0

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Tube co-located with a Continuous Analyser?	Tube Height (m)
123	Dalkeith Road 16/PS	Roadside	326629	672524	NO2	No	0.0	2.2	No	2.0
93	Drumsheugh Gardens 20	Roadside	324326	673815	NO2	No	0.0	8.9	No	2.0
128	Dundas Street 9	Roadside	325253	674362	NO2	No	7.4	2.2	No	2.0
8C	Earl Grey Street 22	Roadside	324864	673008	NO2	Yes - City Centre	0.0	3.4	No	2.0
124	East Preston/Dalkeith Rd	Roadside	326645	672481	NO2	No	0.0	2.1	No	2.0
126	East Preston Street 32	Roadside	326588	672461	NO2	No	0.0	6.4	No	2.0
74f	George Street 112	Roadside	324880	673891	NO2	Yes - City Centre	0.0	6.8	No	2.0
37ai, 37aii	Grassmarket 41	Roadside	325401	673340	NO2	Yes - City Centre	0.0	3.4	No	2.0
37b	Grassmarket 75	Roadside	325471	673369	NO2	Yes - City Centre	0.0	5.0	No	2.0
37c	Grassmarket/Thomsons Ct	Urban Background	325397	673377	NO2	No	0.0	22.8	No	2.0
75e	Gt Stuart Street 9	Roadside	324476	673967	NO2	No	0.0	9.4	No	2.0
HT1	Haymarket Terrace (N)	Roadside	323985	673219	NO2	Yes - City Centre	0.0	3.7	No	2.0
HT2	Haymarket Terrace (S)	Kerbside	323787	673212	NO2	Yes - City Centre	1.8	0.5	No	2.0
10	Home Street/Tollcross	Roadside	324904	672906	NO2	No	0.0	2.0	No	2.0
140	Hope Park Terr/Clerk St	Roadside	326323	672596	NO2	Yes-City Centre	3.5	1.3	No	2.0
34	India Street	Urban Background	324790	674341	NO2	No		2.5	No	2.0
8B	Lauriston Place	Roadside	324989	673016	NO2	No	0.0	4.9	No	2.0

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Tube co-located with a Continuous Analyser?	Tube Height (m)
74g	Leith Street	Roadside	325897	674051	NO2	Yes - City Centre	0.0	3.7	No	2.0
62A	Lothian Road 45	Roadside	324777	673425	NO2	Yes - City Centre	0.0	4.1	No	2.0
62B	Lothian Road 139	Roadside	324827	673138	NO2	No	3.2	3.5	No	2.0
62X	Lothian Road/Rutland St	Roadside	324711	673635	NO2	Yes - City Centre	0.0	4.8	No	2.0
38	Melville Drive	Roadside	325141	672733	NO2	No	10.0	2.8	No	2.0
42	Midmar Drive	Urban Background	325105	670511	NO2	No		1.4	No	2.0
79E	Morrison Crescent	Roadside	324170	672919	NO2	No	0.0	15.0	No	2.0
62C	Morrison Street 91	Roadside	324541	673183	NO2	Yes - City Centre	0.0	2.4	No	2.0
49	Morrison Street	Roadside	324186	673248	NO2	Yes - City Centre	0.5	6.6	No	2.0
135b	Nicholson Street 59-61	Roadside	326099	673140	NO2	Yes – City Centre	0.0	2.8	No	2.0
95	Palmerston/Lansdowne	Kerbside	324105	673457	NO2	No	5.0	0.8	No	2.0
96	Palmerston Place 7	Roadside	324190	673380	NO2	No	0.0	6.3	No	2.0
27	North Bridge South	Roadside	325944	673670	NO2	Yes - City Centre	0.0	3.5	No	2.0
47	Princes Street (EB)	Roadside	325049	673791	NO2	Yes - City Centre	6.5	9.0	No	2.0
24	Princes Street/Mound	Kerbside	325397	673869	NO2	Yes - City Centre	10.2	1.0	No	2.0
33	Queen St/North David St	Roadside	325467	674229	NO2	Yes - City Centre	0.0	6.5	No	2.0
144	South Bridge 59	Roadside	326020	673370	NO2	Yes- City Centre	0.0	2.3	No	2.0

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Tube co-located with a Continuous Analyser?	Tube Height (m)
141	South Clerk Street 84	Roadside	326383	672472	NO2	Yes-City Centre	0.0	2.6	No	2.0
75d	St Colme Street/4	Roadside	324646	674025	NO2	No	0.0	6.2	No	2.0
28e	St Leonards Street 145a	Roadside	326559	672610	NO2	No	0.0	3.4	No	2.0
3b	Torphichen Place 1	Roadside	324277	673309	NO2	Yes - City Centre	0.0	4.8	No	2.0
3	Torphichen Place	Roadside	324258	673295	NO2	Yes - City Centre	0.0	2.3	No	2.0
2	W.Maitland/Palmerston	Kerbside	324193	673346	NO2	No	5.2	0.5	No	2.0
28d	West Port 42	Roadside	325203	673250	NO2	Yes - City Centre	0.0	2.7	No	2.0
28b	West Port 62	Roadside	325166	673242	NO2	Yes - City Centre	0.0	1.4	No	2.0
91	West Preston Street 40	Roadside	326309	672397	NO2	No	0.0	4.0	No	2.0
36	York Place	Roadside	325828	674362	NO2	No	2.7	5.5	No	2.0
CO-LOCATED TUBES										
CL1, CL2, CL3	Queensferry Road	Roadside	318736	674930	NO2	No	6.5	1.7	Yes	2.0
CL4, CL5, CL6	Gorgie Road	Roadside	323121	672314	NO2	Yes - City Centre	0.0	6.0	Yes	2.4
CL7, CL8, CL9	Salamander Street	Roadside	327616	676343	NO2	No	0.0	2.1	Yes	2.4
CL13, CL14, CL15	St Johns Road	Kerbside	320101	672907	NO2	Yes - St John's Road	0.0	0.5	Yes	1.8

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Tube co-located with a Continuous Analyser?	Tube Height (m)
CL16, CL17, CL18	Nicolson Street	Roadside	326151	673041	NO2	Yes - City Centre	2.2	2.9	Yes	1.8
CL19, CL20, CL21	Drumsheugh	Roadside	324407	673843	NO2	No	0.0	1.0	Yes	2.0

Notes:

(1) 0m if the monitoring site is at a location of exposure (e.g. installed on/adjacent to the façade of a residential property).

(2) N/A if not applicable.

Table A.3 - Annual Mean NO_2 Monitoring Results: Automatic Monitoring (µg/m^3)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) (1)	Valid Data Capture 2024 (%) (2)	2020	2021	2022	2023	2024
ID4 Gorgie	323121	672314	Roadside	-	98.2	18.4	18.2	17.4	17.7	15.7
ID5 St John's	320101	672907	Kerbside	-	88.6	25.6	28.7	29.2	29.8	28.8
ID6 Currie	317595	667909	Suburban	-	57.7	5.3	5.1	4.8	5.3	4.8
ID7 St Leonard's	326265	673129	Background	-	85.0	13.7	13.7	13.0	11.4	11.7
ID8 Salamander	327616	676343	Roadside	-	86.7	19.5	22.1	17.8	16.5	15.7
ID9 Queensferry	318736	674930	Roadside	-	99.5	25.8	29.2	25.9	26.0	23.9
EDNS Nicolson	326151	673041	Roadside	-	99.4	27.2	28.5	23.8	25.1	21.8
ED011 Drumsheugh	324407	673843	Roadside	-	47.2	-	-	-	-	18.8

Notes:

Exceedances of the NO_2 annual mean objective of 40 µg/m^3 are shown in bold.

NO_2 annual means exceeding 60 µg/m^3, indicating a potential exceedance of the NO_2 1-hour mean objective are shown in **bold and underlined**.

Means for diffusion tubes have been corrected for bias. All means have been "annualised" as per LAQM.TG22 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.4 - Annual Mean NO_2 Monitoring Results: Non-Automatic Monitoring (µg/m^3)

Diffusion Tube ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) [1]	Valid Data Capture 2024 (%) [2]	2020	2021	2022	2023	2024
13a	324533	674655	Roadside	92.5	92.5	15.4	16.3	15.7	15.6	14.5
16	313028	672633	Roadside	100.0	100.0	26.7	27.9	27.7	32.0	27.4
15a	312711	672674	Roadside	100.0	100.0	17.3	21.5	25.3	26.0	19.8
58i, 58ii	312693	672670	Roadside	100.0	100.0	29.2	30.7	34.8	31.2	27.1
15	312664	672672	Roadside	100.0	100.0	24.3	26.6	31.8	27.7	23.9
41	320081	673232	Urban Background	100.0	100.0	11.3	12.9	10.9	13.7	10.7
55i, 55ii	324638	675993	Roadside	100.0	100.0	26.2	27.3	26.2	25.7	21.7
64	318698	674955	Roadside	100.0	100.0	38.4	38.1	**41.3**	**42.2**	33.6
64b	318701	674964	Roadside	100.0	100.0	20.9	20.7	21.2	18.9	17.2
69J	318682	674957	Roadside	100.0	100.0	35.0	38.5	37.3	38.7	32.9
69I	318616	674968	Roadside	100.0	100.0	28.2	31.6	31.4	32.5	28.3
40	322144	674497	Roadside	75.0	75.0	19.1	17.4	18.9	16.7	16.5
22b	322891	672958	Roadside	90.6	90.6					13.8
23	323007	673198	Kerbside	90.6	90.6	21.0	24.9	21.6	20.4	21.2
22a	322984	673189	Kerbside	92.5	92.5	23.1	25.9	23.9	23.9	27.2
22	323008	673182	Roadside	81.1	81.1					33.1
1d	320096	672907	Roadside	92.5	92.5	28.8	29.1	29.3	28.5	28.2
1b	320136	672914	Roadside	90.6	90.6	17.4	20.8	19.2	19.5	18.9
39	319677	672991	Roadside	100.0	100.0	19.1	21.6	21.0	18.9	20.7
76b	323527	672285	Roadside	92.5	92.5	25.6	24.3	21.1	21.3	18.5
78a	322783	671530	Other	100.0	100.0			9.4	9.9	8.1
80e	322110	672268	Roadside	100.0	100.0	18.5	20.7	19.5	18.8	17.1
4a	318894	670493	Roadside	75.0	75.0	15.4	16.5	13.0	16.1	13.7
145	319990	672707	Roadside	100.0	100.0			16.7	15.6	14.2
145a	319834	672678	Roadside	92.5	92.5			13.6	12.2	11.1
79d	323926	672550	Roadside	90.6	90.6	24.4	22.7	22.6	22.6	18.8
79	324682	672939	Roadside	90.6	90.6	18.6	17.7	17.5		17.8
79B	324451	672864	Roadside	90.6	90.6		20.3	17.6	19.0	16.9
80	321967	671666	Roadside	92.5	92.5	20.7	26.3	24.0	23.6	20.1
80f	323141	672345	Roadside	92.5	92.5	20.0	22.3	20.5	20.1	18.3
5	323484	672478	Kerbside	100.0	100.0	25.6	23.7	20.8	24.3	19.3
11	319527	668420	Roadside	100.0	100.0	13.7	13.7	10.7	12.9	10.3
77b	322999	671876	Roadside	100.0	100.0	27.2	23.1	20.3	20.2	18.6
23i	326928	674301	Roadside	100.0	100.0					24.7
29a	327137	676529	Roadside	100.0	100.0	25.0	23.9	20.8	20.7	17.7

Diffusion Tube ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) [1]	Valid Data Capture 2024 (%) [2]	2020	2021	2022	2023	2024
29ci, 29cii	327135	676515	Roadside	100.0	100.0	28.4	28.5	26.7	24.2	18.8
29	327148	676507	Roadside	100.0	100.0	21.7	21.2	20.9	20.7	15.1
119	326723	676136	Roadside	100.0	100.0	18.2	20.8	18.7	18.4	16.0
9d	326477	676759	Roadside	100.0	100.0	28.3	28.2	24.9	24.8	21.0
9	326879	676626	Roadside	100.0	100.0	20.6	25.3	21.0	20.8	17.1
9a	326430	676754	Roadside	92.5	92.5	29.2	27.6	26.5	23.0	20.9
30f	327106	675816	Roadside	92.5	92.5	26.9	28.0	21.6	22.3	18.6
25c	326958	674770	Roadside	100.0	100.0	27.0	32.1	28.0	30.1	23.4
20a	325956	674725	Roadside	92.5	92.5				13.8	11.8
25	326934	674503	Roadside	100.0	100.0	25.8	29.1	25.5	23.5	19.2
25b	326950	674624	Roadside	81.1	81.1	21.5	24.9	21.6	19.5	17.6
53	324726	676004	Roadside	100.0	100.0	22.2	22.5	22.3	22.7	20.5
45b	326359	676420	Roadside	92.5	92.5	19.5	20.6	22.0	27.7	20.0
45d	326503	676436	Roadside	100.0	100.0	25.9	25.7	24.7	23.0	20.3
30b	326740	676138	Roadside	92.5	92.5	19.7	24.2	23.5	21.8	19.9
30c	326925	675949	Roadside	83.0	83.0	22.7	25.1	22.6	24.2	19.0
30e	326845	676015	Roadside	100.0	100.0	20.2	28.0	21.1	21.8	19.3
30	326884	675997	Roadside	100.0	100.0	23.8	28.1	23.9	23.3	18.3
20	326370	674881	Roadside	100.0	100.0			23.2	22.4	21.3
67	327190	674433	Roadside	100.0	100.0	25.5	30.1	27.4	29.0	25.0
81	326980	674446	Roadside	100.0	100.0	**44.0**	**40.6**	29.9	25.0	21.7
116	328245	674166	Roadside	90.6	90.6	21.6	31.0	25.4	25.6	22.1
46	326944	674472	Roadside	92.5	92.5	22.8	27.1	22.6	24.3	20.2
70	328337	674129	Roadside	100.0	100.0	32.3	32.6	34.1	28.3	27.6
32	328889	671649	Kerbside	100.0	100.0	20.5	20.6	21.9	20.6	16.9
71	330533	673850	Roadside	50.9	50.9	27.1	22.6	21.6	18.8	16.9
30X	325443	674969	Roadside	84.9	84.9	18.0	19.7	16.2	17.9	15.9
51c	327476	676418	Roadside	100.0	100.0	22.4	21.4	23.5	19.9	15.2
90F	330210	673556	Roadside	92.5	92.5		21.4	19.3	18.1	16.4
10B	325598	673616	Roadside	92.5	92.5	24.1	28.0	30.8	25.7	22.2
98	326383	672622	Roadside	92.5	92.5			18.2	16.5	13.8
44	325918	674430	Roadside	90.6	90.6	23.3	23.8	19.5	23.5	16.9
8A	324967	672916	Roadside	100.0	100.0	26.7	23.4	25.1	19.7	18.7
6a	324495	672035	Roadside	90.6	90.6	17.4	18.4	15.6	15.7	14.5
48G	326173	673700	Roadside	90.6	90.6	28.0	29.2	27.2	28.9	23.1
48h	326271	673722	Roadside	100.0	100.0		23.9	28.2	29.8	30.4

Diffusion Tube ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) [1]	Valid Data Capture 2024 (%) [2]	2020	2021	2022	2023	2024
94	324071	673608	Roadside	92.5	92.5	19.6	18.1	18.7	15.7	15.2
138	326229	672789	Roadside	90.6	90.6	27.3	23.7	20.4	24.3	19.0
151	324367	670473	Roadside	100.0	100.0	17.3	15.8	15.7	16.2	14.1
48f	326198	673587	Roadside	92.5	92.5	24.0	25.1	23.1	24.1	19.8
48a	325929	673490	Roadside	0.0	0.0	21.5	22.7	20.9	21.1	-
48e	325537	673405	Roadside	90.6	90.6	23.6	26.1	24.5	25.9	21.3
123	326629	672524	Roadside	83.0	83.0	13.8	13.9	16.6	15.8	12.8
93	324326	673815	Roadside	100.0	100.0	18.1	17.9	14.9	15.7	12.7
128	325253	674362	Roadside	100.0	100.0	20.4	18.9	18.3	19.4	16.2
8C	324864	673008	Roadside	84.9	84.9		24.0	22.4	22.7	20.6
124	326645	672481	Roadside	92.5	92.5	18.4	15.9	17.0	15.7	12.7
126	326588	672461	Roadside	100.0	100.0	14.6	14.9	13.8	15.7	12.4
74f	324880	673891	Roadside	100.0	100.0	19.5	21.3	19.1	20.8	16.8
37ai, 37aii	325401	673340	Roadside	75.0	75.0	33.4	23.4	25.0	24.5	21.9
37b	325471	673369	Roadside	90.6	90.6	21.7	21.1	22.2	23.2	22.0
37c	325397	673377	Urban Background	92.5	92.5	17.9	15.9	16.2	18.6	15.6
75e	324476	673967	Roadside	100.0	100.0	15.3	15.0	15.1	16.8	12.4
HT1	323985	673219	Roadside	92.5	92.5	22.7	25.1	24.7	24.9	26.8
HT2	323787	673212	Kerbside	100.0	100.0	22.9	26.2	29.3	29.5	31.2
10	324904	672906	Roadside	90.6	90.6	24.5	21.2	19.1	22.6	19.2
140	326323	672596	Roadside	83.0	83.0	24.7	22.7	20.5	18.9	17.1
34	324790	674341	Urban Background	100.0	100.0	13.8	13.5	13.2	13.0	11.2
8B	324989	673016	Roadside	75.0	75.0	24.1	24.4	21.8	22.9	24.2
74g	325897	674051	Roadside	92.5	92.5	27.3	31.2	26.8	33.3	27.3
62A	324777	673425	Roadside	90.6	90.6	31.3	33.9	24.2	36.5	30.5
62B	324827	673138	Roadside	83.0	83.0	26.3	30.7	29.3	34.7	26.5
62X	324711	673635	Roadside	92.5	92.5	30.6	30.5	35.1	31.5	28.7
38	325141	672733	Roadside	100.0	100.0	18.6	15.8	17.4	15.5	12.1
42	325105	670511	Urban Background	100.0	100.0	8.1	9.5	8.4	9.0	7.1
79E	324170	672919	Roadside	100.0	100.0		18.7	15.6	17.6	16.1
62C	324541	673183	Roadside	90.6	90.6	29.4	25.0	23.5	28.2	23.5
49	324186	673248	Roadside	83.0	83.0	26.1	27.0	23.2	25.1	23.6
135b	326099	673140	Roadside	100.0	100.0	36.9	34.4	28.5	29.2	25.4
95	324105	673457	Kerbside	75.0	75.0	19.1	19.0	17.5	18.7	17.1
96	324190	673380	Roadside	100.0	100.0	24.9	26.1	22.5	24.0	20.1
27	325944	673670	Roadside	92.5	92.5	23.0	28.8	23.9	31.0	23.1

Diffusion Tube ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) [1]	Valid Data Capture 2024 (%) [2]	2020	2021	2022	2023	2024
47	325049	673791	Roadside	100.0	100.0	26.4	26.0	25.2	27.4	24.0
24	325397	673869	Kerbside	100.0	100.0	29.1	34.4	36.4	39.4	35.9
33	325467	674229	Roadside	100.0	100.0	27.5	23.5	26.7	24.4	19.9
144	326020	673370	Roadside	100.0	100.0	27.0	28.1	27.6	29.5	24.9
141	326383	672472	Roadside	100.0	100.0	22.9	22.9	20.6	22.2	17.8
75d	324646	674025	Roadside	90.6	90.6	17.5	19.5	16.7	18.1	14.8
28e	326559	672610	Roadside	100.0	100.0			19.5	16.8	13.1
3b	324277	673309	Roadside	100.0	100.0	30.0	28.9	29.7	30.2	25.8
3	324258	673295	Roadside	92.5	92.5	29.1	31.1	33.3	32.3	26.5
2	324193	673346	Kerbside	100.0	100.0	34.2	35.4	35.6	35.4	34.1
28d	325203	673250	Roadside	100.0	100.0	24.5	23.6	26.9	32.1	27.5
28b	325166	673242	Roadside	100.0	100.0	24.8	23.0	26.0	38.9	36.0
91	326309	672397	Roadside	90.6	90.6	13.7	16.2	17.0	14.7	12.1
36	325828	674362	Roadside	100.0	100.0	20.9	23.9	20.7	19.8	18.1
CL1, CL2, CL3	318736	674930	Roadside	100.0	100.0	27.5	28.3	25.9	27.3	24.3
CL4, CL5, CL6	323121	672314	Roadside	100.0	100.0	20.1	18.2	16.1	17.8	15.3
CL7, CL8, CL9	327616	676343	Roadside	100.0	100.0	20.7	20.7	19.2	17.6	15.2
CL13, CL14, CL15	320101	672907	Kerbside	100.0	100.0	25.9	27.2	28.9	27.7	29.1
CL16, CL17, CL18	326151	673041	Roadside	100.0	100.0	30.3	26.7	23.2	25.4	21.9
CL19, CL20, CL21	324407	673843	Roadside	100.0	100.0					17.8

☒ **Annualisation has been conducted where data capture is <75% and >25% in line with LAQM.TG22.**

☒ **Diffusion tube data has been bias adjusted.**

☒ **Reported concentrations are those at the location of the monitoring site (bias adjusted and annualised, as required), i.e. prior to any fall-off with distance correction.**

Notes:

Exceedances of the NO_2 annual mean objective of 40 µg/m^3 are shown in **bold**.

Means for diffusion tubes have been corrected for bias. All means have been "annualised" as per LAQM.TG(22) if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

(3) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(4) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.5 - 1-Hour Mean NO_2 Monitoring Results, Number of 1-Hour Means > 200 µg/m^3

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) (1)	Valid Data Capture 2024 (%) (2)	2020	2021	2022	2023	2024
ID4 Gorgie	323121	672314	Roadside	-	98.2	0	0	0 (74.0)	0	0
ID5 St John's	320101	672907	Kerbside	-	88.6	0	0	0	0	0
ID6 Currie	317595	667909	Suburban	-	57.7	0 (32.0)	0	0	0	0 (40)
ID7 St Leonard's	326265	673129	Background	-	85.0	0	0 (66.1)	0	0	0
ID8 Salamander	327616	676343	Roadside	-	86.7	0 (90.8)	0	0	0	0
ID9 Queensferry	318736	674930	Roadside	-	99.5	0	0	0	0	0
EDNS Nicolson	326151	673041	Roadside	-	99.4	0 (100.6)	0 (102.6)	0	0	0
ED011 Drumsheugh	324407	673843	Roadside	-	47.2	-	-	-	-	0 (85)

Notes:

Exceedances of the NO_2 1-hour mean objective (200 µg/m^3 not to be exceeded more than 18 times/year) are shown in **bold**.

If the period of valid data is less than 85%, the 99.8th percentile of 1-hour means is provided in brackets.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Figure A.1 - NO_2 concentration trends at continuous monitoring locations




Figure A.2 – NO_2 concentration trends at passive diffusion tube monitoring locations




Table A.6 - Data used to establish the trend of annual mean concentrations of nitrogen dioxide at passive diffusion tube sites within the City Centre AQMA (µg/m^3)

Site ID	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
3	58.2	26.3	55.6	55.1	48.0	43.0	43.0	45.0	49.6	41.8	43.2	40.5	29.1	31.1	33.3	32.3	26.5
3b	N/A	N/A	N/A	N/A	N/A	N/A	45.0	42.0	44.0	41.0	43.0	40.0	30.0	28.9	29.7	30.2	25.8
5	N/A	58.2	60.1	54.3	51.9	48.5	43.3	42.0	44.0	42.7	42.0	33.3	25.6	23.7	20.8	24.3	19.3
20	53.1	36.8	38.1	N/A	35.0	34.0	32.0	33.0	39.7	N/A	45.3	37.9	-	-	23.2	22.4	21.3
23	N/A	47.5	58.2	41.4	45.1	41.2	45.7	37.0	39.7	34.3	37.1	35.3	21.0	24.9	21.6	20.4	21.2
24	N/A	46.2	73.0	N/A	49.7	59.9	N/A	54.0	56.7	54.2	52.7	53.2	29.1	34.4	36.4	39.4	35.9
25	58.2	50.8	49.7	43.6	45.0	41.0	39.0	40.0	45.7	37.9	37.1	33.2	25.8	29.1	25.5	23.6	19.2
27	52.3	48.4	49.4	48.7	52.0	47.0	48.0	N/A	53.0	37.4	40.4	40.6	23.0	28.8	23.9	31.0	23.1
46	52.3	43.4	46.2	40.4	46.0	38.0	38.0	37.0	39.3	39.7	37.4	34.9	22.8	27.1	22.6	24.3	20.2
47	N/A	31.6	47.5	39.0	N/A	41.0	41.1	38.0	40.8	38.1	35.5	36.2	26.4	26.0	25.2	27.4	24.0
49	N/A	48.2	54.5	53.5	50.8	46.8	39.3	36.0	41.7	38.1	37.0	37.2	26.1	27.0	23.2	25.1	23.6
67	N/A	47.9	51.3	45.5	46.0	46.0	39.0	42.0	40.5	42.1	41.7	36.9	25.5	30.1	27.4	29.0	25.0
70	N/A	47.3	46.1	42.4	41.0	44.0	38.0	44.0	40.0	38.2	40.1	37.6	32.3	32.6	34.1	28.3	27.6
80	N/A	N/A	47.4	42.2	42.0	44.0	37.0	33.0	38.0	34.2	36.5	33.3	20.7	26.3	24.0	23.6	20.1
81	N/A	N/A	N/A	51.2	46.0	44.0	43.0	50.0	56.7	40.9	42.6	50.0	44.0	40.6	29.9	25.0	21.7
22a	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	35.0	42.0	36.5	23.1	25.9	23.9	23.9	27.2
25b	44.9	38.8	39.1	35.8	35.0	34.0	31.0	31.0	34.7	29.9	31.8	30.1	21.5	24.9	21.6	19.5	17.6
25c	43.8	38.0	37.7	41.0	41.0	37.0	29.0	31.0	33.1	30.5	32.6	33.2	27.0	32.1	28.0	30.1	23.4
28b	72.5	66.7	62.4	57.0	61.0	52.0	56.0	58.0	58.9	N/A	64.9	54.2	24.8	23.0	26.0	38.9	36.0
28d	66.6	60.2	54.9	55.2	60.0	58.0	51.0	52.0	50.8	46.9	51.4	44.0	24.5	23.6	26.9	32.1	27.5
37ai, 37aii	42.3	40.5	60.0	42.0	43.0	44.0	40.0	42.0	54.1	56.5	56.3	52.5	33.4	23.4	25.0	24.5	21.9
37b	N/A	N/A	N/A	37.1	39.0	37.0	35.0	36.0	36.7	34.1	37.1	38.8	21.7	21.1	22.2	23.2	22.0
48a	N/A	N/A	37.7	31.4	40.0	35.0	36.0	34.0	37.4	27.6	35.6	38.2	21.5	22.7	20.9	21.1	N/A
48e	N/A	N/A	N/A	N/A	N/A	39.0	35.0	44.0	41.0	48.0	37.0	29.6	23.6	26.1	24.5	25.9	21.3
74f	N/A	N/A	43.4	44.7	47.0	34.0	30.0	26.0	30.8	30.4	30.3	25.7	19.5	21.3	19.1	20.8	16.8
76b	N/A	N/A	N/A	N/A	51.0	46.0	41.0	46.0	44.0	39.0	40.0	33.8	25.6	24.3	21.1	21.3	18.5
77b	N/A	N/A	N/A	N/A	46.0	42.0	38.0	38.0	36.0	33.0	36.0	34.2	27.2	23.1	20.3	20.2	18.6

Site ID	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
79d	N/A	N/A	N/A	N/A	N/A	46.0	41.0	42.0	39.0	38.0	40.0	34.5	24.4	22.7	22.6	22.6	18.8
80f	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	35.0	32.5	20.0	22.3	20.5	20.1	18.3
HT1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	37.0	42.0	41.0	31.0	36.5	22.7	25.1	24.7	24.9	26.8
HT2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	39.0	39.0	33.0	41.0	40.8	22.9	26.2	29.3	29.5	31.2
Mean	**54.4**	**45.7**	**50.6**	**45.1**	**46.2**	**43.2**	**39.8**	**40.3**	**43.0**	**38.7**	**40.4**	**37.9**	**25.5**	**26.6**	**25.1**	**26.0**	**23.3**

Table A.7 - Data used to establish the trend of annual mean concentrations of NO_2 at passive diffusion tube sites within the Glasgow Road AQMA (µg/m^3)

Site ID	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
16	57.3	54.7	50.9	54.8	44.9	45.6	46.0	44.8	39.6	46.0	40.9	26.7	27.9	27.7	32.0	27.4
15a	N/A	N/A	N/A	N/A	N/A	34.0	39.0	33.0	35.0	38.0	32.0	17.3	21.5	25.3	26.0	19.8
58i, 58ii	61.8	65.0	59.3	54.8	52.0	51.9	51.3	49.0	50.9	52.0	46.0	29.2	30.7	34.8	31.2	27.1
15	51.4	45.7	45.9	42.5	41.4	38.6	42.8	44.0	44.4	43.7	39.2	24.3	26.6	31.8	27.7	23.9
Mean	**56.8**	**55.1**	**52.0**	**50.7**	**46.1**	**45.4**	**46.7**	**45.9**	**45.0**	**47.2**	**42.0**	**26.7**	**28.4**	**29.9**	**29.2**	**24.6**

Table A.8 - Data used to establish the trend of annual mean concentrations of nitrogen dioxide at passive diffusion tube sites within the Great Junction Street AQMA (µg/m^3)

Site ID	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
29	45.3	45.1	43.7	38.9	37.0	36.0	31.0	32.0	33.2	32.1	29.8	25.9	21.7	21.2	20.9	20.7	15.1
29a	48.0	42.0	44.6	41.9	40.0	38.0	34.0	34.0	37.2	27.4	31.1	27.1	25.0	23.9	20.8	20.7	17.7
29ci, 29cii	53.4	48.2	49.4	44.6	44.0	42.0	39.0	40.0	41.6	35.9	36.5	35.4	28.4	28.5	26.7	24.2	18.8
9	40.4	31.6	36.7	31.2	35.0	32.0	30.0	29.0	32.0	26.3	29.1	26.3	20.6	25.3	21.0	20.8	17.1
9a	-	-	45.5	46.2	44.0	41.0	41.0	42.0	39.8	35.1	36.5	32.8	29.2	27.6	26.5	23.0	20.9
9d	N/A	N/A	N/A	N/A	N/A	N/A	42.0	36.0	42.0	36.0	35.0	33.6	28.3	28.2	24.9	24.8	21.0
45d	42.4	40.9	38.3	39.6	37.0	34.0	34.0	37.0	33.2	33.2	32.0	31.2	25.9	25.7	24.7	23.0	20.3

Site ID	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
30b	38.4	38.5	39.9	40.0	38.0	36.0	33.0	38.0	32.8	32.8	31.7	30.8	19.7	24.2	23.5	21.8	19.9
30c	50.2	42.6	44.1	38.4	38.0	39.0	37.0	34.0	40.3	34.2	37.1	33.1	22.7	25.1	22.6	24.2	19.0
30e	43.1	41.9	38.7	41.2	37.0	36.0	33.0	32.0	34.0	-	33.9	33.3	20.2	28.0	21.1	21.8	19.3
30	44.6	44.1	41.8	39.1	38.0	41.0	-	33.0	42.1	31.7	36.9	32.8	23.8	28.1	23.9	23.3	18.3
Mean	**45.1**	**41.7**	**42.3**	**40.1**	**38.8**	**37.5**	**34.7**	**35.1**	**36.6**	**32.1**	**33.5**	**30.9**	**23.7**	**25.8**	**23.1**	**22.6**	**18.9**

Table A.9 - Data used to establish the trend of annual mean concentrations of NO_2 at passive diffusion tube sites within the St John's Road AQMA (µg/m^3)

Site ID	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
1b	48.8	44.2	43.5	38.4	44.0	41.0	37.0	33.0	36.1	28.5	27.7	27.3	17.4	20.8	19.2	19.5	18.9
1d	84.9	57.8	58.8	56.3	52.0	52.0	48.0	46.0	45.1	42.0	40.1	37.7	28.8	29.1	29.3	28.5	28.2
39	31.7	28.2	31.1	30.0	32.0	35.0	32.0	30.0	30.0	30.0	32.0	30.4	19.1	21.6	21.0	18.9	20.7
Mean	**55.1**	**43.4**	**44.5**	**41.6**	**42.7**	**42.7**	**39.0**	**36.3**	**37.1**	**33.5**	**33.3**	**31.8**	**21.8**	**23.8**	**23.1**	**22.3**	**22.6**

Table A.10 - Annual Mean PM_{10} Monitoring Results (µg/m^3)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) (1)	Valid Data Capture 2024 (%) (2)	2020	2021	2022	2023	2024
ID5 St John's	320101	672907	Kerbside	-	100	9.9	11.0	14.3	11.1	11.3
						10.9	12.1	15.7	12.2	12.4
ID6 Currie	317595	667909	Suburban	-	100	8.6	7.3	8.6	7.7	8.0
						N/A	8.0	9.4	8.5	8.8
ID7 St Leonard's	326265	673129	Background	-	85	8.1	8.5	9.2	8.6	9.3
						8.9	9.3	10.1	9.4	10.2
ID8 Salamander	327616	676343	Roadside	-	99	14.8	15.4	14.3	*12.7	12.9
						N/A	17.0	15.7	*14.0	14.2
ID9 Queensferry	318736	674930	Roadside	-	100	11.2	12.0	13.1	11.5	12.4
						12.3	13.2	14.4	12.6	13.6
ED012 Tower	327467	676537	Urban Industrial	-	100	8.6	9.9	10.0	9.2	14.4
						9.5	10.9	11.0	10.1	15.9
EDNS Nicolson	326151	673041	Roadside	-	100	9.5	10.1	12.1	10.9	10.6
						10.5	11.1	13.3	12.0	11.6
ED011 Drumsheugh	324407	673843	Roadside	-	87					11.4
										12.5

Notes:

Exceedances of the PM_{10} annual mean objective of 18 µg/m^3 are shown in bold.

All means have been “annualised” as per LAQM.TG(22), valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Data in grey coloured cells is corrected FIDAS® data under terms of the LAQM Scottish Guidance Note, May 2023.

*At Salamander Street different figures for 2023 were mistakenly printed in the 2024 Annual Progress Report

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.11 - 24-Hour Mean PM_{10} Monitoring Results, Number of PM_{10} 24-Hour Means > 50 µg/m^3

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) (1)	Valid Data Capture 2024 (%) (2)	2020	2021	2022	2023	2024
ID5 St John's	320101	672907	Kerbside	-	100	0	0	**12**	0	0
						0	1	**12**	0	0
ID6 Currie	317595	667909	Suburban	-	100	0	1	2	0	0
						N/A	0	2	0	0
ID7 St Leonard's	326265	673129	Background	-	85	0	0	1	0	0
						0	0	2	0	0
ID8 Salamander	327616	676343	Roadside	-	99	2 (51.2)	3	5	0	0
						N/A	6	6	0	0
ID9 Queensferry	318736	674930	Roadside	-	100	2	0	3	0 (26.2)	1
						2	0	3	0 (28.8)	2
ED012 Tower	327467	676537	Urban Industrial	-	100	0	0	1	2	**8**
						0	0	3	3	**13**
EDNS Nicolson	326151	673041	Roadside	-	100	0	0	2	0	0
						0	0	3	0	0
ED011 Drumsheugh	324407	673843	Roadside	-	86					0
										0

Notes:

Exceedances of the PM_{10} 24-hour mean objective (50 µg/m^3 not to be exceeded more than seven times/year) are shown in **bold**.


If the period of valid data is less than 85%, the 98.1st percentile of 24-hour means is provided in brackets.

Data in grey coloured cells is corrected FIDAS® data under terms of the LAQM Scottish Guidance Note, May 2023.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Figure A.3 - PM_{10} concentration trends at continuous monitoring locations



- Salamander Street and Tower Street grouped together since both in the same AQMA for PM_{10}. Tower Street did not start data collection until 2019
- Gap in data at Queensferry Road in 2019 due to instrument breakdown and no data collection

Table A.12 - Annual Mean $PM_{2.5}$ Monitoring Results (µg/m^3)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) [1]	Valid Data Capture 2024 (%) [2]	2020	2021	2022	2023	2024
ID5 St John's	320101	672907	Kerbside	-	100	4.9	5.5	6.0	5.4	6.0
						5.2	5.8	6.4	5.8	6.4
ID6 Currie	317595	667909	Suburban	-	100	-	4.3	4.7	4.2	4.6
						-	4.6	5.0	4.5	4.8
ID7 St Leonard's	326265	673129	Background	-	85	4.4	4.8	5.1	4.6	5.4
						4.7	5.1	5.4	4.9	5.7
ID8 Salamander	327616	676343	Roadside	-	99	-	5.9	6.3	5.5	6.1
						-	6.3	6.7	5.8	6.5
ID9 Queensferry	318736	674930	Roadside	-	100	5.2	5.5	5.9	5.3	5.9
						5.5	5.8	6.3	5.6	6.2
ED012 Tower	327467	676537	Urban Industrial	-	100	4.2	4.7	4.9	4.3	5.5
						4.5	5.0	5.2	4.5	5.8
EDNS Nicolson	326151	673041	Roadside	-	100	5.0	5.4	6.3	5.6	5.8
						5.3	5.8	6.7	5.9	6.1
ED011 Drumsheugh	324407	673843	Roadside	-	86					5.9
										6.3

Notes:

Exceedances of the $PM_{2.5}$ annual mean objective of 10 µg/m^3 are shown in bold.


All means have been "annualised" as per LAQM.TG(22), valid data capture for the full calendar year is less than 75%. See Appendix C for details.


Data in grey coloured cells is corrected FIDAS® data under terms of the LAQM Scottish Guidance Note, May 2023.


(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.


(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Figure A.4 - $PM_{2.5}$ concentration trends at continuous monitoring locations












Table A.13 - SO_2 2024 Monitoring Results, Number of Relevant Instances

Site ID	Site Type	Valid Data Capture for monitoring Period (%) (1)	Valid Data Capture 2024 (%) (2)	Number of 15-minute Means > 266 µg/m³	Number of 1-hour Means > 350 µg/m³	Number of 24-hour Means > 125 µg/m³
ID7 St Leonard's	Urban Background	-	82	**48** (545)	9 (18)	1 (5)

Notes:

Exceedances of the SO_2 objectives are shown in **bold** (15-min mean = 35 allowed a year, 1-hour mean = 24 allowed a year, 24-hour mean = 3 allowed a year)

If the period of valid data is less than 85%, the relevant percentiles are provided in brackets (15-Minute means: 99.9th percentile, 1-hour means: 99.7th percentile, 24-hour means: 99.2nd percentile).

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.14 - Number of ozone exceedances

Site ID	Site Type	Valid Data Capture for monitoring Period (%) (1)	Valid Data Capture 2024 (%) (2)	Number of 8-hour Means > 100 µg/m
ID7 St Leonard's	Urban Background	-	84	0

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.15 - PAH (B(a)P) Monitoring at St Leonard's

St Leonard's Urban Background	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Annual mean concentration (ng/m^3)	0.131	0.129	0.099	0.109	0.084	0.056	0.073	0.077	0.047	0.055	0.061	0.037	0.049	0.061	0.047	0.030