

Complaint Management System

Complete HTML, CSS and JavaScript Code

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Complaint Management System</title>

<style>
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: Arial, sans-serif;
}

body {
  background: #f4f6f9;
  color: #333;
}

/* Header */
header {
  background: #1e3a8a;
  color: white;
  padding: 18px 30px;
  display: flex;
  justify-content: space-between;
  align-items: center;
}

header h1 {
  font-size: 24px;
}

header span {
  font-size: 14px;
}

/* Container */
.container {
  width: 95%;
  max-width: 1400px;
  margin: 25px auto;
}

/* Dashboard */
.dashboard {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  gap: 20px;
  margin-bottom: 25px;
}

.card {
  background: white;
  padding: 22px;
  border-radius: 10px;
  box-shadow: 0 3px 10px rgba(0,0,0,0.08);
}

.card h3 {
  color: #666;
  font-size: 15px;
}

.card p {
  font-size: 30px;
  font-weight: bold;
  margin-top: 10px;
}

.total { border-left: 5px solid #2563eb; }
.pending { border-left: 5px solid #f59e0b; }
.progress { border-left: 5px solid #8b5cf6; }
.resolved { border-left: 5px solid #16a34a; }

/* Main layout */
.main {
  display: grid;
  grid-template-columns: 350px 1fr;
  gap: 25px;
}

/* Form */
.form-container,
.table-container {
  background: white;
  padding: 25px;
  border-radius: 10px;
  box-shadow: 0 3px 10px rgba(0,0,0,0.08);
}

.form-container h2,
.table-container h2 {
  margin-bottom: 20px;
}
```

```

    color: #1e3a8a;
}

.form-group { margin-bottom: 15px; }

.form-group label {
  display: block;
  font-weight: bold;
  margin-bottom: 6px;
}

.form-group input,
.form-group select,
.form-group textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 6px;
  outline: none;
}

.form-group input:focus,
.form-group select:focus,
.form-group textarea:focus {
  border-color: #2563eb;
}

textarea {
  resize: vertical;
  min-height: 100px;
}

.btn {
  border: none;
  padding: 11px 18px;
  border-radius: 6px;
  cursor: pointer;
  font-weight: bold;
}

.btn-primary {
  background: #2563eb;
  color: white;
}

.btn-primary:hover { background: #1d4ed8; }

.btn-secondary {
  background: #6b7280;
  color: white;
  margin-left: 5px;
}

/* Toolbar */
.toolbar {
  display: flex;
  gap: 10px;
  margin-bottom: 20px;
  flex-wrap: wrap;
}

.toolbar input,
.toolbar select {
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 6px;
}

.search {
  flex: 1;
  min-width: 200px;
}

/* Table */
.table-wrapper { overflow-x: auto; }

table {
  width: 100%;
  border-collapse: collapse;
  min-width: 850px;
}

th {
  background: #1e3a8a;
  color: white;
  padding: 12px;
  text-align: left;
}

td {
  padding: 12px;
  border-bottom: 1px solid #eee;
}

tr:hover { background: #f8fafc; }

/* Status */
.status {
  padding: 5px 10px;
  border-radius: 20px;
  font-size: 12px;
  font-weight: bold;
}

.status-pending { background: #fef3c7; color: #92400e; }

```

```

.status-progress { background: #ede9fe; color: #5b21b6; }
.status-resolved { background: #dcfce7; color: #166534; }
.status-rejected { background: #fee2e2; color: #991b1b; }

/* Action buttons */
.action-btn {
  padding: 6px 9px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  margin-right: 3px;
}

.view-btn { background: #0ea5e9; color: white; }
.edit-btn { background: #f59e0b; color: white; }
.delete-btn { background: #dc2626; color: white; }

/* Modal */
.modal {
  display: none;
  position: fixed;
  z-index: 1000;
  left: 0;
  top: 0;
  width: 100%;
  height: 100%;
  background: rgba(0,0,0,0.5);
  justify-content: center;
  align-items: center;
}

.modal-content {
  background: white;
  width: 90%;
  max-width: 600px;
  border-radius: 10px;
  padding: 25px;
  position: relative;
  max-height: 90vh;
  overflow-y: auto;
}

.close {
  position: absolute;
  right: 20px;
  top: 15px;
  font-size: 25px;
  cursor: pointer;
  color: #555;
}

.details p {
  margin: 12px 0;
  line-height: 1.5;
}

.details strong { color: #1e3a8a; }

/* Empty */
.empty {
  text-align: center;
  padding: 30px;
  color: #777;
}

/* Responsive */
@media (max-width: 1000px) {
  .dashboard { grid-template-columns: repeat(2, 1fr); }
  .main { grid-template-columns: 1fr; }
}

@media (max-width: 600px) {
  header { padding: 15px; }
  header h1 { font-size: 18px; }
  .dashboard { grid-template-columns: 1fr; }
  .container { width: 92%; }
  .form-container,
  .table-container { padding: 18px; }
}
</style>
</head>

<body>
<header>
  <h1>■ Complaint Management System</h1>
  <span>Admin Dashboard</span>
</header>

<div class="container">
  <div class="dashboard">
    <div class="card total">
      <h3>Total Complaints</h3>
      <p id="totalComplaints">0</p>
    </div>
    <div class="card pending">
      <h3>Pending</h3>
      <p id="pendingComplaints">0</p>
    </div>
    <div class="card progress">
      <h3>In Progress</h3>
      <p id="progressComplaints">0</p>
    </div>
    <div class="card resolved">
      <h3>Resolved</h3>
    </div>
  </div>
</div>

```

```

        <p id="resolvedComplaints">0</p>
    </div>
</div>

<div class="main">
    <div class="form-container">
        <h2 id="formTitle">Add Complaint</h2>
        <form id="complaintForm">
            <input type="hidden" id="complaintId">
            <div class="form-group">
                <label>Customer Name</label>
                <input type="text" id="customerName" placeholder="Enter customer name" required>
            </div>
            <div class="form-group">
                <label>Email</label>
                <input type="email" id="email" placeholder="Enter email" required>
            </div>
            <div class="form-group">
                <label>Phone</label>
                <input type="tel" id="phone" placeholder="Enter phone number" required>
            </div>
            <div class="form-group">
                <label>Category</label>
                <select id="category" required>
                    <option value="">Select Category</option>
                    <option value="Product">Product</option>
                    <option value="Service">Service</option>
                    <option value="Billing">Billing</option>
                    <option value="Technical">Technical</option>
                    <option value="Other">Other</option>
                </select>
            </div>
            <div class="form-group">
                <label>Priority</label>
                <select id="priority" required>
                    <option value="">Select Priority</option>
                    <option value="Low">Low</option>
                    <option value="Medium">Medium</option>
                    <option value="High">High</option>
                    <option value="Critical">Critical</option>
                </select>
            </div>
            <div class="form-group">
                <label>Complaint</label>
                <textarea id="description" placeholder="Enter complaint details" required></textarea>
            </div>
            <button type="submit" class="btn btn-primary">
                <span id="submitText">Submit Complaint</span>
            </button>
            <button type="button" class="btn btn-secondary" onclick="resetForm()">Clear</button>
        </form>
    </div>

    <div class="table-container">
        <h2>Complaint List</h2>
        <div class="toolbar">
            <input type="text" id="search" class="search" placeholder="■ Search complaints..." oninput="loadComplaints()">
            <select id="statusFilter" onchange="loadComplaints()">
                <option value="">All Status</option>
                <option value="Pending">Pending</option>
                <option value="In Progress">In Progress</option>
                <option value="Resolved">Resolved</option>
                <option value="Rejected">Rejected</option>
            </select>
            <select id="categoryFilter" onchange="loadComplaints()">
                <option value="">All Categories</option>
                <option value="Product">Product</option>
                <option value="Service">Service</option>
                <option value="Billing">Billing</option>
                <option value="Technical">Technical</option>
                <option value="Other">Other</option>
            </select>
        </div>

        <div class="table-wrapper">
            <table>
                <thead>
                    <tr>
                        <th>ID</th>
                        <th>Customer</th>
                        <th>Category</th>
                        <th>Priority</th>
                        <th>Status</th>
                        <th>Date</th>
                        <th>Actions</th>
                    </tr>
                </thead>
                <tbody id="complaintTable"></tbody>
            </table>
        </div>
    </div>
</div>

<div class="modal" id="detailsModal">
    <div class="modal-content">
        <span class="close" onclick="closeModal()">&times;</span>
        <h2>Complaint Details</h2>
        <div class="details" id="complaintDetails"></div>
    </div>
</div>

<script>
/*

```

COMPLAINT MANAGEMENT API

This demo uses localStorage as a fake REST API.

GET -> getComplaints()

POST -> createComplaint()

PUT -> updateComplaint()

DELETE -> deleteComplaint()

For a real project, replace these functions with

fetch() calls to your backend API.

*/

```
const sampleComplaints = [
  {
    id: 1001,
    customerName: "Rahul Sharma",
    email: "rahul@example.com",
    phone: "9876543210",
    category: "Service",
    priority: "High",
    description: "The service was not completed on time.",
    status: "Pending",
    date: "2026-09-01"
  },
  {
    id: 1002,
    customerName: "Priya Patil",
    email: "priya@example.com",
    phone: "9876543211",
    category: "Billing",
    priority: "Medium",
    description: "Incorrect amount was charged on my bill.",
    status: "In Progress",
    date: "2026-09-02"
  },
  {
    id: 1003,
    customerName: "Amit Verma",
    email: "amit@example.com",
    phone: "9876543212",
    category: "Technical",
    priority: "Critical",
    description: "Application is not working after the latest update.",
    status: "Resolved",
    date: "2026-09-03"
  }
];

if (!localStorage.getItem("complaints")) {
  localStorage.setItem("complaints", JSON.stringify(sampleComplaints));
}

function getComplaints() {
  return JSON.parse(localStorage.getItem("complaints")) || [];
}

function createComplaint(complaint) {
  const complaints = getComplaints();
  complaint.id = Date.now();
  complaint.date = new Date().toISOString().split("T")[0];
  complaint.status = "Pending";
  complaints.push(complaint);
  localStorage.setItem("complaints", JSON.stringify(complaints));
  return complaint;
}

function updateComplaint(id, updatedData) {
  const complaints = getComplaints();
  const index = complaints.findIndex(c => c.id == id);
  if (index === -1) return null;
  complaints[index] = {...complaints[index], ...updatedData};
  localStorage.setItem("complaints", JSON.stringify(complaints));
  return complaints[index];
}

function deleteComplaint(id) {
  let complaints = getComplaints();
  complaints = complaints.filter(c => c.id != id);
  localStorage.setItem("complaints", JSON.stringify(complaints));
}

function loadComplaints() {
  let complaints = getComplaints();

  const search = document.getElementById("search").value.toLowerCase();
  const status = document.getElementById("statusFilter").value;
  const category = document.getElementById("categoryFilter").value;

  complaints = complaints.filter(c => {
    const text = `${c.customerName} ${c.email} ${c.phone} ${c.category} ${c.description}`.toLowerCase();
    return text.includes(search);
  });

  if (status) complaints = complaints.filter(c => c.status === status);
  if (category) complaints = complaints.filter(c => c.category === category);

  const table = document.getElementById("complaintTable");
  table.innerHTML = "";

  if (complaints.length === 0) {
    table.innerHTML = `<tr><td colspan="7" class="empty">No complaints found</td></tr>`;
    updateDashboard();
    return;
  }

  complaints.forEach(c => {
```

```

const statusClass =
  c.status === "Pending" ? "status-pending" :
  c.status === "In Progress" ? "status-progress" :
  c.status === "Resolved" ? "status-resolved" :
  "status-rejected";

table.innerHTML += `
  <tr>
    <td>#${c.id}</td>
    <td><strong>${escapeHTML(c.customerName)}</strong><br><small>${escapeHTML(c.email)}</small></td>
    <td>${escapeHTML(c.category)}</td>
    <td>${escapeHTML(c.priority)}</td>
    <td><span class="status ${statusClass}">${escapeHTML(c.status)}</span></td>
    <td>${escapeHTML(c.date)}</td>
    <td>
      <button class="action-btn view-btn" onclick="viewComplaint(${c.id})">View</button>
      <button class="action-btn edit-btn" onclick="editComplaint(${c.id})">Edit</button>
      <button class="action-btn delete-btn" onclick="removeComplaint(${c.id})">Delete</button>
    </td>
  </tr>`;
});

updateDashboard();
}

function updateDashboard() {
  const complaints = getComplaints();
  document.getElementById("totalComplaints").textContent = complaints.length;
  document.getElementById("pendingComplaints").textContent = complaints.filter(c => c.status === "Pending").length;
  document.getElementById("progressComplaints").textContent = complaints.filter(c => c.status === "In Progress").length;
  document.getElementById("resolvedComplaints").textContent = complaints.filter(c => c.status === "Resolved").length;
}

document.getElementById("complaintForm").addEventListener("submit", function(e) {
  e.preventDefault();

  const id = document.getElementById("complaintId").value;

  const data = {
    customerName: document.getElementById("customerName").value,
    email: document.getElementById("email").value,
    phone: document.getElementById("phone").value,
    category: document.getElementById("category").value,
    priority: document.getElementById("priority").value,
    description: document.getElementById("description").value
  };

  if (id) {
    updateComplaint(id, data);
    alert("Complaint updated successfully!");
  } else {
    createComplaint(data);
    alert("Complaint submitted successfully!");
  }

  resetForm();
  loadComplaints();
});

function editComplaint(id) {
  const complaints = getComplaints();
  const complaint = complaints.find(c => c.id == id);
  if (!complaint) return;

  document.getElementById("complaintId").value = complaint.id;
  document.getElementById("customerName").value = complaint.customerName;
  document.getElementById("email").value = complaint.email;
  document.getElementById("phone").value = complaint.phone;
  document.getElementById("category").value = complaint.category;
  document.getElementById("priority").value = complaint.priority;
  document.getElementById("description").value = complaint.description;

  document.getElementById("formTitle").textContent = "Edit Complaint";
  document.getElementById("submitText").textContent = "Update Complaint";
  window.scrollTo({top: 0, behavior: "smooth"});
}

function resetForm() {
  document.getElementById("complaintForm").reset();
  document.getElementById("complaintId").value = "";
  document.getElementById("formTitle").textContent = "Add Complaint";
  document.getElementById("submitText").textContent = "Submit Complaint";
}

function viewComplaint(id) {
  const complaints = getComplaints();
  const c = complaints.find(x => x.id == id);
  if (!c) return;

  document.getElementById("complaintDetails").innerHTML = `
    <p><strong>ID:</strong> #${c.id}</p>
    <p><strong>Customer Name:</strong> ${escapeHTML(c.customerName)}</p>
    <p><strong>Email:</strong> ${escapeHTML(c.email)}</p>
    <p><strong>Phone:</strong> ${escapeHTML(c.phone)}</p>
    <p><strong>Category:</strong> ${escapeHTML(c.category)}</p>
    <p><strong>Priority:</strong> ${escapeHTML(c.priority)}</p>
    <p><strong>Status:</strong> ${escapeHTML(c.status)}</p>
    <p><strong>Date:</strong> ${escapeHTML(c.date)}</p>
    <p><strong>Complaint:</strong> ${escapeHTML(c.description)}</p>
  `;

  document.getElementById("detailsModal").style.display = "flex";
}

function closeModal() {

```

```
        document.getElementById("detailsModal").style.display = "none";
    }

    function removeComplaint(id) {
        if (confirm("Are you sure you want to delete this complaint?")) {
            deleteComplaint(id);
            loadComplaints();
        }
    }

    function escapeHTML(str) {
        const div = document.createElement("div");
        div.textContent = str;
        return div.innerHTML;
    }

    window.onclick = function(e) {
        const modal = document.getElementById("detailsModal");
        if (e.target === modal) closeModal();
    };

    loadComplaints();
</script>

</body>
</html>
```