

REFERENCES

- [1] J. M. Costa and E. Heuvelink, "The global tomato industry," in *Tomatoes*. Wallingford, U.K.: CABI, 2018, pp. 1–26.
- [2] D. Schwarz, A. J. Thompson, and H.-P. Kläring, "Guidelines to use tomato in experiments with a controlled environment," *Front. Plant Sci.*, vol. 5, 2014, Art. no. 625.
- [3] I. Murgia, F. Marzorati, G. Vigani, and P. Morandini, "Plant iron nutrition: The long road from soil to seeds," *J. Exp. Botany*, vol. 73, no. 6, pp. 1809–1824, 2022.
- [4] G. R. Rout and S. Sahoo, "Role of iron in plant growth and metabolism," *Rev. Agricultural Sci.*, vol. 3, pp. 1–24, 2015.
- [5] B. Chakraborty, K. Chakraborty, and D. Bhaduri, "An insight of iron chlorosis in horticultural crops: Physiological and molecular basis, and possible management strategies," *Plant Stress Tolerance Physiol. Mol. Strategies*, vol. 239, pp. 239–268, 2016.
- [6] M. A. Khan and N. T. Nguyen, "Genome editing of staple crop plants to combat iron deficiency," in *Transgenic Technology Based Value Addition in Plant Biotechnology*. Amsterdam, The Netherlands: Elsevier, 2020, pp. 187–206.
- [7] D. L. Presti et al., "Current understanding, challenges and perspective on portable systems applied to plant monitoring and precision agriculture," *Biosensors Bioelectron.*, vol. 222, 2022, Art. no. 115005.
- [8] G. Elli et al., "Field-effect transistor-based biosensors for environmental and agricultural monitoring," *Sensors*, vol. 22, no. 11, 2022, Art. no. 4178.
- [9] S. Hamed, P. Ibba, M. Petrelli, M. Ciocca, P. Lugli, and L. Petti, "Transistor-based plant sensors for Agriculture 4.0 measurements," in *Proc. IEEE Int. Workshop Metrol. Agriculture Forestry (MetroAgriFor)*, 2021, pp. 69–74.
- [10] S. Ehosioko et al., "Sensing the electrical properties of roots: A review," *Vadose Zone J.*, vol. 19, no. 1, 2020, Art. no. e20082.
- [11] F. Baluška, S. Mancuso, and E. Van Volkenburgh, "Barbara G. Pickard—Queen of plant electrophysiology," *Plant Signaling Behav.*, vol. 16, no. 6, 2021, Art. no. 1911400.
- [12] S. Vasquez et al., "Based impedimetric sensor for on-plant humidity and transpiration monitoring," in *Proc. IEEE Conf. AgriFood Electron.*, 2023, pp. 182–186.
- [13] O. Kanoun et al., "Impedance spectroscopy: Applications, advances and future trends," *IEEE Instrum. Meas. Mag.*, vol. 25, no. 3, pp. 11–21, May 2022.
- [14] Y. Liu, D. Li, J. Qian, B. Di, G. Zhang, and Z. Ren, "Electrical impedance spectroscopy (EIS) in plant roots research: A review," *Plant Methods*, vol. 17, no. 1, pp. 1–25, 2021.
- [15] I. Jósák, M. Droppa, G. Horváth, K. Bóka, and E. Vozáry, "Cadmium- and flood-induced anoxia stress in pea roots measured by electrical impedance," *Zeitschrift für Naturforschung C.*, vol. 65, no. 1/2, pp. 95–102, 2010.
- [16] E. Serrano-Finetti, E. Castillo, S. Alejos, and L. L. Hilario, "Toward noninvasive monitoring of plant leaf water content by electrical impedance spectroscopy," *Comput. Electron. Agriculture*, vol. 210, 2023, Art. no. 107907.
- [17] S. Calvo, M. Barezzi, D. Demarchi, and U. Garlando, "In-vivo proximal monitoring system for plant water stress and biological activity based on stem electrical impedance," in *Proc. 9th Int. Workshop Adv. Sensors Interfaces*, 2023, pp. 80–85.
- [18] M. Barezzi, F. Cum, U. Garlando, M. Martina, and D. Demarchi, "On the impact of the stem electrical impedance in neural network algorithms for plant monitoring applications," in *Proc. IEEE Workshop Metrol. Agriculture Forestry (MetroAgriFor)*, 2022, pp. 131–135.
- [19] U. Garlando, S. Calvo, M. Barezzi, A. Sanginario, P. M. Ros, and D. Demarchi, "A 'plant-wearable system' for its health monitoring by intra- and interplant communication," *IEEE Trans. AgriFood Electron.*, vol. 1, no. 2, pp. 60–70, Dec. 2023.
- [20] U. Garlando, S. Calvo, M. Barezzi, A. Sanginario, P. M. Ros, and D. Demarchi, "Ask the plants directly: Understanding plant needs using electrical impedance measurements," *Comput. Electron. Agriculture*, vol. 193, 2022, Art. no. 106707.
- [21] U. Garlando et al., "Analysis of in vivo plant stem impedance variations in relation with external conditions daily cycle," in *Proc. IEEE Int. Symp. Circuits Syst.*, 2021, pp. 1–5.
- [22] L. Bar-On and Y. Shacham-Diamand, "On the interpretation of four point impedance spectroscopy of plant dehydration monitoring," *IEEE Trans. Emerg. Sel. Topics Circuits Syst.*, vol. 11, no. 3, pp. 482–492, Sep. 2021.
- [23] K. S. Cole, "Permeability and impermeability of cell membranes for ions," in *Cold Spring Harbor Symposia on Quantitative Biology*, vol. 8, Cold Spring Harbor, NY, USA: Cold Spring Harbor Lab. Press, 1940, pp. 110–122.
- [24] D. R. Hoagland et al., *The Water-Culture Method for Growing Plants Without Soil*, Circular. California Agricultural Experiment Station 347, 2nd ed. Berkley, CA, USA: California Agricultural Experiment Station, 1950.
- [25] R. Tiziani, Y. Pii, S. Celletti, S. Cesco, and T. Mimmo, "Phosphorus deficiency changes carbon isotope fractionation and triggers exudate re-acquisition in tomato plants," *Sci. Rep.*, vol. 10, no. 1, pp. 1–12, 2020.
- [26] J.-L. Dellis, "MATLAB central file exchange," Accessed: Feb. 2022. [Online]. Available: <https://www.mathworks.com/matlabcentral/fileexchange/19460-zfit>
- [27] D. Freedman, R. Pisani, and R. Purves, *Statistics (International Student edition)*, 4th ed. New York, NY, USA: WW Norton & Company, 2007.
- [28] S. B. Kotsiantis et al., "Supervised machine learning: A review of classification techniques," *Emerg. Artif. Intell. Appl. Comput. Eng.*, vol. 160, no. 1, pp. 3–24, 2007.
- [29] M. Alfosea-Simón et al., "García-Sánchez, ionic, metabolic and hormonal characterization of the phenological phases of different tomato genotypes using omics tools," *Scientia Horticulturae*, vol. 293, 2022, Art. no. 110697.
- [30] L. Ceballos-Laita et al., "Effects of Fe and Mn deficiencies on the protein profiles of tomato (*Solanum lycopersicum*) xylem sap as revealed by shotgun analyses," *J. Proteomic.*, vol. 170, pp. 117–129, 2018.
- [31] A. F. López-Millán, F. Morales, Y. Gogorcena, A. Abadía, and J. Abadía, "Metabolic responses in iron deficient tomato plants," *J. Plant Physiol.*, vol. 166, no. 4, pp. 375–384, 2009.
- [32] W. W. Chen et al., "Comparative physiological and transcriptomic analyses reveal altered Fe-deficiency responses in tomato epimutant colorless non-ripening," *Front. Plant Sci.*, vol. 12, 2022, Art. no. 3382.
- [33] G. Singh et al., "Comparative transcriptomic and metabolite profiling reveals genotype-specific responses to Fe starvation in chickpea," *Physiologia Plantarum*, vol. 175, 2023, Art. no. e13897.
- [34] J. Reynolds, M. Taggart, E. Lobaton, M. Daniele, T. Rufty, and A. Bozkurt, "An environmental station with bioimpedance capabilities for agricultural deployment," *Proc. IEEE SENSORS*, 2020, pp. 1–4.
- [35] A. Bukhamsin et al., "Robust, long-term, and exceptionally sensitive microneedle-based bioimpedance sensor for precision farming," *Adv. Sci.*, vol. 8, no. 16, 2021, Art. no. 2101261.
- [36] M. A. Caird, J. H. Richards, and T. C. Hsiao, "Significant transpirational water loss occurs throughout the night in field-grown tomato," *Funct. Plant Biol.*, vol. 34, no. 3, pp. 172–177, 2007.
- [37] P. Ibba, G. Cantarella, B. D. Abera, L. Petti, A. Falco, and P. Lugli, "Selection of Cole model bio-impedance parameters for the estimation of the ageing evolution of apples," in *Proc. 17th Int. Conf. Elect. Bioimpedance*, 2019, pp. 25–32.
- [38] D. Tran and C. Camps, "Early diagnosis of iron deficiency in commercial tomato crop using electrical signals," *Front. Sustain. Food Syst.*, vol. 5, 2021, Art. no. 631529.
- [39] S. Aouane et al., "Cole-cole parameter extraction from electrical impedance spectroscopy for real-time monitoring of vegetal tissue: Case study with a single celery stalk," in *Proc. Int. Workshop Impedance Spectrosc.*, 2021, pp. 48–51.
- [40] M. Tiitta, V. Tiitta, J. Heikkinen, R. Lappalainen, and L. Tomppo, "Classification of wood chips using electrical impedance spectroscopy and machine learning," *Sensors*, vol. 20, no. 4, 2020, Art. no. 1076.
- [41] P. Ibba et al., "Supervised binary classification methods for strawberry ripeness discrimination from bioimpedance data," *Sci. Rep.*, vol. 11, no. 1, 2021, Art. no. 11202.
- [42] P. Ibba, A. Falco, A. Rivadeneyra, and P. Lugli, "Low-cost bio-impedance analysis system for the evaluation of fruit ripeness," in *Proc. IEEE SENSORS*, 2018, pp. 1–4.

Open Access funding provided by 'Libera Università di Bolzano' within the CRUI CARE Agreement