# Football API

# Contents


| Section | |
|---|---|
| **General Information** | Skip |
| **Servers** | Skip |
| **Security** | Skip |
| • API Key Authentication | Skip |
| • ◦ Bearer | Skip |
| **Operations** | Skip |
| • auth | Skip |
| • ◦ `POST /auth/login` | Skip |
| • ◦ `POST /auth/register` | Skip |
| • matches | Skip |
| • ◦ `GET /football/head-to-head` | Skip |
| • ◦ `GET /football/matches` | Skip |
| • ◦ `POST /football/matches` | Skip |
| • ◦ `GET /football/matches/{id}` | Skip |
| • ◦ `PUT /football/matches/{id}` | Skip |
| • ◦ `DELETE /football/matches/{id}` | Skip |
| • goals | Skip |
| • ◦ `GET /football/matches/{id}/goals` | Skip |
| • ◦ `POST /football/matches/{id}/goals` | Skip |
| • ◦ `DELETE /football/matches/{id}/goals/{goalId}` | Skip |
| • shootouts | Skip |
| • ◦ `GET /football/matches/{id}/shootout` | Skip |
| • ◦ `POST /football/matches/{id}/shootout` | Skip |

| Section | |
|---|---|
| • ◦ `DELETE /football/matches/{id}/shootout` | Skip |
| • players | Skip |
| • ◦ `GET /football/players/{name}/goals` | Skip |
| • elo | Skip |
| • ◦ `GET /football/rankings/elo` | Skip |
| • ◦ `POST /football/rankings/elo/recalculate` | Skip |
| • ◦ `GET /football/teams/{id}/elo` | Skip |
| • ◦ `GET /football/teams/{id}/elo/timeline` | Skip |
| • teams | Skip |
| • ◦ `GET /football/teams` | Skip |
| • ◦ `POST /football/teams` | Skip |
| • ◦ `GET /football/teams/{id}` | Skip |
| • ◦ `PUT /football/teams/{id}` | Skip |
| • ◦ `DELETE /football/teams/{id}` | Skip |
| • ◦ `GET /football/teams/{id}/history` | Skip |
| • tournaments | Skip |
| • ◦ `GET /football/tournaments` | Skip |

# General Information

Football API v1.0

REST API for football match and team data with HATEOAS and JWT authentication

# Servers

The following servers may be utilized for this API:

| URL | Description | Variables |
|---|---|---|
| http://localhost:8080/api/v1 | - | - |

# Security

The following security schemes are used by this API for authentication and authorization. These must be taken into account in every request unless otherwise stated.

## API Key Authentication

Type "Bearer" followed by a space and JWT token.

### Bearer

To authenticate requests, include `Authorization` as a request header. Type "Bearer" followed by a space and JWT token.

```
GET /example
Host: example.com
Authorization: SAMPLE-API-KEY-a29@102&3djSF9
```

# Operations


- auth
- matches
- goals
- shootouts
- players
- elo
- teams
- tournaments


## auth


- `POST /auth/login`
- `POST /auth/register`


### `POST /auth/login`

User login

Authenticate user and return JWT token

#### Path Parameters

No Path Parameters.

#### Query Parameters

No Query Parameters.

#### Request Headers

No Specific Request Headers

#### Cookies

No Cookies.

#### Request Body

Required.

User login credentials

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| password | string | Yes | - | - |
| username | string | Yes | - | - |

#### Responses

- `200 OK`
- `400 Bad Request`
- `401 Unauthorized`
- `500 Internal Server Error`

#### `200 OK`

Login successful

##### RESPONSE HEADERS

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| token | string | No | - | - |

### `400 Bad Request`

Invalid request

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

### `401 Unauthorized`

Invalid credentials

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

### `500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `POST /auth/register`

Register a new user

Create a new user account with username and password

#### Path Parameters

No Path Parameters.

#### Query Parameters

No Query Parameters.

#### Request Headers

No Specific Request Headers

#### Cookies

No Cookies.

#### Request Body

Required.

User registration details

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| password | string | Yes | - | • Maximum Length: 128<br>• Mininimum Length: 8 |
| username | string | Yes | - | • Maximum Length: 50<br>• Mininimum Length: 3 |

#### Responses

- `201 Created`
- `400 Bad Request`
- `409 Conflict`
- `500 Internal Server Error`

**`201 Created`**

User created successfully

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|

**`400 Bad Request`**

Invalid request

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`409 Conflict`

Username already exists

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## matches

- `GET /football/head-to-head`
- `GET /football/matches`
- `POST /football/matches`
- `GET /football/matches/{id}`
- `PUT /football/matches/{id}`
- `DELETE /football/matches/{id}`

### `GET /football/head-to-head`

Get head-to-head matches

Get all matches between two specific teams

**Path Parameters**

No Path Parameters.

**Query Parameters**

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| teamA | integer | Yes | - | - |
| teamB | integer | Yes | - | - |

**Request Headers**

No Specific Request Headers

**Cookies**

No Cookies.

**Request Body**

No Request Body.

**Responses**

- `200 OK`
- `400 Bad Request`
- `500 Internal Server Error`

**`200 OK`**

Head-to-head matches

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data | array | No | - | - |
| data[*] | object | No | - | - |
| data[*].awayScore | integer | No | - | - |
| data[*].awayTeam | string | No | - | - |
| data[*].awayTeamId | integer | No | - | - |
| data[*].city | string | No | - | - |
| data[*].country | string | No | - | - |
| data[*].date | string | No | - | - |
| data[*].homeScore | integer | No | - | - |
| data[*].homeTeam | string | No | - | - |
| data[*].homeTeamId | integer | No | - | - |
| data[*].id | integer | No | - | - |
| data[*].links | array | No | - | - |
| data[*].links[*] | object | No | - | - |
| data[*].links[*].href | string | No | - | - |
| data[*].links[*].method | string | No | - | - |
| data[*].links[*].rel | string | No | - | - |
| data[*].neutral | boolean | No | - | - |
| data[*].tournament | string | No | - | - |
| data[*].tournamentId | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| links[*].rel | string | No | - | - |

`400 Bad Request`

Invalid query parameters

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `GET /football/matches`

List all matches

Get all matches with pagination support

### Path Parameters

No Path Parameters.

### Query Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| limit | integer | No | - | • Default: 50 |
| offset | integer | No | - | • Default: 0 |

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

No Request Body.

### Responses

- `200 OK`

- `400 Bad Request`
- `500 Internal Server Error`

**`200 OK`**

List of matches

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data | array | No | - | - |
| data[*] | object | No | - | - |
| data[*].awayScore | integer | No | - | - |
| data[*].awayTeam | string | No | - | - |
| data[*].awayTeamId | integer | No | - | - |
| data[*].city | string | No | - | - |
| data[*].country | string | No | - | - |
| data[*].date | string | No | - | - |
| data[*].homeScore | integer | No | - | - |
| data[*].homeTeam | string | No | - | - |
| data[*].homeTeamId | integer | No | - | - |
| data[*].id | integer | No | - | - |
| data[*].links | array | No | - | - |
| data[*].links[*] | object | No | - | - |
| data[*].links[*].href | string | No | - | - |
| data[*].links[*].method | string | No | - | - |
| data[*].links[*].rel | string | No | - | - |
| data[*].neutral | boolean | No | - | - |
| data[*].tournament | string | No | - | - |
| data[*].tournamentId | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |

**`400 Bad Request`**

Invalid query parameters

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

### `500 Internal Server Error`

Internal server error

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `POST /football/matches`

Create a new match

Create a new match result (requires authentication)

### Required Scopes

This endpoint requires the following scopes:

### Path Parameters

No Path Parameters.

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

Required.

Match details

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| awayScore | integer | No | - | • Minimum: 0 |
| awayTeamId | integer | Yes | - | • Minimum: 1 |
| city | string | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| country | string | No | - | - |
| date | string | Yes | - | - |
| homeScore | integer | No | - | • Minimum: 0 |
| homeTeamId | integer | Yes | - | • Minimum: 1 |
| neutral | boolean | No | - | - |
| tournamentId | integer | Yes | - | • Minimum: 1 |

**Responses**

- `201 Created`
- `400 Bad Request`
- `401 Unauthorized`
- `409 Conflict`
- `500 Internal Server Error`

**`201 Created`**

Match created

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| awayScore | integer | No | - | - |
| awayTeam | string | No | - | - |
| awayTeamId | integer | No | - | - |
| city | string | No | - | - |
| country | string | No | - | - |
| date | string | No | - | - |
| homeScore | integer | No | - | - |
| homeTeam | string | No | - | - |
| homeTeamId | integer | No | - | - |
| id | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| neutral | boolean | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| tournament | string | No | - | - |
| tournamentId | integer | No | - | - |

`400 Bad Request`

Invalid request

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`401 Unauthorized`

Unauthorized

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`409 Conflict`

Match already exists

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `GET /football/matches/{id}`

Get a match by ID

Get detailed information about a specific match

**Path Parameters**

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

**Query Parameters**

No Query Parameters.

**Request Headers**

No Specific Request Headers

**Cookies**

No Cookies.

**Request Body**

No Request Body.

**Responses**

- `200 OK`
- `400 Bad Request`
- `404 Not Found`
- `500 Internal Server Error`

`200 OK`

Match details

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| awayScore | integer | No | - | - |
| awayTeam | string | No | - | - |
| awayTeamId | integer | No | - | - |
| city | string | No | - | - |
| country | string | No | - | - |
| date | string | No | - | - |
| homeScore | integer | No | - | - |
| homeTeam | string | No | - | - |
| homeTeamId | integer | No | - | - |
| id | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| neutral | boolean | No | - | - |
| tournament | string | No | - | - |
| tournamentId | integer | No | - | - |

`400 Bad Request`

Invalid match ID

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`404 Not Found`

Match not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `PUT /football/matches/{id}`

Update a match

Update an existing match record (requires authentication)

### Required Scopes

This endpoint requires the following scopes:

#### Path Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

#### Query Parameters

No Query Parameters.

#### Request Headers

No Specific Request Headers

#### Cookies

No Cookies.

#### Request Body

Required.

Updated match details

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| awayScore | integer | No | - | • Minimum: 0 |
| awayTeamId | integer | Yes | - | • Minimum: 1 |
| city | string | No | - | - |
| country | string | No | - | - |
| date | string | Yes | - | - |
| homeScore | integer | No | - | • Minimum: 0 |
| homeTeamId | integer | Yes | - | • Minimum: 1 |
| neutral | boolean | No | - | - |
| tournamentId | integer | Yes | - | • Minimum: 1 |

#### Responses

- `200 OK`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `409 Conflict`
- `500 Internal Server Error`

**`200 OK`**

Match updated

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| awayScore | integer | No | - | - |
| awayTeam | string | No | - | - |
| awayTeamId | integer | No | - | - |
| city | string | No | - | - |
| country | string | No | - | - |
| date | string | No | - | - |
| homeScore | integer | No | - | - |
| homeTeam | string | No | - | - |
| homeTeamId | integer | No | - | - |
| id | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| neutral | boolean | No | - | - |
| tournament | string | No | - | - |
| tournamentId | integer | No | - | - |

**`400 Bad Request`**

Invalid request

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`401 Unauthorized`**

Unauthorized

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`404 Not Found`

Match not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`409 Conflict`

Match already exists

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `DELETE /football/matches/{id}`

Delete a match

Delete a match by ID (requires authentication)

### Required Scopes

This endpoint requires the following scopes:

### Path Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

No Request Body.

### Responses

- `204 No Content`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `500 Internal Server Error`

#### `204 No Content`

Match deleted successfully

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

#### `400 Bad Request`

Invalid match ID

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

#### `401 Unauthorized`

Unauthorized

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

#### `404 Not Found`

Match not found

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

#### `500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## goals

- `GET /football/matches/{id}/goals`
- `POST /football/matches/{id}/goals`
- `DELETE /football/matches/{id}/goals/{goalId}`

### `GET /football/matches/{id}/goals`

Get goals for a match

Get all goals scored in the specified match

**Path Parameters**

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

**Query Parameters**

No Query Parameters.

**Request Headers**

No Specific Request Headers

**Cookies**

No Cookies.

**Request Body**

No Request Body.

**Responses**

- `200 OK`
- `400 Bad Request`
- `404 Not Found`
- `500 Internal Server Error`

**`200 OK`**

List of goals

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data | array | No | - | - |
| data[*] | object | No | - | - |
| data[*].id | integer | No | - | - |
| data[*].matchId | integer | No | - | - |
| data[*].ownGoal | boolean | No | - | - |
| data[*].penalty | boolean | No | - | - |
| data[*].scorer | string | No | - | - |
| data[*].team | string | No | - | - |
| data[*].teamId | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |

**`400 Bad Request`**

Invalid match ID

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`404 Not Found`**

Match not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`500 Internal Server Error`**

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `POST /football/matches/{id}/goals`

Create a goal

Record a new goal for a match

### Required Scopes

This endpoint requires the following scopes:

### Path Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

Required.

Goal details

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| ownGoal | boolean | No | - | - |
| penalty | boolean | No | - | - |
| scorer | string | Yes | - | • Maximum Length: 100<br>• Mininimum Length: 1 |
| teamId | integer | Yes | - | • Minimum: 1 |

### Responses

- `201 Created`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `500 Internal Server Error`

#### `201 Created`

Single created goal wrapped in a GoalsResponse collection

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data | array | No | - | - |
| data[*] | object | No | - | - |
| data[*].id | integer | No | - | - |
| data[*].matchId | integer | No | - | - |
| data[*].ownGoal | boolean | No | - | - |
| data[*].penalty | boolean | No | - | - |
| data[*].scorer | string | No | - | - |
| data[*].team | string | No | - | - |
| data[*].teamId | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |

**`400 Bad Request`**

Invalid input

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`401 Unauthorized`**

Unauthorized

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`404 Not Found`**

Match or team not found

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

### `500 Internal Server Error`

Internal server error

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `DELETE /football/matches/{id}/goals/{goalId}`

Delete a goal

Remove a goal record from a match

### Required Scopes

This endpoint requires the following scopes:

### Path Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |
| goalId | integer | Yes | - | - |

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

No Request Body.

### Responses

- `204 No Content`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `500 Internal Server Error`

`204 No Content`

Goal deleted

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

`400 Bad Request`

Invalid ID

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `*/*`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`401 Unauthorized`

Unauthorized

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `*/*`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`404 Not Found`

Goal not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `*/*`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `*/*`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## shootouts

- `GET /football/matches/{id}/shootout`
- `POST /football/matches/{id}/shootout`
- `DELETE /football/matches/{id}/shootout`

## `GET /football/matches/{id}/shootout`

Get shootout result

Get the penalty shootout result for a match

### Path Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

No Request Body.

### Responses

- `200 OK`
- `400 Bad Request`
- `404 Not Found`
- `500 Internal Server Error`

### `200 OK`

Shootout result

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| matchId | integer | No | - | - |
| winner | string | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| winnerId | integer | No | - | - |

`400 Bad Request`

Invalid match ID

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`404 Not Found`

Match or shootout not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `POST /football/matches/{id}/shootout`

Create a shootout

Record a penalty shootout result for a match

### Required Scopes

This endpoint requires the following scopes:

### Path Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

Required.

Shootout details

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| winnerId | integer | Yes | - | • Minimum: 1 |

### Responses

- `201 Created`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `409 Conflict`
- `500 Internal Server Error`

**`201 Created`**

Shootout created

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| matchId | integer | No | - | - |
| winner | string | No | - | - |
| winnerId | integer | No | - | - |

**`400 Bad Request`**

Invalid input

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`401 Unauthorized`**

Unauthorized

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`404 Not Found`**

Match or team not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`409 Conflict`**

Shootout already exists

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`500 Internal Server Error`**

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `DELETE /football/matches/{id}/shootout`

Delete a shootout

Remove a penalty shootout record from a match

### Required Scopes

This endpoint requires the following scopes:

### Path Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

No Request Body.

### Responses

- `204 No Content`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `500 Internal Server Error`

#### `204 No Content`

Shootout deleted

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

#### `400 Bad Request`

Invalid match ID

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

Media Type: `*/*`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

#### `401 Unauthorized`

Unauthorized

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

Media Type: `*/*`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`404 Not Found`

Shootout not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `*/*`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `*/*`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## players

- `GET /football/players/{name}/goals`

### `GET /football/players/{name}/goals`

Get goals by player

Get all goals scored by a specific player

**Path Parameters**

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| name | string | Yes | - | - |

**Query Parameters**

No Query Parameters.

**Request Headers**

No Specific Request Headers

**Cookies**

No Cookies.

**Request Body**

No Request Body.

**Responses**

- 200 OK
- 400 Bad Request
- 500 Internal Server Error

**`200 OK`**

List of goals

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data | array | No | - | - |
| data[*] | object | No | - | - |
| data[*].id | integer | No | - | - |
| data[*].matchId | integer | No | - | - |
| data[*].ownGoal | boolean | No | - | - |
| data[*].penalty | boolean | No | - | - |
| data[*].scorer | string | No | - | - |
| data[*].team | string | No | - | - |
| data[*].teamId | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |

**`400 Bad Request`**

Invalid player name

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`500 Internal Server Error`**

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## elo

- `GET /football/rankings/elo`
- `POST /football/rankings/elo/recalculate`
- `GET /football/teams/{id}/elo`
- `GET /football/teams/{id}/elo/timeline`

### `GET /football/rankings/elo`

Get global Elo rankings

Returns a paginated snapshot of global Elo rankings, optionally filtered by region

#### Path Parameters

No Path Parameters.

#### Query Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| date | string | No | - | - |
| region | string | No | - | - |
| limit | integer | No | - | - |
| offset | integer | No | - | - |

#### Request Headers

No Specific Request Headers

#### Cookies

No Cookies.

#### Request Body

No Request Body.

#### Responses

- `200 OK`
- `400 Bad Request`
- `500 Internal Server Error`

**`200 OK`**

Global Elo rankings

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data | array | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data[*] | object | No | - | - |
| data[*].elo | number | No | - | - |
| data[*].links | array | No | - | - |
| data[*].links[] | object | No | - | - |
| data[*].links[].href | string | No | - | - |
| data[*].links[].method | string | No | - | - |
| data[*].links[].rel | string | No | - | - |
| data[*].rank | integer | No | - | - |
| data[*].teamId | integer | No | - | - |
| data[*].teamName | string | No | - | - |
| date | string | No | - | - |
| limit | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| offset | integer | No | - | - |
| total | integer | No | - | - |

**`400 Bad Request`**

Invalid query parameters

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`500 Internal Server Error`**

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `POST /football/rankings/elo/recalculate`

Recalculate Elo rankings

Triggers background Elo recalculation (admin). Optionally scoped to one team.

### Required Scopes

This endpoint requires the following scopes:

### Path Parameters

No Path Parameters.

### Query Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| team_id | integer | No | - | - |
| force | boolean | No | - | - |

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

No Request Body.

### Responses

- `202 Accepted`
- `400 Bad Request`
- `401 Unauthorized`
- `429 Too Many Requests`
- `500 Internal Server Error`

### `202 Accepted`

Recalculation started

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| links[*].rel | string | No | - | - |
| message | string | No | - | - |

`400 Bad Request`

Invalid parameters

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`401 Unauthorized`

Unauthorized

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`429 Too Many Requests`

Recalculation already running or rate limit exceeded

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `GET /football/teams/{id}/elo`

Get team Elo rating

Returns the World Football Elo rating for a team, optionally at a historical date

**Path Parameters**

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

**Query Parameters**

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| date | string | No | - | - |
| include_history | boolean | No | - | - |

**Request Headers**

No Specific Request Headers

**Cookies**

No Cookies.

**Request Body**

No Request Body.

**Responses**

- `200 OK`
- `400 Bad Request`
- `404 Not Found`
- `500 Internal Server Error`

`200 OK`

Team Elo rating

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| changeFromPrevious | number | No | - | - |
| date | string | No | - | - |
| elo | number | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| matchesConsidered | integer | No | - | - |
| methodology | object | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| methodology.formulaReference | string | No | - | - |
| methodology.homeAdvantage | number | No | - | - |
| methodology.kFactor | number | No | - | - |
| methodology.weightMultiplier | number | No | - | - |
| rank | integer | No | - | - |
| teamId | integer | No | - | - |
| teamName | string | No | - | - |

`400 Bad Request`

Invalid team ID or date

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`404 Not Found`

Team not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `GET /football/teams/{id}/elo/timeline`

Get team Elo timeline

Returns the full time-series of Elo rating changes for a team

**Path Parameters**

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

**Query Parameters**

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| start_date | string | No | - | - |
| end_date | string | No | - | - |
| resolution | string | No | - | - |

**Request Headers**

No Specific Request Headers

**Cookies**

No Cookies.

**Request Body**

No Request Body.

**Responses**

- `200 OK`
- `400 Bad Request`
- `404 Not Found`
- `500 Internal Server Error`

`200 OK`

Team Elo timeline

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data | array | No | - | - |
| data[*] | object | No | - | - |
| data[*].change | number | No | - | - |
| data[*].date | string | No | - | - |
| data[*].elo | number | No | - | - |
| data[*].homeAway | string | No | - | "H", "A", or "N" |
| data[*].matchId | integer | No | - | - |
| data[*].opponent | string | No | - | - |
| data[*].result | string | No | - | "W", "D", or "L" |
| links | array | No | - | - |
| links[*] | object | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| teamId | integer | No | - | - |
| teamName | string | No | - | - |

**`400 Bad Request`**

Invalid team ID or date

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`404 Not Found`**

Team not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`500 Internal Server Error`**

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## teams

- `GET /football/teams`
- `POST /football/teams`
- `GET /football/teams/{id}`
- `PUT /football/teams/{id}`
- `DELETE /football/teams/{id}`
- `GET /football/teams/{id}/history`

## `GET /football/teams`

List all teams

Get all national teams with HATEOAS links

### Path Parameters

No Path Parameters.

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

No Request Body.

### Responses

- `200 OK`
- `500 Internal Server Error`

### `200 OK`

List of teams

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data | array | No | - | - |
| data[*] | object | No | - | - |
| data[*].createdAt | string | No | - | - |
| data[*].id | integer | No | - | - |
| data[*].links | array | No | - | - |
| data[*].links[*] | object | No | - | - |
| data[*].links[*].href | string | No | - | - |
| data[*].links[*].method | string | No | - | - |
| data[*].links[*].rel | string | No | - | - |
| data[*].name | string | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `POST /football/teams`

Create a new team

Create a new national team (requires authentication)

### Required Scopes

This endpoint requires the following scopes:

### Path Parameters

No Path Parameters.

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

Required.

Team details

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| name | string | Yes | - | • Maximum Length: 100<br>• Mininimum Length: 1 |

### Responses

- `201 Created`
- `400 Bad Request`
- `401 Unauthorized`
- `409 Conflict`

- `500 Internal Server Error`

**`201 Created`**

Team created

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| createdAt | string | No | - | - |
| id | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| name | string | No | - | - |

**`400 Bad Request`**

Invalid request

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`401 Unauthorized`**

Unauthorized

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`409 Conflict`**

Team already exists

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `GET /football/teams/{id}`

Get a team by ID

Get detailed information about a specific team

### Path Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

No Request Body.

### Responses

- `200 OK`
- `400 Bad Request`
- `404 Not Found`
- `500 Internal Server Error`

`200 OK`

Team details

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| createdAt | string | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |
| name | string | No | - | - |

`400 Bad Request`

Invalid team ID

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`404 Not Found`

Team not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `PUT /football/teams/{id}`

Update a team

Update team name (requires authentication)

**Required Scopes**

This endpoint requires the following scopes:

**Path Parameters**

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

**Query Parameters**

No Query Parameters.

**Request Headers**

No Specific Request Headers

**Cookies**

No Cookies.

**Request Body**

Required.

Updated team details

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| name | string | Yes | - | • Maximum Length: 100<br>• Mininimum Length: 1 |

**Responses**

- `200 OK`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `409 Conflict`
- `500 Internal Server Error`

**`200 OK`**

Team updated

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| createdAt | string | No | - | - |
| id | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| links[*].rel | string | No | - | - |
| name | string | No | - | - |

`400 Bad Request`

Invalid request

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`401 Unauthorized`

Unauthorized

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`404 Not Found`

Team not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`409 Conflict`

Team name already in use

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `DELETE /football/teams/{id}`

Delete a team

Delete a team by ID (requires authentication)

### Required Scopes

This endpoint requires the following scopes:

### Path Parameters

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

### Query Parameters

No Query Parameters.

### Request Headers

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

No Request Body.

### Responses

- `204 No Content`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `500 Internal Server Error`

### `204 No Content`

Team deleted successfully

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

### `400 Bad Request`

Invalid team ID

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`401 Unauthorized`

Unauthorized

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`404 Not Found`

Team not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## `GET /football/teams/{id}/history`

Get team history

Get historical names for a specific team

**Path Parameters**

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| id | integer | Yes | - | - |

**Query Parameters**

No Query Parameters.

**Request Headers**

No Specific Request Headers

### Cookies

No Cookies.

### Request Body

No Request Body.

### Responses

- `200 OK`
- `400 Bad Request`
- `404 Not Found`
- `500 Internal Server Error`

**`200 OK`**

Team history

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data | array | No | - | - |
| data[*] | object | No | - | - |
| data[*].endDate | string | No | - | - |
| data[*].formerName | string | No | - | - |
| data[*].id | integer | No | - | - |
| data[*].startDate | string | No | - | - |
| data[*].teamId | integer | No | - | - |
| links | array | No | - | - |
| links[*] | object | No | - | - |
| links[*].href | string | No | - | - |
| links[*].method | string | No | - | - |
| links[*].rel | string | No | - | - |

**`400 Bad Request`**

Invalid team ID

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

**`404 Not Found`**

Team not found

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

`500 Internal Server Error`

Internal server error

**RESPONSE HEADERS**

No Specific Response Headers.

**RESPONSE BODY**

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |

## tournaments

- `GET /football/tournaments`

### `GET /football/tournaments`

List all tournaments

Get all football tournaments ordered by name

#### Path Parameters

No Path Parameters.

#### Query Parameters

No Query Parameters.

#### Request Headers

No Specific Request Headers

#### Cookies

No Cookies.

#### Request Body

No Request Body.

#### Responses

- `200 OK`
- `500 Internal Server Error`

`200 OK`

List of tournaments

**RESPONSE HEADERS**

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| data | array | No | - | - |
| data[*] | object | No | - | - |
| data[*].createdAt | string | No | - | - |
| data[*].id | integer | No | - | - |
| data[*].name | string | No | - | - |

### `500 Internal Server Error`

Internal server error

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

| Key | Type | Required | Example | Notes |
|---|---|---|---|---|
| error | string | No | - | - |