Forex Analytics API 0.1.0 OAS 3.1

/openapi.json

Authorize

default

GET /convert Convert Currency

Parameters

Try it out

Name	Description
base * required `string` *(query)*	base
target * required `string` *(query)*	target
amount * required `number` *(query)*	amount

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

Code	Description	Links
	`"string"`	
422	Validation Error Media type application/json **Example Value** | Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

GET `/volatility` Get Volatility

Parameters | Try it out

Name	Description
base * required `string` *(query)*	base
target * required `string` *(query)*	target

Responses

Code	Description	Links
200	Successful Response Media type	*No links*

Code	Description	Links

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

422	Validation Error	No links

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET /trend Get Trend

Parameters

Try it out

Name	Description
base * required string (query)	base
target * required string (query)	target

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
"string"
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/regime` Get Regime

Parameters Try it out

Name	Description
base * required `string` *(query)*	base
target * required `string` *(query)*	target

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
"string"
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/latest` Latest Rate

Parameters

Try it out

Name	Description
base * required `string` *(query)*	base

Name	Description
target * required `string` *(query)*	target

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema `"string"`	*No links*
422	Validation Error Media type application/json **Example Value** | Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

GET `/history` History

Parameters Try it out

Name	Description
base * required `string` *(query)*	base
target * required `string` *(query)*	target
days `integer` *(query)*	*Default value* : 30 30

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** | Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ]`	*No links*

Code	Description	Links
	] }	

GET /currencies Get Currencies

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. **Example Value** | Schema "string"	*No links*

GET / Frontend

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json	*No links*

Code	Description	Links
	Controls Accept header. **Example Value** | Schema `"string"`	

GET `/rates/count` Rate Count

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. **Example Value** | Schema `"string"`	*No links*

GET `/debug` Debug Rates

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
"string"
```

Authentication

POST `/auth/register` Register

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{
  "username": "string",
  "password": "string",
  "confirm_password": "string"
}
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
"string"
```

Code	Description	Links
422	Validation Error Media type application/json Example Value | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST `/auth/login` Login

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{
  "username": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	Successful Response Media type	*No links*

Code	Description	Links

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/auth/me` Get Me

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls Accept header.

Example Value | Schema

Code	Description	Links
	`"string"`	

PUT `/auth/me` Update Me

Parameters Try it out

No parameters

Request body required — application/json

Example Value | Schema

```
{
  "username": "string",
  "current_password": "string",
  "new_password": "string",
  "confirm_new_password": "string"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema `"string"`	*No links*
422	Validation Error Media type application/json **Example Value** | Schema	*No links*

Code	Description	Links

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Rates

GET /rates/ Get Rates

Parameters Try it out

Name	Description
limit integer *(query)*	*Default value* : 100 100 *maximum: 500* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. **Example Value** | Schema `"string"`	*No links*
422	Validation Error	*No links*

Code	Description	Links

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST /rates/ Create Rate

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "base_currency": "string",
  "target_currency": "string",
  "rate": 0,
  "date": "2026-03-12"
}
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls Accept header.

Code	Description	Links

Example Value | Schema

```
"string"
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/rates/search` Search Rates

Parameters **Try it out**

Name	Description
base_currency `string	(string | null)` *(query)*	base_currency
target_currency `string	(string | null)` *(query)*	target_currency
start_date `string	(string | null)($date)` *(query)*	start_date
end_date `string	(string | null)($date)` *(query)*	end_date

Name	Description
min_rate `number	(number | null)` *(query)*	min_rate
max_rate `number	(number | null)` *(query)*	max_rate
skip `integer` *(query)*	*Default value* : 0 0 *minimum: 0*
limit `integer` *(query)*	*Default value* : 50 50 *maximum: 200* *minimum: 1*
sort_by `string` *(query)*	*Default value* : date date
sort_order `string` *(query)*	*Default value* : desc desc

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema `"string"`	*No links*
422	Validation Error Media type **application/json**	*No links*

Code	Description	Links

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/rates/stats/summary` Get Rate Summary

Parameters Try it out

Name	Description
base_currency `string	(string | null)` *(query)*	base_currency
target_currency `string	(string | null)` *(query)*	target_currency

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema `"string"`	*No links*

Code	Description	Links
422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/rates/{rate_id}` Get Rate By Id

Parameters Try it out

Name	Description
rate_id * required `integer` *(path)*	rate_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
"string"
```

Code	Description	Links
422	Validation Error Media type application/json Example Value | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PUT `/rates/{rate_id}` Update Rate

Parameters Try it out

Name	Description
rate_id * required `integer` *(path)*	rate_id

Request body required application/json

Example Value | Schema

```
{
  "rate": 0
}
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
"string"
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PATCH `/rates/{rate_id}` Patch Rate

Parameters

Try it out

Name	Description
rate_id * required `integer` *(path)*	rate_id

Request body required

application/json

Example Value | Schema

```
{
  "base_currency": "string",
  "target_currency": "string",
  "rate": 0,
  "date": "2026-03-12"
}
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
"string"
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

DELETE `/rates/{rate_id}` Delete Rate

Parameters

Try it out

Name	Description
rate_id * required `integer` *(path)*	rate_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema `"string"`	*No links*
422	Validation Error Media type application/json **Example Value** | Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

POST `/rates/bulk` Create Rates Bulk

Parameters Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "rates": [
    {
      "base_currency": "string",
      "target_currency": "string",
      "rate": 0,
      "date": "2026-03-12"
    }
  ]
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. **Example Value** | Schema `"string"`	*No links*
422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
```

Code	Description	Links

```
    }
  ]
}
```

DELETE `/rates/bulk` Delete Rates Bulk

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{
  "ids": [
    0
  ]
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
"string"
```

422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
```

Code	Description	Links

```
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Schemas

HTTPValidationError Collapse all object

- detail Collapse all array<object>
  - Items Collapse all object
    - loc* Collapse all array<(string | integer)>
      - Items Collapse all (string | integer)
        - Any of Collapse all (string | integer)
          - #0 string
          - #1 integer
    - msg* string
    - type* string
    - input any
    - ctx object

LoginRequest Collapse all object

- username* string
- password* string

RateBulkCreate Collapse all object

- rates* Collapse all array<object>
  - Items Collapse all object
    - base_currency* string
    - target_currency* string
    - rate* number
    - date* string date

RateBulkDelete Collapse all `object`

- **ids*** Collapse all `array<integer>`
  - Items `integer`

RateCreate Collapse all `object`

- **base_currency*** `string`
- **target_currency*** `string`
- **rate*** `number`
- **date*** `string` `date`

RatePatch Collapse all `object`

- **base_currency** Collapse all `(string | null)`
  - Any of Collapse all `(string | null)`
    - #0 `string`
    - #1 `null`
- **target_currency** Collapse all `(string | null)`
  - Any of Collapse all `(string | null)`
    - #0 `string`
    - #1 `null`
- **rate** Collapse all `(number | null)`
  - Any of Collapse all `(number | null)`
    - #0 `number`
    - #1 `null`
- **date** Collapse all `(string | null)`
  - Any of Collapse all `(string | null)`
    - #0 `string` `date`
    - #1 `null`

RateUpdate Collapse all `object`

- **rate*** `number`

RegisterRequest Collapse all `object`

- **username*** `string`
- **password*** `string`
- **confirm_password*** `string`

UpdateUserRequest Collapse all `object`

```
username ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
current_password ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
new_password ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
confirm_new_password ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
```

```
ValidationError ^ Collapse all object
  loc* ^ Collapse all array<(string | integer)>
    Items ^ Collapse all (string | integer)
      Any of ^ Collapse all (string | integer)
        #0 string
        #1 integer
  msg* string
  type* string
  input any
  ctx object
```