


PLATFORM PLAN



- NOTES:
1. CONTROL AREA (N) CIS NEEDS MOUNTED AT LEAST 80" ABOVE FINISHED FLOOR
 2. PLATFORM AREA (N) CIS NEEDS TO BE 96" ABOVE FINISHED FLOOR
 3. IF THERE IS AVAILABILITY TO USE THE (E) WIRE TROUGH TO FACILITATE INSTALL, ICC IS AUTHORIZED TO UTILIZE (E) WIRE TROUGH

DRAWING SUBMITTED TO SHOW ONLY EQUIPMENT PLACEMENT AND CONDUIT RUN, WHICH WAS SIGNED OFF DURING THE FIELD SURVEY BY PROGRAM COORDINATION, STATIONS DEPT. AND OPERATIONS PLANNING.

REVISION	DESCRIPTION	DATE	APPROVED
	CONTRACT W-32800 B-DIVISION BEACON TRAIN ARRIVAL SYSTEM		
	CONDUIT & EQUIPMENT LAYOUT (MR 33) 45TH STREET STATION FOURTH AVENUE LINE-BMT		
DRAWN BY	B. PEARCE/D. PHRSAI	DATE : 10/11/2016	
DESIGNED BY	B. PEARCE/D. PHRSAI	DRAWING NO.	
CHECKED BY	J. KASHINSKY/D. BRUCCOLERI, P.E.		TE-33
APPROVED BY	K. CHEN, P.E.	REVISION	