

CSCI 2120:

Software Design & Development II

UNIT4: UI management

GUI framework

JavaFX Controls: [Hyperlink](#)


Overview

1. Introduction
2. JavaFX Hyperlink Example
3. Create a Hyperlink
4. Set Hyperlink Text
5. Set Hyperlink Font
6. Set Hyperlink Action

Introduction

- The *JavaFX **HyperLink*** control is a **text** that **functions as a button**, meaning you can configure a **Hyperlink** to perform some action when the user **clicks** it.
- Just like a hyperlink in a **web page**.
- The *JavaFX **HyperLink*** element is represented by the class `javafx.scene.control.Hyperlink` .

Here is a screenshot showing how a JavaFX **Hyperlink** looks:



JavaFX Hyperlink Example

```
import javafx.application.Application;
import javafx.scene.Scene;
import javafx.scene.control.Hyperlink;
import javafx.scene.layout.VBox;
import javafx.stage.Stage;

public class HyperlinkExample extends Application {
    public static void main(String[] args) {
        launch(args);
    }

    @Override
    public void start(Stage primaryStage) {
        primaryStage.setTitle("JavaFX App");

        Hyperlink link = new Hyperlink("Click Me!");

        VBox vBox = new VBox(link);
        Scene scene = new Scene(vBox, 960, 600);

        primaryStage.setScene(scene);
        primaryStage.show();
    }
}
```

Code Explanation:

This example is a full JavaFX application that creates a **Hyperlink**, inserts it into a **JavaFX VBox** which is then added to a **JavaFX Scene**. The Scene is then added to a **JavaFX Stage** which is then made visible.

Create a Hyperlink

In order to use a JavaFX `Hyperlink` control you must first create a `Hyperlink` instance.

Here is an example of creating a JavaFX `Hyperlink` instance:

```
Hyperlink link = new Hyperlink("Click me!");
```

Set Hyperlink Text

It is possible to change the text of a JavaFX `Hyperlink` via its `setText()` method.

Here is an example of changing the text of a JavaFX `Hyperlink`:

```
Hyperlink link = new Hyperlink("Click me!");  
link.setText("New link text");
```

Set Hyperlink Font

It is possible to change the font of a JavaFX **Hyperlink** via its `setFont()` method. You can learn more about creating fonts in the **JavaFX Fonts** lecture.

Here is an example of setting the font of a JavaFX Hyperlink:

```
Hyperlink link = new Hyperlink("Click Me!");  
  
Font courierNewFontBold36 = Font.font("Courier New", FontWeight.BOLD, 36);  
  
link.setFont(courierNewFontBold36);
```

Set Hyperlink Action

To **respond to clicks** on a JavaFX **Hyperlink** you set an **action listener** on the **Hyperlink** instance.

Here is an example of setting an **action listener** on a JavaFX **Hyperlink** instance:

```
Hyperlink link = new Hyperlink("Click me!");  
  
link.setOnAction(e -> {  
    System.out.println("The Hyperlink was clicked!");  
});
```


END