COLLECTION 1 · 50 PATTERNS

Foundation Underbusts

Straight and gently curved underbust corsets to learn on



SIGNATURE CORSET

Welcome to Collection 1

Collection 1 starts with short and standard underbust corsets: 3 or 4 panels per side, straight or curved edges and simple finishing. Each pattern has its own measurement chart and nested sizes from XS to 2XL. Start with a Beginner pattern, make a test garment and work your way up.

> **Before you print**
>
> Print the first tile of any pattern and measure the 2 in test square. If it is not exactly 2 in, set the printer to 'Actual size' (100%) and turn off 'Fit to page'.

How each pattern is laid out

- Pages 1 to 2: pattern at a glance, materials, fit notes, measurement chart and tile map.
- Next pages: full-size pattern pieces, with the six sizes nested (XS to 2XL), grainlines, waist marks and a 2 in test square on the first tile.
- Pieces are cut twice (a mirrored pair) in each layer: fashion fabric, strength layer and lining.

> **Fit and comfort**
>
> Lace a corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it. This collection is for fashion garments and is not medical advice.

Pattern index

ID	PATTERN	TYPE	NECKLINE	PANELS	BOTTOM EDGE	LEVEL	PAGE
SC-001	Aurelie Classic	Underbust	Straight	6	Straight	Beginner	5
SC-002	Camille Classic	Underbust	Gently curved	8	Straight	Intermediate	11
SC-003	Celeste Classic	Underbust	Straight	8	Curved (hip)	Intermediate	18
SC-004	Colette Classic	Underbust	Gently curved	6	Curved (hip)	Intermediate	25
SC-005	Dahlia Classic	Underbust	Straight	8	Straight	Beginner	32
SC-006	Delphine Classic	Underbust	Gently curved	6	Straight	Intermediate	39
SC-007	Eloise Classic	Underbust	Straight	8	Curved (hip)	Intermediate	46
SC-008	Fleur Classic	Underbust	Straight	8	Curved (hip)	Intermediate	53
SC-009	Genevieve Classic	Underbust	Straight	6	Straight	Beginner	60
SC-010	Giselle Classic	Underbust	Gently curved	8	Straight	Intermediate	66
SC-011	Isabeau Classic	Underbust	Straight	6	Curved (hip)	Intermediate	73
SC-012	Juliette Classic	Underbust	Gently curved	8	Curved (hip)	Intermediate	85
SC-013	Lavinia Classic	Underbust	Straight	8	Straight	Beginner	92
SC-014	Margaux Classic	Underbust	Gently curved	6	Straight	Intermediate	99
SC-015	Mathilde Classic	Underbust	Straight	8	Curved (hip)	Intermediate	106
SC-016	Odette Classic	Underbust	Gently curved	6	Curved (hip)	Intermediate	113
SC-017	Rosalie Classic	Underbust	Straight	8	Straight	Beginner	120
SC-018	Seraphine Classic	Underbust	Gently curved	8	Straight	Intermediate	127
SC-019	Valentine Classic	Underbust	Straight	6	Curved (hip)	Intermediate	134
SC-020	Vivienne Classic	Underbust	Gently curved	8	Curved (hip)	Intermediate	141
SC-021	Aurelie Atelier	Underbust	Straight	6	Straight	Beginner	148
SC-022	Camille Atelier	Underbust	Straight	8	Straight	Beginner	154
SC-023	Celeste Atelier	Underbust	Straight	8	Curved (hip)	Intermediate	161
SC-024	Colette Atelier	Underbust	Gently curved	6	Curved (hip)	Intermediate	173
SC-025	Dahlia Atelier	Underbust	Straight	8	Straight	Beginner	180
SC-026	Delphine Atelier	Underbust	Gently curved	6	Straight	Intermediate	187
SC-027	Eloise Atelier	Underbust	Straight	8	Curved (hip)	Intermediate	194
SC-028	Fleur Atelier	Underbust	Gently curved	8	Curved (hip)	Intermediate	201
SC-029	Genevieve Atelier	Underbust	Straight	6	Straight	Beginner	208
SC-030	Giselle Atelier	Underbust	Gently curved	8	Straight	Intermediate	214
SC-031	Isabeau Atelier	Underbust	Straight	6	Curved (hip)	Intermediate	221
SC-032	Juliette Atelier	Underbust	Gently curved	8	Curved (hip)	Intermediate	228
SC-033	Lavinia Atelier	Underbust	Straight	8	Straight	Beginner	235
SC-034	Margaux Atelier	Underbust	Gently curved	6	Straight	Intermediate	242

ID	PATTERN	TYPE	NECKLINE	PANELS	BOTTOM EDGE	LEVEL	PAGE
SC-035	Mathilde Atelier	Underbust	Straight	8	Curved (hip)	Intermediate	249
SC-036	Odette Atelier	Underbust	Straight	6	Curved (hip)	Intermediate	261
SC-037	Rosalie Atelier	Underbust	Straight	8	Straight	Beginner	273
SC-038	Seraphine Atelier	Underbust	Gently curved	8	Straight	Intermediate	280
SC-039	Valentine Atelier	Underbust	Straight	6	Curved (hip)	Intermediate	287
SC-040	Vivienne Atelier	Underbust	Gently curved	8	Curved (hip)	Intermediate	294
SC-041	Aurelie Salon	Underbust	Straight	6	Straight	Beginner	301
SC-042	Camille Salon	Underbust	Gently curved	8	Straight	Intermediate	307
SC-043	Celeste Salon	Underbust	Straight	8	Curved (hip)	Intermediate	314
SC-044	Colette Salon	Underbust	Gently curved	6	Curved (hip)	Intermediate	321
SC-045	Dahlia Salon	Underbust	Straight	8	Straight	Beginner	328
SC-046	Delphine Salon	Underbust	Gently curved	6	Straight	Intermediate	335
SC-047	Eloise Salon	Underbust	Straight	8	Curved (hip)	Intermediate	342
SC-048	Fleur Salon	Underbust	Gently curved	8	Curved (hip)	Intermediate	354
SC-049	Genevieve Salon	Underbust	Straight	6	Straight	Beginner	361
SC-050	Giselle Salon	Underbust	Straight	8	Straight	Beginner	367

Aurelie Classic

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 4 pages (D1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	3.6 + 3.3
S	34	29	26	35	37	26	22	32	3.6 + 3.3
M	36	31	28	37	39	28	24	34	3.7 + 3.4
L	38	33	30	39	41	30	26	36	3.8 + 3.5
XL	40	35	32	41	43	32	28	38	3.8 + 3.5
2XL	42	37	34	43	45	34	30	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (4 PAGES (D1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-001 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-001 · PANEL 2 of 3


SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining




SC-001 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

ANEL 3 of 3
cut 2 (mirror)
n layer + lining




Camille Classic

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL


SC-002 · PANEL 1 of 4

CENTER FRONT PANEL — cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS




TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-002 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-002 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-002 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Celeste Classic

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-003 · PANEL 1 of 4


CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



WAIST

2XL XL L M S XS



WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-003 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-003 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-003 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Colette Classic

Underbust corset · Gently curved neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-004 · PANEL 1 of 3

CENTER FRONT PANEL – cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-004 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining


WAIST

2XL XL L M S XS


SC-004 · PANEL 3 of 3


BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



PANEL 3 of 3
· cut 2 (mirror)
gth layer + lining






Dahlia Classic

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	4 + 3.7
S	34	29	26	35	37	26	22	32	4.1 + 3.8
M	36	31	28	37	39	28	24	34	4.2 + 3.9
L	38	33	30	39	41	30	26	36	4.3 + 4
XL	40	35	32	41	43	32	28	38	4.4 + 4.1
2XL	42	37	34	43	45	34	30	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-005 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-005 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-005 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-005 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Delphine Classic

Underbust corset · Gently curved neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-006 · PANEL 1 of 3

CENTER FRONT PANEL – cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side


SC-006 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining


WAIST

2XL XL L M S XS


SC-006 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

ANEL 3 of 3
· cut 2 (mirror)
gth layer + lining






Eloise Classic

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-007 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-007 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-007 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-007 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Fleur Classic

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-008 · PANEL 1 of 4


CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



WAIST

2XL XL L M S XS



WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-008 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-008 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-008 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Genevieve Classic

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 4 pages (D1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	3.6 + 3.3
S	34	29	26	35	37	26	22	32	3.6 + 3.3
M	36	31	28	37	39	28	24	34	3.7 + 3.4
L	38	33	30	39	41	30	26	36	3.8 + 3.5
XL	40	35	32	41	43	32	28	38	3.8 + 3.5
2XL	42	37	34	43	45	34	30	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (4 PAGES (D1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-009 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-009 · PANEL 2 of 3


SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining




SC-009 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

ANEL 3 of 3
cut 2 (mirror)
n layer + lining




Giselle Classic

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS · S · M · L · XL · 2XL

SC-010 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side


SC-010 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST


2XL XL L M S XS



SC-010 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-010 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Isabeau Classic

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-011 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-011 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-011 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS


PANEL 3 of 3


· cut 2 (mirror)


gth layer + lining















Juliette Classic

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS · S · M · L · XL · 2XL

SC-012 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining





TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-012 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-012 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-012 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Lavinia Classic

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	3.6 + 3.3
S	34	29	26	35	37	26	22	32	3.6 + 3.3
M	36	31	28	37	39	28	24	34	3.7 + 3.4
L	38	33	30	39	41	30	26	36	3.8 + 3.5
XL	40	35	32	41	43	32	28	38	3.8 + 3.5
2XL	42	37	34	43	45	34	30	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-013 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-013 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-013 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-013 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Margaux Classic

Underbust corset · Gently curved neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-014 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side


SC-014 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST


2XL XL L M S XS



SC-014 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

ANEL 3 of 3

· cut 2 (mirror)

gth layer + lining





Mathilde Classic

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL


SC-015 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS



WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-015 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-015 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-015 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Odette Classic

Underbust corset · Gently curved neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-016 · PANEL 1 of 3

CENTER FRONT PANEL – cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-016 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining




SC-016 · PANEL 3 of 3


BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



PANEL 3 of 3
· cut 2 (mirror)
gth layer + lining






Rosalie Classic

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	4 + 3.7
S	34	29	26	35	37	26	22	32	4.1 + 3.8
M	36	31	28	37	39	28	24	34	4.2 + 3.9
L	38	33	30	39	41	30	26	36	4.3 + 4
XL	40	35	32	41	43	32	28	38	4.4 + 4.1
2XL	42	37	34	43	45	34	30	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-017 · PANEL 1 of 4


CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



WAIST

2XL XL L M S XS



WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-017 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-017 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-017 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Seraphine Classic

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS · S · M · L · XL · 2XL

SC-018 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining






TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-018 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-018 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-018 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Valentine Classic

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-019 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side


SC-019 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining


WAIST

2XL XL L M S XS


SC-019 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

ANEL 3 of 3
· cut 2 (mirror)
gth layer + lining






Vivienne Classic

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS S M L XL 2XL

SC-020 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining






TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-020 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-020 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-020 · / PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Aurelie Atelier

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 4 pages (D1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	3.6 + 3.3
S	34	29	26	35	37	26	22	32	3.6 + 3.3
M	36	31	28	37	39	28	24	34	3.7 + 3.4
L	38	33	30	39	41	30	26	36	3.8 + 3.5
XL	40	35	32	41	43	32	28	38	3.8 + 3.5
2XL	42	37	34	43	45	34	30	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (4 PAGES (D1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-021 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-021 · PANEL 2 of 3


SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining




SC-021 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

ANEL 3 of 3
cut 2 (mirror)
n layer + lining




Camille Atelier

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	4 + 3.7
S	34	29	26	35	37	26	22	32	4.1 + 3.8
M	36	31	28	37	39	28	24	34	4.2 + 3.9
L	38	33	30	39	41	30	26	36	4.3 + 4
XL	40	35	32	41	43	32	28	38	4.4 + 4.1
2XL	42	37	34	43	45	34	30	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-022 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-022 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-022 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-022 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Celeste Atelier

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-023 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-023 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-023 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-023 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining









SC-023 Celeste Atelier · tile A2 of E2



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.








Colette Atelier

Underbust corset · Gently curved neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-024 · PANEL 1 of 3

CENTER FRONT PANEL – cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side


SC-024 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining


WAIST

2XL XL L M S XS


SC-024 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

PANEL 3 of 3
· cut 2 (mirror)
gth layer + lining





Dahlia Atelier

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	3.6 + 3.3
S	34	29	26	35	37	26	22	32	3.6 + 3.3
M	36	31	28	37	39	28	24	34	3.7 + 3.4
L	38	33	30	39	41	30	26	36	3.8 + 3.5
XL	40	35	32	41	43	32	28	38	3.8 + 3.5
2XL	42	37	34	43	45	34	30	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-025 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-025 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-025 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-025 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Delphine Atelier

Underbust corset · Gently curved neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-026 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-026 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-026 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

ANEL 3 of 3

· cut 2 (mirror)

gth layer + lining






Eloise Atelier

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-027 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-027 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-027 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-027 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Fleur Atelier

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS · S · M · L · XL · 2XL

SC-028 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining






TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-028 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-028 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-028 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Genevieve Atelier

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 4 pages (D1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	4 + 3.7
S	34	29	26	35	37	26	22	32	4.1 + 3.8
M	36	31	28	37	39	28	24	34	4.2 + 3.9
L	38	33	30	39	41	30	26	36	4.3 + 4
XL	40	35	32	41	43	32	28	38	4.4 + 4.1
2XL	42	37	34	43	45	34	30	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (4 PAGES (D1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-029 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-029 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining




SC-029 · PANEL 3 of 3

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



ANEL 3 of 3
· cut 2 (mirror)
h layer + lining




Giselle Atelier

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS · S · M · L · XL · 2XL

SC-030 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining






TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-030 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-030 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-030 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Isabeau Atelier

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-031 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-031 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-031 · PANEL 3 of 3

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

ANEL 3 of 3

· cut 2 (mirror)

gth layer + lining






Juliette Atelier

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL


SC-032 · PANEL 1 of 4

CENTER FRONT PANEL — cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS




TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-032 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-032 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


SC-032 · / PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS



Lavinia Atelier

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	3.6 + 3.3
S	34	29	26	35	37	26	22	32	3.6 + 3.3
M	36	31	28	37	39	28	24	34	3.7 + 3.4
L	38	33	30	39	41	30	26	36	3.8 + 3.5
XL	40	35	32	41	43	32	28	38	3.8 + 3.5
2XL	42	37	34	43	45	34	30	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-033 · PANEL 1 of 4


CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



WAIST

2XL XL L M S XS



WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-033 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-033 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-033 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Margaux Atelier

Underbust corset · Gently curved neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-034 · PANEL 1 of 3

CENTER FRONT PANEL – cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-034 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-034 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

PANEL 3 of 3

· cut 2 (mirror)

gth layer + lining






Mathilde Atelier

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-035 · PANEL 1 of 4


CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



WAIST

2XL XL L M S XS



WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-035 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-035 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-035 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining











SC-035 Mathilde Atelier · tile B2 of E2









Odette Atelier

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-036 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-036 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining


WAIST

2XL XL L M S XS


SC-036 · PANEL 3 of 3


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining





PANEL 3 of 3
· cut 2 (mirror)
gth layer + lining












SC-036 Odette Atelier · tile D2 of E2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Rosalie Atelier

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	3.6 + 3.3
S	34	29	26	35	37	26	22	32	3.6 + 3.3
M	36	31	28	37	39	28	24	34	3.7 + 3.4
L	38	33	30	39	41	30	26	36	3.8 + 3.5
XL	40	35	32	41	43	32	28	38	3.8 + 3.5
2XL	42	37	34	43	45	34	30	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS S M L XL 2XL

SC-037 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining






TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-037 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-037 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-037 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Seraphine Atelier

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS S M L XL 2XL

SC-038 · PANEL 1 of 4

CENTER FRONT PANEL — cut 2 (mirror)

fashion + strength layer + lining






TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-038 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-038 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-038 · / PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Valentine Atelier

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-039 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-039 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining


WAIST

2XL XL L M S XS

SC-039 · PANEL 3 of 3

BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining




ANEL 3 of 3

· cut 2 (mirror)

gth layer + lining






Vivienne Atelier

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS · S · M · L · XL · 2XL


SC-040 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS



WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-040 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-040 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-040 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Aurelie Salon

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 4 pages (D1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	4 + 3.7
S	34	29	26	35	37	26	22	32	4.1 + 3.8
M	36	31	28	37	39	28	24	34	4.2 + 3.9
L	38	33	30	39	41	30	26	36	4.3 + 4
XL	40	35	32	41	43	32	28	38	4.4 + 4.1
2XL	42	37	34	43	45	34	30	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (4 PAGES (D1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-041 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-041 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining





SC-041 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

ANEL 3 of 3

· cut 2 (mirror)

h layer + lining




Camille Salon

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS · S · M · L · XL · 2XL

SC-042 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining






TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-042 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-042 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-042 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Celeste Salon

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-043 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-043 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-043 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-043 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Colette Salon

Underbust corset · Gently curved neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	3.6 + 3.3
S	34	29	26	35	37	26	21.5	32	3.6 + 3.3
M	36	31	28	37	39	28	23.5	34	3.7 + 3.4
L	38	33	30	39	41	30	25.5	36	3.8 + 3.5
XL	40	35	32	41	43	32	27.5	38	3.8 + 3.5
2XL	42	37	34	43	45	34	29.5	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-044 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)


fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE


must measure 2 in
(5 cm) on each side


SC-044 · PANEL 2 of 3
SIDE PANEL 2 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-044 · PANEL 3 of 3

BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining




PANEL 3 of 3

· cut 2 (mirror)

gth layer + lining





Dahlia Salon

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	3.6 + 3.3
S	34	29	26	35	37	26	22	32	3.6 + 3.3
M	36	31	28	37	39	28	24	34	3.7 + 3.4
L	38	33	30	39	41	30	26	36	3.8 + 3.5
XL	40	35	32	41	43	32	28	38	3.8 + 3.5
2XL	42	37	34	43	45	34	30	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-045 · PANEL 1 of 4


CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



WAIST

2XL XL L M S XS



WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-045 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-045 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-045 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Delphine Salon

Underbust corset · Gently curved neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-046 · PANEL 1 of 3

CENTER FRONT PANEL – cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side


SC-046 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining


WAIST

2XL XL L M S XS


SC-046 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

ANEL 3 of 3
· cut 2 (mirror)
gth layer + lining






Eloise Salon

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-047 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-047 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-047 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-047 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining













Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.









SC-047 Eloise Salon · tile E2 of E2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.


Fleur Salon

Underbust corset · Gently curved neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS · S · M · L · XL · 2XL

SC-048 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining






TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-048 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-048 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-048 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Genevieve Salon

Underbust corset · Straight neckline · 6 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**3 per side (6 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 8 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 4 pages (D1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 6 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (4 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	3.6 + 3.3
S	34	29	26	35	37	26	22	32	3.6 + 3.3
M	36	31	28	37	39	28	24	34	3.7 + 3.4
L	38	33	30	39	41	30	26	36	3.8 + 3.5
XL	40	35	32	41	43	32	28	38	3.8 + 3.5
2XL	42	37	34	43	45	34	30	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (4 PAGES (D1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (3). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-049 · PANEL 1 of 3

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side


SC-049 · PANEL 2 of 3

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining

WAIST

2XL XL L M S XS


SC-049 · PANEL 3 of 3
BACK PANEL · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

ANEL 3 of 3
cut 2 (mirror)
n layer + lining



Giselle Salon

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Short (about 7.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Beginner**
Comfortable reduction	**2 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 6 in long
Busk	6 in
Grommets / eyelets	about 18
Lacing	about 2.25 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 5 pages (E1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	20	30	3.6 + 3.3
S	34	29	26	35	37	26	22	32	3.6 + 3.3
M	36	31	28	37	39	28	24	34	3.7 + 3.4
L	38	33	30	39	41	30	26	36	3.8 + 3.5
XL	40	35	32	41	43	32	28	38	3.8 + 3.5
2XL	42	37	34	43	45	34	30	40	3.9 + 3.6

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (5 PAGES (E1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-050 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-050 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining




SC-050 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-050 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

