COLLECTION 2 · 50 PATTERNS

Underbust Styles

Curves, points, tabs and scallops



SIGNATURE CORSET

Welcome to Collection 2

Collection 2 explores underbust styles with 4 to 6 panels per side, v-dips, scalloped edges and pointed or tabbed bottoms. Choose standard or long lengths and compare each pattern's chart with your measurements.

Before you print

Print the first tile of any pattern and measure the 2 in test square. If it is not exactly 2 in, set the printer to 'Actual size' (100%) and turn off 'Fit to page'.

How each pattern is laid out

- Pages 1 to 2: pattern at a glance, materials, fit notes, measurement chart and tile map.
- Next pages: full-size pattern pieces, with the six sizes nested (XS to 2XL), grainlines, waist marks and a 2 in test square on the first tile.
- Pieces are cut twice (a mirrored pair) in each layer: fashion fabric, strength layer and lining.

Fit and comfort

Lace a corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it. This collection is for fashion garments and is not medical advice.

Pattern index

ID	PATTERN	TYPE	NECKLINE	PANELS	BOTTOM EDGE	LEVEL	PAGE
SC-051	Isabeau Salon	Underbust	Straight	8	Curved (hip)	Advanced	5
SC-052	Juliette Salon	Underbust	Gently curved	10	Curved (hip)	Intermediate	17
SC-053	Lavinia Salon	Underbust	V-neck	12	Pointed front	Intermediate	25
SC-054	Margaux Salon	Underbust	Scalloped	10	Pointed front	Advanced	33
SC-055	Mathilde Salon	Underbust	Straight	8	Tabbed	Intermediate	47
SC-056	Odette Salon	Underbust	Gently curved	12	Tabbed	Intermediate	59
SC-057	Rosalie Salon	Underbust	V-neck	8	Straight	Advanced	75
SC-058	Seraphine Salon	Underbust	Scalloped	10	Straight	Intermediate	87
SC-059	Valentine Salon	Underbust	Straight	12	Curved (hip)	Intermediate	101
SC-060	Vivienne Salon	Underbust	Gently curved	10	Curved (hip)	Advanced	115
SC-061	Aurelie Soirée	Underbust	V-neck	8	Pointed front	Intermediate	123
SC-062	Camille Soirée	Underbust	Scalloped	12	Pointed front	Intermediate	135
SC-063	Celeste Soirée	Underbust	Straight	8	Tabbed	Advanced	149
SC-064	Colette Soirée	Underbust	Gently curved	10	Tabbed	Intermediate	161
SC-065	Dahlia Soirée	Underbust	V-neck	12	Straight	Intermediate	175
SC-066	Delphine Soirée	Underbust	Scalloped	10	Straight	Advanced	191
SC-067	Eloise Soirée	Underbust	Straight	8	Curved (hip)	Intermediate	205
SC-068	Fleur Soirée	Underbust	Gently curved	12	Curved (hip)	Intermediate	217
SC-069	Genevieve Soirée	Underbust	V-neck	8	Pointed front	Advanced	225
SC-070	Giselle Soirée	Underbust	Scalloped	10	Pointed front	Intermediate	237
SC-071	Isabeau Soirée	Underbust	Straight	12	Tabbed	Intermediate	251
SC-072	Juliette Soirée	Underbust	Gently curved	10	Tabbed	Advanced	267
SC-073	Lavinia Soirée	Underbust	V-neck	8	Straight	Intermediate	281
SC-074	Margaux Soirée	Underbust	Scalloped	12	Straight	Intermediate	293
SC-075	Mathilde Soirée	Underbust	Straight	8	Curved (hip)	Advanced	309
SC-076	Odette Soirée	Underbust	Gently curved	10	Curved (hip)	Intermediate	321
SC-077	Rosalie Soirée	Underbust	V-neck	12	Pointed front	Intermediate	329
SC-078	Seraphine Soirée	Underbust	Scalloped	10	Pointed front	Advanced	337
SC-079	Valentine Soirée	Underbust	Straight	8	Tabbed	Intermediate	351
SC-080	Vivienne Soirée	Underbust	Gently curved	12	Tabbed	Intermediate	363
SC-081	Aurelie Heritage	Underbust	V-neck	8	Straight	Advanced	379
SC-082	Camille Heritage	Underbust	Scalloped	10	Straight	Intermediate	391
SC-083	Celeste Heritage	Underbust	Straight	12	Curved (hip)	Intermediate	405
SC-084	Colette Heritage	Underbust	Gently curved	10	Curved (hip)	Advanced	419

ID	PATTERN	TYPE	NECKLINE	PANELS	BOTTOM EDGE	LEVEL	PAGE
SC-085	Dahlia Heritage	Underbust	V-neck	8	Pointed front	Intermediate	427
SC-086	Delphine Heritage	Underbust	Scalloped	12	Pointed front	Intermediate	439
SC-087	Eloise Heritage	Underbust	Straight	8	Tabbed	Advanced	453
SC-088	Fleur Heritage	Underbust	Gently curved	10	Tabbed	Intermediate	465
SC-089	Genevieve Heritage	Underbust	V-neck	12	Straight	Intermediate	479
SC-090	Giselle Heritage	Underbust	Scalloped	10	Straight	Advanced	495
SC-091	Isabeau Heritage	Underbust	Straight	8	Curved (hip)	Intermediate	509
SC-092	Juliette Heritage	Underbust	Gently curved	12	Curved (hip)	Intermediate	521
SC-093	Lavinia Heritage	Underbust	V-neck	8	Pointed front	Advanced	529
SC-094	Margaux Heritage	Underbust	Scalloped	10	Pointed front	Intermediate	541
SC-095	Mathilde Heritage	Underbust	Straight	12	Tabbed	Intermediate	555
SC-096	Odette Heritage	Underbust	Gently curved	10	Tabbed	Advanced	571
SC-097	Rosalie Heritage	Underbust	V-neck	8	Straight	Intermediate	585
SC-098	Seraphine Heritage	Underbust	Scalloped	12	Straight	Intermediate	597
SC-099	Valentine Heritage	Underbust	Straight	8	Curved (hip)	Advanced	613
SC-100	Vivienne Heritage	Underbust	Gently curved	10	Curved (hip)	Intermediate	625


Isabeau Salon

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-051 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-051 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-051 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-051 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining












Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.








Juliette Salon

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 6 pages (F1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (6 PAGES (F1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-052 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-052

SIDE PA

fashion +

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-052 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-052 · PAN

SIDE PANEL 3 ·


fashion + strength l



SC-052 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining




WAIST

2XL L M S XS

SC-052 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining




SC-052 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Lavinia Salon

Underbust corset · V-neck neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 14 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 6 pages (F1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (6 PAGES (F1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-053 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)


fashion + strength layer + lining



SC-053 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining




TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)


strength layer + lining



SC-053 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-053 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining


WAIST

2XL L M S XS

SC-053 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining




SC-053 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



· **PANEL 6 of 6**
NEL · cut 2 (mirror)
rength layer + lining




Margaux Salon

Underbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-054 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-054

SIDE PA

fashion +

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-054 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-054 · PAN

SIDE PANEL 3


fashion + strength l



SC-054 · PANEL 3 of 5

SIDE PANEL 3 - cut 2 (mirror)

fashion + strength layer + lining




WAIST

2XL XL L M S XS

SC-054 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining





SC-054 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining








SC-054 Margaux Salon · tile A2 of F2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.


Mathilde Salon

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-055 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-055 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-055 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)


fashion + strength layer + lining





SC-055 · PANEL 4 of 4


BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining












Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.








Odette Salon

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-056 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-056 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

056 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)

on + strength layer + lining

SC-056 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)


fashion + strength layer + lining

WAIST

2XL XL L M S XS

of 6
mirror)
ning


SC-056 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

L 4 of 6
t 2 (mirror)
r + lining

SC-056 · PAN
SIDE PANEL 5 ·
fashion + strength la




WAIST
2XL XL M S XS

SC-056 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining





SC-056 · PANEL 6 of 6


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining



























Rosalie Salon

Underbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-057 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-057 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-057 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-057 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining










Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.








Seraphine Salon

Underbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-058 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-058 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-058 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-058 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-058 · PANEL 5 of 5


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining





















Valentine Salon

Underbust corset · Straight neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 14 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-059 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-059 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)


strength layer + lining



SC-059 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-059 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL | L | M | S | XS

SC-059 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining


WAIST

2XL | L | M | S | XS


SC-059 · PANEL 6 of 6


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining




· **PANEL 6 of 6**
NEL · cut 2 (mirror)
rength layer + lining










Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.




Vivienne Salon

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 6 pages (F1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (6 PAGES (F1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-060 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-060

SIDE PA

fashion +

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-060 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-060 · PAN

SIDE PANEL 3 ·


fashion + strength l




SC-060 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining






SC-060 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining




SC-060 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Aurelie Soirée

Underbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS S M L XL 2XL

SC-061 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining






TEST SQUARE

must measure 2 in (5 cm) on each side

SC-061 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-061 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-061 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining








SC-061 Aurelie Soirée · tile B2 of E2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.




Camille Soirée

Underbust corset · Scalloped neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 14 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-062 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)


fashion + strength layer + lining



SC-062 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)


strength layer + lining



SC-062 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-062 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining

WAIST


2XL · L · M · S · XS


SC-062 · PANEL 5 of 6
SIDE PANEL 5 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL M S XS

SC-062 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining





· **PANEL 6 of 6**


NEL · cut 2 (mirror)

rength layer + lining









Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.


Celeste Soirée

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-063 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S

TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-063 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining


WAIST

2XL XL L M S XS

SC-063 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





SC-063 · PANEL 4 of 4


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining


















Colette Soirée

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-064 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-064 · · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-064 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

XS

2XL

SC-064 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-064 · PANEL 5 of 5


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining


























Dahlia Soirée

Underbust corset · V-neck neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-065 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)


fashion + strength layer + lining



SC-065 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining




TEST SQUARE

must measure 2 in
(5 cm) on each side

-065 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)


on + strength layer + lining



SC-065 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

of 6
mirror)
ning


SC-065 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

_ 4 of 6
t 2 (mirror)
er + lining

SC-065 · PAN
SIDE PANEL 5 · G
fashion + strength la




Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-065 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining





SC-065 · PANEL 6 of 6


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining























Delphine Soirée

Underbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-066 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-066 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-066 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


XS

2XL

SC-066 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining





SC-066 · PANEL 5 of 5


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining





















Eloise Soirée

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-067 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-067 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-067 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS

SC-067 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining









SC-067 Eloise Soiree · Tile A2 of E2




Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.









SC-067 Eloise Soirée · tile E2 of E2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.


Fleur Soirée

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 14 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 6 pages (F1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (6 PAGES (F1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-068 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-068 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in (5 cm) on each side

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)


strength layer + lining



SC-068 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)


fashion + strength layer + lining



SC-068 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining



SC-068 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining




SC-068 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



· **PANEL 6 of 6**
NEL · cut 2 (mirror)
rength layer + lining




Genevieve Soirée

Underbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS S M L XL 2XL

SC-069 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining





TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-069 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-069 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS


SC-069 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining







SC-069 Genevieve Soirée · tile B2 of F2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.


Giselle Soirée

Underbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-070 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-070

SIDE PA

fashion +

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-070 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-070 · PAN

SIDE PANEL 3

fashion + strength l



SC-070 · PANEL 3 of 5

SIDE PANEL 3 - cut 2 (mirror)

fashion + strength layer + lining


WAIST

2XL XL L M S XS

SC-070 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining





SC-070 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining








SC-070 Giselle Soirée · tile A2 of F2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



SC-070 Giselle Soirée · tile B2 of F2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.


Isabeau Soirée

Underbust corset · Straight neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Straight**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-071 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-071 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE


must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

071 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)


on + strength layer + lining



SC-071 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



of 6
mirror)
ning

SC-071 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

L 4 of 6
t 2 (mirror)
r + lining


SC-071 · PAN
SIDE PANEL 5 ·
fashion + strength la

WAIST
2XL XL M S XS

SC-071 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining





SC-071 · PANEL 6 of 6


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining



























Juliette Soirée

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-072 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-072 · · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-072 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


XS

2XL

SC-072 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining





SC-072 · PANEL 5 of 5


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining


























Lavinia Soirée

Underbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-073 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-073 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-073 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-073 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining










SC-073 Lavinia Soirée · tile A2 of E2


Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.








Margaux Soirée

Underbust corset · Scalloped neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-074 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-074 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

074 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)

on + strength layer + lining

SC-074 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

of 6
mirror)
ning

SC-074 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

_ 4 of 6

t 2 (mirror)

er + lining

SC-074 · PAN

SIDE PANEL 5 ·

fashion + strength la

WAIST


2XL L M S XS

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-074 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining





SC-074 · PANEL 6 of 6


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining


























Mathilde Soirée

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-075 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS



WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-075 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-075 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-075 · PANEL 4 of 4


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining








SC-075 Mathilde Soirée · tile B2 of E2










Odette Soirée

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 6 pages (F1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (6 PAGES (F1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-076 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-076

SIDE PA

fashion +

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-076 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-076 · PAN

SIDE PANEL 3 ·


fashion + strength l



SC-076 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining




WAIST

2XL L M S XS

SC-076 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining




SC-076 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Rosalie Soirée

Underbust corset · V-neck neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 14 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 6 pages (F1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (6 PAGES (F1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-077 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-077 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)


strength layer + lining



SC-077 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)


fashion + strength layer + lining



SC-077 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining



SC-077 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining




SC-077 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



· **PANEL 6 of 6**
NEL · cut 2 (mirror)
rength layer + lining




Seraphine Soirée

Underbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-078 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-078

SIDE PA

fashion +

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-078 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-078 · PAN

SIDE PANEL 3


fashion + strength l




SC-078 · PANEL 3 of 5

SIDE PANEL 3 - cut 2 (mirror)

fashion + strength layer + lining






Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-078 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining





SC-078 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining







SC-078 Seraphine Soirée · tile A2 of F2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



SC-078 Seraphine Soirée · tile B2 of F2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-078 Seraphine Soirée · tile C2 of F2


Valentine Soirée

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-079 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-079 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-079 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-079 · PANEL 4 of 4


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining


















Vivienne Soirée

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-080 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-080 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

-080 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)


on + strength layer + lining



SC-080 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.


of 6
mirror)
ning

SC-080 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

L 4 of 6
t 2 (mirror)
r + lining

SC-080 · PAN
SIDE PANEL 5 ·
fashion + strength la




Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-080 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining





SC-080 · PANEL 6 of 6


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining



























Aurelie Heritage

Underbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-081 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-081 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-081 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)


fashion + strength layer + lining





SC-081 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining










SC-081 Aurelie Heritage · tile A2 of E2


Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.








Camille Heritage

Underbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-082 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-082 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-082 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-082 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-082 · PANEL 5 of 5


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining





















Celeste Heritage

Underbust corset · Straight neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 14 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-083 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-083 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)


strength layer + lining



SC-083 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)


fashion + strength layer + lining



SC-083 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining



SC-083 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining




SC-083 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining





· **PANEL 6 of 6**
NEL · cut 2 (mirror)
rength layer + lining




Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.







Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.




Colette Heritage

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 6 pages (F1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (6 PAGES (F1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-084 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-084

SIDE PA

fashion +

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-084 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-084 · PAN

SIDE PANEL 3 ·


fashion + strength l




SC-084 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining






SC-084 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining




SC-084 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining






Dahlia Heritage

Underbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS S M L XL 2XL

SC-085 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining






TEST SQUARE


must measure 2 in (5 cm) on each side

SC-085 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-085 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS


SC-085 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining








SC-085 Dahlia Heritage · tile B2 of F2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.




Delphine Heritage

Underbust corset · Scalloped neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 14 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-086 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)


fashion + strength layer + lining



SC-086 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)


strength layer + lining



SC-086 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-086 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL · L · M · S · XS

SC-086 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining


WAIST

2XL XL M S XS

SC-086 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining





· **PANEL 6 of 6**

NEL · cut 2 (mirror)

rength layer + lining









Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.


Eloise Heritage

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-087 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-087 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-087 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-087 · PANEL 4 of 4


BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining












Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.








Fleur Heritage

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-088 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-088 · · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-088 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


XS

2XL

SC-088 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining





SC-088 · PANEL 5 of 5


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining





















Genevieve Heritage

Underbust corset · V-neck neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-089 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)


fashion + strength layer + lining



SC-089 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining




TEST SQUARE

must measure 2 in
(5 cm) on each side

-089 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)


on + strength layer + lining



SC-089 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

of 6
mirror)
ning


SC-089 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

_ 4 of 6
t 2 (mirror)
r + lining


SC-089 · PAN
SIDE PANEL 5 · G
fashion + strength la



SC-089 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining





SC-089 · PANEL 6 of 6


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining























Giselle Heritage

Underbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-090 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-090 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-090 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)


fashion + strength layer + lining



SC-090 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining





SC-090 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining











SC-090 Giselle Heritage · tile A2 of F2


Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.












Isabeau Heritage

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-091 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-091 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-091 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS

SC-091 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining










Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.








Juliette Heritage

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 14 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 6 pages (F1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (6 PAGES (F1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-092 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-092 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in (5 cm) on each side

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)


strength layer + lining




SC-092 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





SC-092 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL M S XS

SC-092 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining




SC-092 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



· **PANEL 6 of 6**
NEL · cut 2 (mirror)
rength layer + lining




Lavinia Heritage

Underbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.


SIZES (nested cutting lines, 5/8 in seam allowance included)


XS S M L XL 2XL

SC-093 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining





TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-093 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-093 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-093 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining








SC-093 Lavinia Heritage · tile B2 of E2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.


Margaux Heritage

Underbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Pointed front**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-094 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-094

SIDE PA

fashion +

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-094 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-094 · PAN

SIDE PANEL 3


fashion + strength l




SC-094 · PANEL 3 of 5

SIDE PANEL 3 - cut 2 (mirror)

fashion + strength layer + lining






Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-094 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)


fashion + strength layer + lining





SC-094 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining







Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



SC-094 Margaux Heritage · tile B2 of F2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.


Mathilde Heritage

Underbust corset · Straight neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Straight**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-095 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-095 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

-095 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)


on + strength layer + lining



SC-095 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



of 6
mirror)
ning

SC-095 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

L 4 of 6
t 2 (mirror)
r + lining


SC-095 · PAN
SIDE PANEL 5 ·
fashion + strength la

WAIST
2XL XL M S XS

SC-095 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining





SC-095 · PANEL 6 of 6


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining



























Odette Heritage

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Tabbed**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-096 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-096 · · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-096 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-096 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-096 · PANEL 5 of 5


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining


























Rosalie Heritage

Underbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-097 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-097 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-097 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining


WAIST


2XL XL L M S XS


SC-097 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining










Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.








Seraphine Heritage

Underbust corset · Scalloped neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Straight**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-098 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-098 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

098 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)


on + strength layer + lining



SC-098 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



of 6
mirror)
ning

SC-098 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

_ 4 of 6

t 2 (mirror)

er + lining

SC-098 · PAN

SIDE PANEL 5 ·

fashion + strength la


WAIST

2XL XL M S XS

SC-098 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)


fashion + strength layer + lining





SC-098 · PANEL 6 of 6


BACK PANEL · cut 2 (mirror)


fashion + strength layer + lining




























Valentine Heritage

Underbust corset · Straight neckline · 8 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 10 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-099 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS


TEST SQUARE


must measure 2 in
(5 cm) on each side

SC-099 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining






SC-099 · PANEL 3 of 4
SIDE PANEL 3 · cut 2 (mirror)
fashion + strength layer + lining
WAIST
2XL XL L M S XS


SC-099 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining









Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.




Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.










Vivienne Heritage

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 8.1 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	7 in
Grommets / eyelets	about 20
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 6 pages (F1), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces


Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	24	19.5	30	4 + 3.7
S	34	29	26	35	37	26	21.5	32	4.1 + 3.8
M	36	31	28	37	39	28	23.5	34	4.2 + 3.9
L	38	33	30	39	41	30	25.5	36	4.3 + 4
XL	40	35	32	41	43	32	27.5	38	4.4 + 4.1
2XL	42	37	34	43	45	34	29.5	40	4.5 + 4.1

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (6 PAGES (F1), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-100 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-100

SIDE PA

fashion +

WAIST

2XL XL L M S XS


TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-100 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)


fashion + strength layer + lining



SC-100 · PAN

SIDE PANEL 3 ·


fashion + strength l




SC-100 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining






SC-100 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-100 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

