COLLECTION 3 · 50 PATTERNS

Overbust Necklines

Sweetheart, plunging, boat, cupped, V-neck and more



Welcome to Collection 3

Collection 3 covers overbust corsets and the necklines in the design archive. Check your bust measurement carefully, make a test garment and adjust the top edge before you cut your final fabric.

> **Before you print**
>
> Print the first tile of any pattern and measure the 2 in test square. If it is not exactly 2 in, set the printer to 'Actual size' (100%) and turn off 'Fit to page'.

How each pattern is laid out

- Pages 1 to 2: pattern at a glance, materials, fit notes, measurement chart and tile map.
- Next pages: full-size pattern pieces, with the six sizes nested (XS to 2XL), grainlines, waist marks and a 2 in test square on the first tile.
- Pieces are cut twice (a mirrored pair) in each layer: fashion fabric, strength layer and lining.

> **Fit and comfort**
>
> Lace a corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it. This collection is for fashion garments and is not medical advice.

Pattern index

ID	PATTERN	TYPE	NECKLINE	PANELS	BOTTOM EDGE	LEVEL	PAGE
SC-101	Aurelie Belle Époque	Overbust	Sweetheart	8	Curved (hip)	Advanced	5
SC-102	Camille Belle Époque	Overbust	Straight	10	Curved (hip)	Intermediate	17
SC-103	Celeste Belle Époque	Overbust	Boat	12	Curved (hip)	Intermediate	31
SC-104	Colette Belle Époque	Overbust	Plunging	10	Straight	Advanced	45
SC-105	Dahlia Belle Époque	Overbust	V-neck	8	Straight	Advanced	59
SC-106	Delphine Belle Époque	Overbust	Cupped	10	Straight	Advanced	71
SC-107	Eloise Belle Époque	Overbust	Gently curved	12	Pointed front	Intermediate	85
SC-108	Fleur Belle Époque	Overbust	Scalloped	10	Pointed front	Advanced	99
SC-109	Genevieve Belle Époque	Overbust	Sweetheart	8	Pointed front	Advanced	113
SC-110	Giselle Belle Époque	Overbust	Straight	10	Curved (hip)	Intermediate	125
SC-111	Isabeau Belle Époque	Overbust	Boat	12	Curved (hip)	Intermediate	139
SC-112	Juliette Belle Époque	Overbust	Plunging	10	Curved (hip)	Advanced	153
SC-113	Lavinia Belle Époque	Overbust	V-neck	8	Straight	Advanced	167
SC-114	Margaux Belle Époque	Overbust	Cupped	10	Straight	Advanced	179
SC-115	Mathilde Belle Époque	Overbust	Gently curved	12	Straight	Intermediate	193
SC-116	Odette Belle Époque	Overbust	Scalloped	10	Pointed front	Advanced	207
SC-117	Rosalie Belle Époque	Overbust	Sweetheart	8	Pointed front	Advanced	221
SC-118	Seraphine Belle Époque	Overbust	Straight	10	Pointed front	Intermediate	233
SC-119	Valentine Belle Époque	Overbust	Boat	12	Curved (hip)	Intermediate	247
SC-120	Vivienne Belle Époque	Overbust	Plunging	10	Curved (hip)	Advanced	261
SC-121	Aurelie Opera	Overbust	V-neck	8	Curved (hip)	Advanced	275
SC-122	Camille Opera	Overbust	Cupped	10	Straight	Advanced	287
SC-123	Celeste Opera	Overbust	Gently curved	12	Straight	Intermediate	301
SC-124	Colette Opera	Overbust	Scalloped	10	Straight	Advanced	315
SC-125	Dahlia Opera	Overbust	Sweetheart	8	Pointed front	Advanced	329
SC-126	Delphine Opera	Overbust	Straight	10	Pointed front	Intermediate	341
SC-127	Eloise Opera	Overbust	Boat	12	Pointed front	Intermediate	355
SC-128	Fleur Opera	Overbust	Plunging	10	Curved (hip)	Advanced	369
SC-129	Genevieve Opera	Overbust	V-neck	8	Curved (hip)	Advanced	383
SC-130	Giselle Opera	Overbust	Cupped	10	Curved (hip)	Advanced	395
SC-131	Isabeau Opera	Overbust	Gently curved	12	Straight	Intermediate	409
SC-132	Juliette Opera	Overbust	Scalloped	10	Straight	Advanced	423
SC-133	Lavinia Opera	Overbust	Sweetheart	8	Straight	Advanced	437
SC-134	Margaux Opera	Overbust	Straight	10	Pointed front	Intermediate	449

ID	PATTERN	TYPE	NECKLINE	PANELS	BOTTOM EDGE	LEVEL	PAGE
SC-135	Mathilde Opera	Overbust	Boat	12	Pointed front	Intermediate	463
SC-136	Odette Opera	Overbust	Plunging	10	Pointed front	Advanced	477
SC-137	Rosalie Opera	Overbust	V-neck	8	Curved (hip)	Advanced	491
SC-138	Seraphine Opera	Overbust	Cupped	10	Curved (hip)	Advanced	503
SC-139	Valentine Opera	Overbust	Gently curved	12	Curved (hip)	Intermediate	517
SC-140	Vivienne Opera	Overbust	Scalloped	10	Straight	Advanced	531
SC-141	Aurelie Garden	Overbust	Sweetheart	8	Straight	Advanced	545
SC-142	Camille Garden	Overbust	Straight	10	Straight	Intermediate	557
SC-143	Celeste Garden	Overbust	Boat	12	Pointed front	Intermediate	571
SC-144	Colette Garden	Overbust	Plunging	10	Pointed front	Advanced	585
SC-145	Dahlia Garden	Overbust	V-neck	8	Pointed front	Advanced	599
SC-146	Delphine Garden	Overbust	Cupped	10	Curved (hip)	Advanced	611
SC-147	Eloise Garden	Overbust	Gently curved	12	Curved (hip)	Intermediate	625
SC-148	Fleur Garden	Overbust	Scalloped	10	Curved (hip)	Advanced	639
SC-149	Genevieve Garden	Overbust	Sweetheart	8	Straight	Advanced	653
SC-150	Giselle Garden	Overbust	Straight	10	Straight	Intermediate	665

Aurelie Belle Époque

Overbust corset · Sweetheart neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-101 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-101 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-101 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-101 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Camille Belle Époque

Overbust corset · Straight neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-102 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-102

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-102 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

SC-102 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-102 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-102 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



XS

SC-102 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Celeste Belle Époque

Overbust corset · Boat neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Boat**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-103 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-103 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-103 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-103 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-103 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-103 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining

















Colette Belle Époque

Overbust corset · Plunging neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-104 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-104

SIDE PA

fashion +

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-104 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-104 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-104 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-104 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-104 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining







Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.











Dahlia Belle Époque

Overbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-105 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

WAIST

2XL XL L M S XS

SC-105 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-105 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-105 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining













Delphine Belle Époque

Overbust corset · Cupped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-106 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-106

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-106 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-106 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-106 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-106 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-106 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Eloise Belle Époque

Overbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-107 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-107 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)

strength layer + lining



SC-107 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-107 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-107 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-107 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining















Fleur Belle Époque

Overbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-108 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-108

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-108 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-108 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-108 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-108 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-108 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Genevieve Belle Époque

Overbust corset · Sweetheart neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-109 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

WAIST

2XL XL L M S XS

SC-109 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-109 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-109 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Giselle Belle Époque

Overbust corset · Straight neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Straight**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-110 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-110

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-110 · PANEL 2 of 5

SIDE PANEL 2 - cut 2 (mirror)

fashion + strength layer + lining

SC-110 · PAN

SIDE PANEL 3 ·

fashion + strength l

WAIST

2XL XL L M S XS

SC-110 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-110 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



XS

SC-110 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Isabeau Belle Époque

Overbust corset · Boat neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Boat**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS · S · M · L · XL · 2XL

SC-111 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL · L · M · S · XS

SC-111 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL · L · M · S · XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)

strength layer + lining



SC-111 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-111 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-111 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-111 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining















Juliette Belle Époque

Overbust corset · Plunging neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-112 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-112

SIDE PA

fashion +

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-112 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-112 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-112 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-112 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-112 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Lavinia Belle Époque

Overbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-113 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

WAIST

2XL XL L M S XS

SC-113 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

SC-113 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-113 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining













Margaux Belle Époque

Overbust corset · Cupped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-114 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-114

SIDE PA

fashion +



TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-114 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-114 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-114 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

SC-114 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-114 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Mathilde Belle Époque

Overbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-115 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-115 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-115 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-115 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-115 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-115 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining

















Odette Belle Époque

Overbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-116 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-116

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-116 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-116 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-116 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-116 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-116 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Rosalie Belle Époque

Overbust corset · Sweetheart neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-117 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-117 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-117 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-117 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Seraphine Belle Époque

Overbust corset · Straight neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Straight**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-118 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-118

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-118 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-118 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-118 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-118 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-118 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Valentine Belle Époque

Overbust corset · Boat neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Boat**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-119 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-119 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining



SC-119 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-119 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-119 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-119 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining















Vivienne Belle Époque

Overbust corset · Plunging neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-120 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-120

SIDE PA

fashion +

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-120 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-120 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-120 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-120 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-120 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Aurelie Opera

Overbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-121 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

WAIST

2XL XL L M S XS

SC-121 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-121 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-121 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining













Camille Opera

Overbust corset · Cupped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-122 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-122

SIDE PA

fashion +



WAIST

2XL XL L M S XS



WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-122 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-122 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-122 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-122 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



XS

SC-122 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Celeste Opera

Overbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-123 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-123 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)

strength layer + lining



SC-123 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-123 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-123 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-123 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining

















Colette Opera

Overbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-124 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-124

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-124 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-124 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-124 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-124 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-124 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Dahlia Opera

Overbust corset · Sweetheart neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-125 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-125 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-125 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-125 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Delphine Opera

Overbust corset · Straight neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Straight**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-126 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-126

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-126 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-126 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-126 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-126 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



XS

SC-126 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Eloise Opera

Overbust corset · Boat neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Boat**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-127 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-127 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-127 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-127 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-127 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-127 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining

















Fleur Opera

Overbust corset · Plunging neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-128 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-128

SIDE PA

fashion +

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-128 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-128 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-128 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





SC-128 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-128 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Genevieve Opera

Overbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-129 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-129 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

SC-129 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-129 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining













Giselle Opera

Overbust corset · Cupped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-130 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-130

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-130 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

SC-130 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-130 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-130 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-130 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Isabeau Opera

Overbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-131 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-131 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in

(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-131 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-131 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-131 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-131 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining

















Juliette Opera

Overbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-132 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-132

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100%! Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-132 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-132 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-132 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-132 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-132 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Lavinia Opera

Overbust corset · Sweetheart neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-133 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-133 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-133 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-133 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Margaux Opera

Overbust corset · Straight neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Straight**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-134 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-134

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-134 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-134 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-134 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





SC-134 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-134 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Mathilde Opera

Overbust corset · Boat neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Boat**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-135 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-135 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-135 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL L M S XS

SC-135 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-135 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-135 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining

















Odette Opera

Overbust corset · Plunging neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-136 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-136

SIDE PA

fashion +

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-136 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-136 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-136 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-136 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-136 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Rosalie Opera

Overbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-137 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

WAIST

2XL XL L M S XS

SC-137 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

SC-137 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-137 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining













Seraphine Opera

Overbust corset · Cupped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-138 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-138

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-138 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-138 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-138 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-138 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-138 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



















Valentine Opera

Overbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-139 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-139 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining



SC-139 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-139 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-139 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-139 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining

















Vivienne Opera

Overbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-140 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-140

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-140 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-140 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-140 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





SC-140 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-140 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Aurelie Garden

Overbust corset · Sweetheart neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-141 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-141 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-141 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-141 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Camille Garden

Overbust corset · Straight neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)

WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-142 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-142

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-142 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-142 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-142 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-142 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-142 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Celeste Garden

Overbust corset · Boat neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Boat**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-143 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-143 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining



SC-143 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-143 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-143 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-143 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining















Colette Garden

Overbust corset · Plunging neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-144 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-144

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-144 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-144 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-144 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-144 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-144 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Dahlia Garden

Overbust corset · V-neck neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-145 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

WAIST

2XL XL L M S XS

SC-145 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

SC-145 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-145 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining













Delphine Garden

Overbust corset · Cupped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-146 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-146

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-146 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-146 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-146 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-146 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-146 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Eloise Garden

Overbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-147 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-147 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-147 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-147 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-147 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-147 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining

















Fleur Garden

Overbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-148 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-148

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-148 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-148 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-148 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-148 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-148 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Genevieve Garden

Overbust corset · Sweetheart neckline · 8 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**4 per side (8 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 10 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 10 pages (E2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 8 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (6 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (10 PAGES (E2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (4). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-149 · PANEL 1 of 4

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-149 · PANEL 2 of 4

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-149 · PANEL 3 of 4

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-149 · PANEL 4 of 4

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Giselle Garden

Overbust corset · Straight neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Straight**
Bottom edge	**Straight**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Intermediate**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-150 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-150

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-150 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-150 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-150 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-150 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-150 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining