COLLECTION 4 · 50 PATTERNS

The Signature Collection

Long, detailed and sculpted designs

SIGNATURE CORSET

Welcome to Collection 4

Collection 4 gathers the most structured designs: 5 and 6 panels per side, overbust and longline styles, scalloped tops and tabbed or pointed bottoms. Best once you have made a few of the earlier patterns.

> **Before you print**
>
> Print the first tile of any pattern and measure the 2 in test square. If it is not exactly 2 in, set the printer to 'Actual size' (100%) and turn off 'Fit to page'.

How each pattern is laid out

- Pages 1 to 2: pattern at a glance, materials, fit notes, measurement chart and tile map.
- Next pages: full-size pattern pieces, with the six sizes nested (XS to 2XL), grainlines, waist marks and a 2 in test square on the first tile.
- Pieces are cut twice (a mirrored pair) in each layer: fashion fabric, strength layer and lining.

> **Fit and comfort**
>
> Lace a corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it. This collection is for fashion garments and is not medical advice.

Pattern index

ID	PATTERN	TYPE	NECKLINE	PANELS	BOTTOM EDGE	LEVEL	PAGE
SC-151	Isabeau Garden	Overbust	Sweetheart	10	Tabbed	Advanced	5
SC-152	Juliette Garden	Overbust	Plunging	12	Tabbed	Advanced	19
SC-153	Lavinia Garden	Underbust	Gently curved	12	Pointed front	Advanced	33
SC-154	Margaux Garden	Overbust	Cupped	10	Pointed front	Advanced	49
SC-155	Mathilde Garden	Overbust	V-neck	10	Curved (hip)	Advanced	63
SC-156	Odette Garden	Underbust	Gently curved	12	Curved (hip)	Advanced	77
SC-157	Rosalie Garden	Overbust	Plunging	12	Tabbed	Advanced	93
SC-158	Seraphine Garden	Overbust	Scalloped	10	Tabbed	Advanced	107
SC-159	Valentine Garden	Underbust	Gently curved	10	Pointed front	Advanced	121
SC-160	Vivienne Garden	Overbust	V-neck	12	Pointed front	Advanced	135
SC-161	Aurelie Boudoir	Overbust	Sweetheart	12	Curved (hip)	Advanced	149
SC-162	Camille Boudoir	Underbust	Gently curved	10	Curved (hip)	Advanced	163
SC-163	Celeste Boudoir	Overbust	Scalloped	10	Tabbed	Advanced	177
SC-164	Colette Boudoir	Overbust	Cupped	12	Tabbed	Advanced	191
SC-165	Dahlia Boudoir	Underbust	Gently curved	12	Pointed front	Advanced	205
SC-166	Delphine Boudoir	Overbust	Sweetheart	10	Pointed front	Advanced	221
SC-167	Eloise Boudoir	Overbust	Plunging	10	Curved (hip)	Advanced	235
SC-168	Fleur Boudoir	Underbust	Gently curved	12	Curved (hip)	Advanced	249
SC-169	Genevieve Boudoir	Overbust	Cupped	12	Tabbed	Advanced	265
SC-170	Giselle Boudoir	Overbust	V-neck	10	Tabbed	Advanced	279
SC-171	Isabeau Boudoir	Underbust	Gently curved	10	Pointed front	Advanced	293
SC-172	Juliette Boudoir	Overbust	Plunging	12	Pointed front	Advanced	307
SC-173	Lavinia Boudoir	Overbust	Scalloped	12	Curved (hip)	Advanced	321
SC-174	Margaux Boudoir	Underbust	Gently curved	10	Curved (hip)	Advanced	335
SC-175	Mathilde Boudoir	Overbust	V-neck	10	Tabbed	Advanced	349
SC-176	Odette Boudoir	Overbust	Sweetheart	12	Tabbed	Advanced	363
SC-177	Rosalie Boudoir	Underbust	Gently curved	12	Pointed front	Advanced	377
SC-178	Seraphine Boudoir	Overbust	Scalloped	10	Pointed front	Advanced	393
SC-179	Valentine Boudoir	Overbust	Cupped	10	Curved (hip)	Advanced	407
SC-180	Vivienne Boudoir	Underbust	Gently curved	12	Curved (hip)	Advanced	421
SC-181	Aurelie Muse	Overbust	Sweetheart	12	Tabbed	Advanced	437
SC-182	Camille Muse	Overbust	Plunging	10	Tabbed	Advanced	451
SC-183	Celeste Muse	Underbust	Gently curved	10	Pointed front	Advanced	465
SC-184	Colette Muse	Overbust	Cupped	12	Pointed front	Advanced	479

ID	PATTERN	TYPE	NECKLINE	PANELS	BOTTOM EDGE	LEVEL	PAGE
SC-185	Dahlia Muse	Overbust	V-neck	12	Curved (hip)	Advanced	493
SC-186	Delphine Muse	Underbust	Gently curved	10	Curved (hip)	Advanced	507
SC-187	Eloise Muse	Overbust	Plunging	10	Tabbed	Advanced	521
SC-188	Fleur Muse	Overbust	Scalloped	12	Tabbed	Advanced	535
SC-189	Genevieve Muse	Underbust	Gently curved	12	Pointed front	Advanced	549
SC-190	Giselle Muse	Overbust	V-neck	10	Pointed front	Advanced	565
SC-191	Isabeau Muse	Overbust	Sweetheart	10	Curved (hip)	Advanced	579
SC-192	Juliette Muse	Underbust	Gently curved	12	Curved (hip)	Advanced	593
SC-193	Lavinia Muse	Overbust	Scalloped	12	Tabbed	Advanced	609
SC-194	Margaux Muse	Overbust	Cupped	10	Tabbed	Advanced	623
SC-195	Mathilde Muse	Underbust	Gently curved	10	Pointed front	Advanced	637
SC-196	Odette Muse	Overbust	Sweetheart	12	Pointed front	Advanced	651
SC-197	Rosalie Muse	Overbust	Plunging	12	Curved (hip)	Advanced	665
SC-198	Seraphine Muse	Underbust	Gently curved	10	Curved (hip)	Advanced	679
SC-199	Valentine Muse	Overbust	Cupped	10	Tabbed	Advanced	693
SC-200	Vivienne Muse	Overbust	V-neck	12	Tabbed	Advanced	707

Isabeau Garden

Overbust corset · Sweetheart neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-151 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-151

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-151 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-151 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-151 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-151 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



XS

SC-151 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Juliette Garden

Overbust corset · Plunging neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-152 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-152 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)

trength layer + lining



SC-152 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-152 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-152 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-152 · PANEL 6 o

BACK PANEL · cut 2 (mi

fashion + strength layer + lin





SC-152 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Lavinia Garden

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Pointed front**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-153 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-153 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

-153 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)

on + strength layer + lining



SC-153 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



of 6
mirror)
ning

SC-153 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

L 4 of 6
t 2 (mirror)
er + lining

SC-153 · PAN
SIDE PANEL 5 ·
fashion + strength la



SC-153 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-153 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Margaux Garden

Overbust corset · Cupped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-154 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-154

SIDE PA

fashion + s

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-154 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-154 · PA

SIDE PANEL 3

fashion + strength



SC-154 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-154 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



S XS

SC-154 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Mathilde Garden

Overbust corset · V-neck neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-155 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-155

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-155 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-155 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-155 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-155 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-155 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Odette Garden

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19	32	4.8 + 4.8
S	34	29	26	35	37	26	21	34	4.9 + 4.9
M	36	31	28	37	39	28	23	36	5 + 5
L	38	33	30	39	41	30	25	38	5.1 + 5.1
XL	40	35	32	41	43	32	27	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-156 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-156 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

156 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)

on + strength layer + lining



SC-156 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

of 6
(mirror)
lining

SC-156 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

NEL 4 of 6
cut 2 (mirror)
layer + lining

SC-156 ·
SIDE PANE
fashion + str

WAIST
2XL XL M S XS

SC-156 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-156 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Rosalie Garden

Overbust corset · Plunging neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-157 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-157 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-157 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-157 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-157 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-157 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining















Seraphine Garden

Overbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-158 · PANEL 1 of 5

CENTER FRONT PANEL - cut 2 (mirror)

fashion + strength layer + lining

SC-158

SIDE PA

fashion + s

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-158 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-158 · PA

SIDE PANEL 3

fashion + strength



SC-158 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-158 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



S XS

SC-158 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





















Valentine Garden

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Pointed front**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-159 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-159 · · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-159 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-159 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-159 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Vivienne Garden

Overbust corset · V-neck neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-160 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-160 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

trength layer + lining

SC-160 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-160 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-160 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-160 · PANEL 6 o

BACK PANEL · cut 2 (mir

fashion + strength layer + lin





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-160 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Aurelie Boudoir

Overbust corset · Sweetheart neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-161 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-161 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining



SC-161 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-161 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-161 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-161 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



· **PANEL 6 of 6**
NEL · cut 2 (mirror)
rength layer + lining

















Camille Boudoir

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19	32	4.8 + 4.8
S	34	29	26	35	37	26	21	34	4.9 + 4.9
M	36	31	28	37	39	28	23	36	5 + 5
L	38	33	30	39	41	30	25	38	5.1 + 5.1
XL	40	35	32	41	43	32	27	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-162 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-162 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-162 · PANEL 3 of 5

SIDE PANEL 3 - cut 2 (mirror)

fashion + strength layer + lining



SC-162 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-162 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Celeste Boudoir

Overbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-163 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-163

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-163 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-163 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-163 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-163 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-163 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Colette Boudoir

Overbust corset · Cupped neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-164 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-164 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)

trength layer + lining

SC-164 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-164 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-164 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-164 · PANEL 6 o

BACK PANEL · cut 2 (mir

fashion + strength layer + lin





SC-164 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Dahlia Boudoir

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Pointed front**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-165 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-165 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

-165 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)

on + strength layer + lining

SC-165 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

of 6
mirror)
ning

SC-165 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

L 4 of 6
t 2 (mirror)
r + lining

SC-165 · PAN
SIDE PANEL 5 ·
fashion + strength la



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-165 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-165 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



















Delphine Boudoir

Overbust corset · Sweetheart neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-166 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-166

SIDE PA

fashion + s

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-166 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-166 · PA

SIDE PANEL 3

fashion + strength



SC-166 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-166 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



S XS

SC-166 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Eloise Boudoir

Overbust corset · Plunging neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-167 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-167

SIDE PA

fashion +

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-167 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-167 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-167 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





SC-167 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-167 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining







Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.











Fleur Boudoir

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19	32	4.8 + 4.8
S	34	29	26	35	37	26	21	34	4.9 + 4.9
M	36	31	28	37	39	28	23	36	5 + 5
L	38	33	30	39	41	30	25	38	5.1 + 5.1
XL	40	35	32	41	43	32	27	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-168 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-168 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

168 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)

on + strength layer + lining



SC-168 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

of 6
(mirror)
lining

SC-168 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

NEL 4 of 6
cut 2 (mirror)
layer + lining

SC-168 ·
SIDE PANE
fashion + str



SC-168 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-168 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



















Genevieve Boudoir

Overbust corset · Cupped neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-169 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-169 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-169 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-169 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-169 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-169 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining















Giselle Boudoir

Overbust corset · V-neck neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-170 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-170

SIDE PA

fashion + s

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-170 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-170 · PA

SIDE PANEL 3

fashion + strength



SC-170 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-170 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



ST
M S XS

SC-170 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Isabeau Boudoir

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Pointed front**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-171 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-171 · · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-171 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

XS

2XL

SC-171 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-171 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Juliette Boudoir

Overbust corset · Plunging neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-172 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-172 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in

(5 cm) on each side

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)

trength layer + lining

SC-172 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-172 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-172 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-172 · PANEL 6 o

BACK PANEL · cut 2 (mir

fashion + strength layer + lin





SC-172 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Lavinia Boudoir

Overbust corset · Scalloped neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-173 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-173 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-173 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-173 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-173 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-173 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 6 of 6**
NEL · cut 2 (mirror)
rength layer + lining

















Margaux Boudoir

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19	32	4.8 + 4.8
S	34	29	26	35	37	26	21	34	4.9 + 4.9
M	36	31	28	37	39	28	23	36	5 + 5
L	38	33	30	39	41	30	25	38	5.1 + 5.1
XL	40	35	32	41	43	32	27	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-174 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-174 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-174 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-174 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-174 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Mathilde Boudoir

Overbust corset · V-neck neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-175 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-175

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-175 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-175 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-175 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-175 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



XS

SC-175 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Odette Boudoir

Overbust corset · Sweetheart neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-176 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-176 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

trength layer + lining

SC-176 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-176 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-176 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-176 · PANEL 6 o

BACK PANEL · cut 2 (mir

fashion + strength layer + lin





SC-176 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Rosalie Boudoir

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Pointed front**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-177 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-177 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

-177 · PANEL 2 of 6

~~E~~ PANEL 2 · cut 2 (mirror)

on + strength layer + lining

SC-177 · ~~PANEL~~ 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

of 6
mirror)
ning

SC-177 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

L 4 of 6
t 2 (mirror)
r + lining

SC-177 · PAN
SIDE PANEL 5 ·
fashion + strength la

WAIST
2XL XL M S XS

SC-177 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-177 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



















Seraphine Boudoir

Overbust corset · Scalloped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-178 · PANEL 1 of 5

CENTER FRONT PANEL - cut 2 (mirror)

fashion + strength layer + lining

SC-178

SIDE PA

fashion + s

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-178 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-178 · PA

SIDE PANEL 3

fashion + strength



SC-178 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





SC-178 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



S XS

SC-178 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Valentine Boudoir

Overbust corset · Cupped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-179 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-179

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-179 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-179 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-179 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-179 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



XS

SC-179 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



















Vivienne Boudoir

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19	32	4.8 + 4.8
S	34	29	26	35	37	26	21	34	4.9 + 4.9
M	36	31	28	37	39	28	23	36	5 + 5
L	38	33	30	39	41	30	25	38	5.1 + 5.1
XL	40	35	32	41	43	32	27	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-180 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-180 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

180 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)

on + strength layer + lining



SC-180 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

of 6
(mirror)
lining

SC-180 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining



NEL 4 of 6
cut 2 (mirror)
layer + lining

SC-180 ·
SIDE PANE
fashion + str

WAIST
2XL XL M S XS

SC-180 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-180 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



















Aurelie Muse

Overbust corset · Sweetheart neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-181 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-181 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining



SC-181 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-181 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-181 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-181 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





· **PANEL 6 of 6**
NEL · cut 2 (mirror)
rength layer + lining

















Camille Muse

Overbust corset · Plunging neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-182 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-182

SIDE PA

fashion + s

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-182 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-182 · PA

SIDE PANEL 3

fashion + strength



SC-182 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





SC-182 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



S XS

SC-182 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Celeste Muse

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Pointed front**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-183 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-183 · · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-183 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

XS

2XL

SC-183 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-183 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Colette Muse

Overbust corset · Cupped neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-184 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-184 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

trength layer + lining



SC-184 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-184 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-184 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-184 · PANEL 6 o

BACK PANEL · cut 2 (mir

fashion + strength layer + lin





SC-184 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Dahlia Muse

Overbust corset · V-neck neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-185 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-185 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-185 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-185 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-185 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-185 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 6 of 6**
NEL · cut 2 (mirror)
rength layer + lining

















Delphine Muse

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19	32	4.8 + 4.8
S	34	29	26	35	37	26	21	34	4.9 + 4.9
M	36	31	28	37	39	28	23	36	5 + 5
L	38	33	30	39	41	30	25	38	5.1 + 5.1
XL	40	35	32	41	43	32	27	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-186 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-186 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-186 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-186 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-186 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining







SC-186 Delphine Muse · tile A2 of F2

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.











Eloise Muse

Overbust corset · Plunging neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-187 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-187

SIDE PA

fashion +



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-187 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-187 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-187 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-187 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-187 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Fleur Muse

Overbust corset · Scalloped neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-188 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-188 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

trength layer + lining

SC-188 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-188 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-188 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-188 · PANEL 6 o

BACK PANEL · cut 2 (mi

fashion + strength layer + lin





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-188 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Genevieve Muse

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Pointed front**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-189 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-189 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

-189 · PANEL 2 of 6

~~E~~ PANEL 2 · cut 2 (mirror)

on + strength layer + lining

SC-189 · ~~PANEL~~ 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

of 6
mirror)
ning

SC-189 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

L 4 of 6
t 2 (mirror)
er + lining

SC-189 · PAN
SIDE PANEL 5 ·
fashion + strength la



SC-189 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-189 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



















Giselle Muse

Overbust corset · V-neck neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-190 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-190

SIDE PA

fashion + s

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-190 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-190 · PA

SIDE PANEL 3

fashion + strength



SC-190 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





SC-190 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



S XS

SC-190 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Isabeau Muse

Overbust corset · Sweetheart neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-191 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-191

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-191 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-191 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-191 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





SC-191 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-191 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining













Juliette Muse

Underbust corset · Gently curved neckline · 12 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 14 pages (G2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19	32	4.8 + 4.8
S	34	29	26	35	37	26	21	34	4.9 + 4.9
M	36	31	28	37	39	28	23	36	5 + 5
L	38	33	30	39	41	30	25	38	5.1 + 5.1
XL	40	35	32	41	43	32	27	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (14 PAGES (G2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-192 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-192 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

192 · PANEL 2 of 6

E PANEL 2 · cut 2 (mirror)

on + strength layer + lining



SC-192 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

of 6
(mirror)
lining

SC-192 · PANEL 4 of 6
SIDE PANEL 4 · cut 2 (mirror)
fashion + strength layer + lining

WAIST
2XL XL M S XS

NEL 4 of 6
cut 2 (mirror)
layer + lining

SC-192 ·
SIDE PANE
fashion + str

WAIST
2XL XL M S XS

SC-192 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-192 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Lavinia Muse

Overbust corset · Scalloped neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Scalloped**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- Scalloped edges: stitch slowly, trim the allowance to 1/4 in and notch the curves so they turn smoothly.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-193 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-193 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-193 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-193 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-193 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-193 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining















Margaux Muse

Overbust corset · Cupped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-194 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-194

SIDE PA

fashion + s

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-194 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-194 · PA

SIDE PANEL 3

fashion + strength



SC-194 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-194 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



S XS

SC-194 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Mathilde Muse

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Pointed front**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19.5	32	4.8 + 4.8
S	34	29	26	35	37	26	21.5	34	4.9 + 4.9
M	36	31	28	37	39	28	23.5	36	5 + 5
L	38	33	30	39	41	30	25.5	38	5.1 + 5.1
XL	40	35	32	41	43	32	27.5	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29.5	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-195 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-195 · · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-195 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining

XS

2XL

SC-195 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-195 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Odette Muse

Overbust corset · Sweetheart neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Sweetheart**
Bottom edge	**Pointed front**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The sweetheart neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The pointed front: reinforce the point with a small patch of strength layer before binding.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-196 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-196 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

trength layer + lining

SC-196 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-196 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-196 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-196 · PANEL 6 o

BACK PANEL · cut 2 (mir

fashion + strength layer + lin





SC-196 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Rosalie Muse

Overbust corset · Plunging neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**Plunging**
Bottom edge	**Curved (hip)**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The plunging neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-197 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-197 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

· **PANEL 2 of 6**

NEL 2 · cut 2 (mirror)

strength layer + lining

SC-197 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-197 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-197 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



SC-197 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining





· PANEL 6 of 6

NEL · cut 2 (mirror)

rength layer + lining

















Seraphine Muse

Underbust corset · Gently curved neckline · 10 panels

PATTERN AT A GLANCE

Type	**Underbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Gently curved**
Bottom edge	**Curved (hip)**
Length	**Long (about 10.0 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1 yd of 54 in wide fabric
Strength layer (coutil)	about 1 yd
Lining	about 1 yd
Steel bones	about 12 pieces, 8 in long
Busk	9 in
Grommets / eyelets	about 24
Lacing	about 2.5 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- The top edge sits at your underbust. Mark your own underbust line on the test garment and trim or add height if you want a different fit.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	UNDERBUST	WAIST	HIP	
XS	32	27	24	33	35	24	19	32	4.8 + 4.8
S	34	29	26	35	37	26	21	34	4.9 + 4.9
M	36	31	28	37	39	28	23	36	5 + 5
L	38	33	30	39	41	30	25	38	5.1 + 5.1
XL	40	35	32	41	43	32	27	40	5.2 + 5.2
2XL	42	37	34	43	45	34	29	42	5.3 + 5.3

Pick the size whose **underbust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-198 · PANEL 1 of 5

CENTER FRONT PANEL - cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC

SID

fash

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-198 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-198 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-198 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining

WAIST

2XL XL L M S XS

SC-198 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining

















Valentine Muse

Overbust corset · Cupped neckline · 10 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**5 per side (10 total)**
Neckline / top edge	**Cupped**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**2.5 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.2 yd of 54 in wide fabric
Strength layer (coutil)	about 1.2 yd
Lining	about 1.2 yd
Steel bones	about 12 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 2.5 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 10 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (8 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The cupped neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19.5	30	7.1 + 4
S	34	29	26	35	37	31.5	21.5	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23.5	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25.5	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27.5	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29.5	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (5). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-199 · PANEL 1 of 5

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining

SC-199

SIDE PA

fashion +

WAIST

2XL XL L M S XS

WAIST

2XL XL L M S XS

TEST SQUARE

must measure 2 in
(5 cm) on each side

SC-199 · PANEL 2 of 5

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



SC-199 · PAN

SIDE PANEL 3 ·

fashion + strength l



SC-199 · PANEL 3 of 5

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-199 · PANEL 4 of 5

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



SC-199 · PANEL 5 of 5

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining















Vivienne Muse

Overbust corset · V-neck neckline · 12 panels

PATTERN AT A GLANCE

Type	**Overbust**
Panels	**6 per side (12 total)**
Neckline / top edge	**V-neck**
Bottom edge	**Tabbed**
Length	**Standard (about 11.6 in tall, size M)**
Back	**Lacing with 2 in gap**
Difficulty	**Advanced**
Comfortable reduction	**3 in at the waist**

FLAT LAYOUT (SIZE M, HALF PATTERN)



WHAT YOU WILL NEED

Fashion fabric	about 1.5 yd of 54 in wide fabric
Strength layer (coutil)	about 1.5 yd
Lining	about 1.5 yd
Steel bones	about 14 pieces, 10 in long
Busk	11 in
Grommets / eyelets	about 28
Lacing	about 2.75 yd of 1/2 in lacing
Waist tape and binding	about 1 yd of 1 in tape

Estimates for planning: check your fabric width and your own test garment. Print: 12 pages (F2), Letter size, print at 100%.

FIT

- Compare your underbust, waist and high hip with the chart on page 2, then choose the nested line for your size.
- This pattern is drafted for a comfortable 3 in waist reduction. Make a test garment before you cut your fashion fabric.
- Check the bust measurement carefully: the top edge sits at the fullest part of the bust and should not squeeze. Adjust the neckline height in the test garment.

CONSTRUCTION

- 12 panels in three layers: fashion fabric, strength layer and lining.
- Transfer the waist line and balance marks to every layer. They keep the panels aligned when you sew the seams.
- Place bones at every seam (10 seams) and on each side of the grommet band; cut them 1 in shorter than the panel.
- The v-neck neckline has curves: clip the seam allowance before you turn and press from the inside.

FINISHING

- Bind or turn the top and bottom edges after you insert the bones and check the length on yourself.
- Insert grommets or eyelets in two rows on each back edge, spaced evenly about 1/2 in from the edge.
- Lace the corset only as snugly as is comfortable. If you feel pain or have trouble breathing, loosen it.
- The tabbed edge: round each tab corner with a small template before you bind it.

Digital pattern collection · see the license supplied with the collection before selling finished pieces

Measurement chart

Body measurements and finished (closed) corset measurements, in inches

SIZE	BODY MEASUREMENTS					FINISHED CORSET (CLOSED, BACK GAP 0)			HEIGHT (TOP-WAIST + WAIST-BOTTOM)
	BUST	UNDER-BUST	WAIST	HIGH HIP	HIP	BUST	WAIST	HIGH HIP	
XS	32	27	24	33	35	29.5	19	30	7.1 + 4
S	34	29	26	35	37	31.5	21	32	7.3 + 4.1
M	36	31	28	37	39	33.5	23	34	7.4 + 4.2
L	38	33	30	39	41	35.5	25	36	7.5 + 4.3
XL	40	35	32	41	43	37.5	27	38	7.7 + 4.4
2XL	42	37	34	43	45	39.5	29	40	7.8 + 4.5

Pick the size whose **bust** and **waist** are closest to yours. Sizing can differ between patterns, so always compare with this chart and make a test garment. With the 2 in back gap, the worn corset measures the closed measurement + 2 in.

PRINT AND ASSEMBLE (12 PAGES (F2), LETTER SIZE, PRINT AT 100%)



Each box is one tile. Panels are numbered from center front (1) to center back (6). Tiles overlap by 1/2 in: align the + marks.

CUTTING LIST (EACH SIZE)

PIECE	FASHION	STRENGTH	LINING
Panel 1 (center front)	2	2	2
Panel 2	2	2	2
Panel 3	2	2	2
Panel 4	2	2	2
Panel 5	2	2	2
Panel 6 (back)	2	2	2

Cut each panel twice (mirrored pair: one for the left, one for the right) in each layer. Cut on the grainline marked on each pattern piece.

NEXT STEPS

1. Print the test square and confirm it measures 2 in.
2. Tape the tiles, choose your size and cut a test garment (muslin).
3. Check the fit, mark the changes, then cut the layers and sew with 5/8 in seams.
4. Follow the Precision Sewing & Patternmaking Guide for boning, busk, grommets and binding.

SIZES (nested cutting lines, 5/8 in seam allowance included)

XS S M L XL 2XL

SC-200 · PANEL 1 of 6

CENTER FRONT PANEL · cut 2 (mirror)

fashion + strength layer + lining



SC-200 · PANEL 2 of 6

SIDE PANEL 2 · cut 2 (mirror)

fashion + strength layer + lining



TEST SQUARE

must measure 2 in
(5 cm) on each side

· PANEL 2 of 6

NEL 2 · cut 2 (mirror)

trength layer + lining



SC-200 · PANEL 3 of 6

SIDE PANEL 3 · cut 2 (mirror)

fashion + strength layer + lining



SC-200 · PANEL 4 of 6

SIDE PANEL 4 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-200 · PANEL 5 of 6

SIDE PANEL 5 · cut 2 (mirror)

fashion + strength layer + lining



Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-200 · PANEL 6 o

BACK PANEL · cut 2 (mi

fashion + strength layer + lin





Print at 100% / Actual size. Align tiles at the + marks (0.5 in overlap), tape, then cut on the outer line of your size.

SC-200 · PANEL 6 of 6

BACK PANEL · cut 2 (mirror)

fashion + strength layer + lining