CENTERLINE

PILATES

VOLUME 2

Intermediate Exercises

170 illustrated exercises

THE PILATES INSTRUCTOR'S LIBRARY

How to use this volume

> *Every exercise has its own sheet: position diagram, steps, focus, target muscles, dosage, breathing, common faults, progression and regression, the exact cue to say, and an adaptation.*

1. Find the exercise in the index at the end of this section (numbers like V2-001).
2. Read the steps and the cue. Say the cue out loud once before you teach it.
3. Check the adaptation box before you teach a client with a condition (pregnancy, older adults, back, knee or shoulder).
4. Use the progression and regression to match the level of the room.

Important

This library is an educational resource for trained Pilates instructors. It is not medical advice. The diagrams are simplified to show positions: follow the written steps and your training. Ask clients to consult their healthcare provider when you are unsure.

In this volume

EQUIPMENT	EXERCISES
Mat	38
Band	14
Magic Circle	14
Stability Ball	16
Wall	12
Reformer	40
Cadillac	14
Wunda Chair	12
Barrel	10

VOLUME 2 · INTERMEDIATE


Mat

38 exercises

Roll Up

articulating up and over

Intermediate | Mat | V2-001



HOW TO DO IT

1. Lie supine, legs long, arms reaching overhead.
2. Inhale and float arms up to the ceiling.
3. Exhale, nod the chin and curl up bone by bone.
4. Reach over your legs, then roll back down slowly.

Focus
Builds segmental spinal control and deep abdominal strength while lengthening the hamstrings and back.

Target muscles
Rectus abdominis, transversus abdominis, hip flexors, spinal extensors

Dosage
6–8 reps · about 3 min

Breathing
Inhale to prepare, exhale to curl up, inhale to reach, exhale to roll down.

Common faults
Jerking up with momentum, feet lifting, collapsing the chest, rushing the roll down.

Progression / Regression
Easier: Bend knees or use a resistance band. Harder: Add a small weight or hold arms overhead.


Cue
“Peel your spine off the mat one vertebra at a time.”

Adaptation
Skip with acute low back pain; avoid in later pregnancy. Offer a Chest Lift instead.

Rolling Like a Ball

balanced on the sit bones

Intermediate | Mat | V2-002



HOW TO DO IT

1. Sit tall, hug knees to chest, heels close to the glutes.
2. Balance behind the sit bones with the chin tucked.
3. Inhale, roll back to the shoulder blades.
4. Exhale, roll up to balance without the feet touching down.

Focus
Trains abdominal control and spinal mobility while massaging the back through a controlled rolling motion.

Target muscles
Abdominals, hip flexors, spinal flexors

Dosage
8 reps · about 2 min

Breathing
Inhale as you roll back, exhale as you roll up.

Common faults
Rolling onto the neck, using momentum, opening the knees, losing the C-curve.

Progression / Regression
Easier: Hold behind the knees. Harder: Hold the balance, hands off, at the top.


Cue
“Keep your C-curve and roll back like a ball.”

Adaptation
Avoid with neck or osteoporosis concerns; use a rocking-only variation. Skip in later pregnancy.

Single Leg Stretch

alternating knee pulls

Intermediate | Mat | V2-003



HOW TO DO IT

1. Lie supine, curl the head and chest up.
2. Pull one knee in, the other leg extends at 45 degrees.
3. Hands hold the shin, outer hand at the ankle.
4. Switch legs smoothly, keeping the pelvis steady.

Focus
Develops abdominal endurance and pelvic stability while the legs move independently of a still torso.

Target muscles
Rectus abdominis, obliques, hip flexors

Dosage
10 reps each side · about 3 min

Breathing
Inhale for one leg switch, exhale for the next, steady rhythm.

Common faults
Rocking the pelvis, dropping the head, pulling the knee too close, tucking the shoulders.

Progression / Regression
Easier: Keep the head down. Harder: Lower the extended leg and quicken the pace.


Cue
“Switch legs while your torso stays perfectly still.”

Adaptation
Keep head down, with a pillow under it if the neck is tight. Avoid in later pregnancy.

Double Leg Stretch

reaching out and circling in

Intermediate | Mat | V2-004



HOW TO DO IT

1. Lie supine, head and chest curled up, knees at tabletop.
2. Inhale, reach arms overhead and legs forward at 45 degrees.
3. Exhale, circle arms wide to the sides.
4. Draw the knees back in and hug the shins.

Focus
Challenges abdominal control through a wide range of limb movement while keeping the lower back supported.

Target muscles
Abdominals, hip flexors, shoulder stabilizers

Dosage
8–10 reps · about 3 min

Breathing
Inhale as you reach out, exhale as arms circle and knees return.

Common faults
Arching the lower back, lifting the head too high, legs too low, jerky arm circles.

Progression / Regression
Easier: Raise the legs higher or head down. Harder: Lower the legs and stretch longer.


Cue
“Reach long, circle wide, and hug in.”

Adaptation
Keep the legs higher if the lower back lifts. Skip in later pregnancy or with diastasis.

Criss-Cross

oblique rotation

Intermediate | Mat | V2-005



HOW TO DO IT

1. Lie supine, hands behind head, elbows wide.
2. Curl up and bring the knees to tabletop.
3. Rotate the chest toward one knee as the other leg extends.
4. Switch sides smoothly without letting the pelvis rock.

Focus
Strengthens the obliques while teaching rotation from the ribcage, not the elbows, with a stable pelvis.

Target muscles
Obliques, rectus abdominis, hip flexors

Dosage
10 reps each side · about 3 min

Breathing
Exhale as you rotate, inhale as you pass through center.

Common faults
Pulling the neck with the hands, swinging the elbows, rocking the pelvis, rushing.

Progression / Regression
Easier: Keep both feet on the mat. Harder: Extend the legs lower with a slow tempo.


Cue
“Rotate from your ribs and keep the elbows wide.”

Adaptation
Keep feet planted for back or neck sensitivity. Avoid rotating in later pregnancy.

Spine Stretch Forward

seated spinal articulation

Intermediate | Mat | V2-006



HOW TO DO IT

1. Sit tall, legs a little wider than the hips, feet flexed.
2. Reach arms forward at shoulder height.
3. Exhale, nod the chin and curl forward over a ball.
4. Inhale to stack the spine back up.

Focus
Lengthens the spine and hamstrings while teaching deep abdominal scooping and controlled forward flexion.

Target muscles
Abdominals, spinal extensors, hamstrings

Dosage
6–8 reps · about 2 min

Breathing
Inhale to sit tall, exhale to round forward and scoop.

Common faults
Collapsing into the chest, rounding from the lower back only, leaning back, lifting the shoulders.

Progression / Regression
Easier: Sit on a folded towel with knees bent. Harder: Add a longer hold at the bottom.


Cue
“Scoop your belly and stretch over a big beach ball.”

Adaptation
Sit on a cushion with bent knees if hamstrings are tight. Keep forward flexion moderate in later pregnancy.

Open Leg Rocker

balance and rock

Intermediate | Mat | V2-007



HOW TO DO IT

1. Sit balanced behind the sit bones, hold the ankles.
2. Extend the legs to a V with a C-curve spine.
3. Inhale, roll back to the shoulder blades.
4. Exhale, roll up and balance with the legs open.

Focus
Builds balance, abdominal control, and hamstring length through a controlled rocking motion on the spine.

Target muscles
Abdominals, hamstrings, spinal flexors

Dosage
6 reps · about 3 min

Breathing
Inhale as you roll back, exhale as you roll up to balance.

Common faults
Rolling onto the neck, bending the knees, losing the C-curve, using momentum.

Progression / Regression
Easier: Keep knees bent. Harder: Hold the balance and the straight legs longer.


Cue
“Hold your ankles and keep your legs long as you rock.”

Adaptation
Avoid in osteoporosis, neck issues, and later pregnancy. Offer Rolling Like a Ball instead.

Corkscrew Prep

small pelvic circles

Intermediate | Mat | V2-008



HOW TO DO IT

1. Lie supine, arms by your sides, legs lifted to the ceiling.
2. Draw both legs across to one side.
3. Circle them down and around, keeping hips steady.
4. Reverse the direction after a set.

Focus
Teaches the pelvic stability and oblique control needed to circle the legs without lumbar movement.

Target muscles
Obliques, rectus abdominis, hip flexors

Dosage
5 circles each direction · about 3 min

Breathing
Inhale as legs go down and across, exhale as they return up.

Common faults
Rolling the pelvis excessively, lifting the shoulders off the mat, dropping the legs too low.

Progression / Regression
Easier: Bend the knees slightly. Harder: Lower the legs and make larger circles.


Cue
“Keep your shoulders heavy and draw tiny circles.”

Adaptation
Keep the circles small with back sensitivity. Avoid in pregnancy after the first trimester.

Saw

rotational reach

Intermediate | Mat | V2-009



HOW TO DO IT

1. Sit tall, legs wide, feet flexed, arms out.
2. Inhale, rotate the torso to one side.
3. Exhale, reach forward and saw the pinky past the foot.
4. Inhale up and untwist.

Focus
Improves spinal rotation and hamstring flexibility while engaging the deep abdominals to deepen the twist.

Target muscles
Obliques, hamstrings, spinal extensors

Dosage
5 reps each side · about 2 min

Breathing
Inhale to rotate, exhale to reach and pulse past the foot.

Common faults
Collapsing the chest, rotating from the arms, bending the knees, hips lifting off.

Progression / Regression
Easier: Bend the knees or sit on a cushion. Harder: Add a double pulse.


Cue
“Twist tall and saw the little finger past the pinky toe.”

Adaptation
Sit on a cushion and keep twist gentle with back pain. Keep the abdomen open in pregnancy.

Swan Prep

upper back extension

Intermediate | Mat | V2-010



HOW TO DO IT

1. Lie prone, hands under the shoulders, legs together.
2. Inhale, draw the abs up and lengthen the spine.
3. Press the chest forward and up without pushing too much.
4. Exhale, lower slowly, keeping the neck long.

Focus
Strengthens the back extensors and opens the chest while teaching extension through the thoracic spine.

Target muscles
Spinal extensors, glutes, mid-back, shoulder stabilizers

Dosage
6–8 reps · about 2 min

Breathing
Inhale to lift, exhale to lower with control.

Common faults
Cranking the neck back, pushing from the arms, overarching the lower back, shoulders to the ears.

Progression / Regression
Easier: Keep elbows on the mat. Harder: Straighten the arms slightly and lift higher.


Cue
“Lengthen forward and lift the chest from the upper back.”

Adaptation
Prone positions are not recommended during pregnancy; use a seated extension. Limit range with back pain.

Swimming

prone alternating limbs

Intermediate | Mat | V2-011



HOW TO DO IT

1. Lie prone, arms overhead, legs long and slightly hip-width.
2. Lift arms, chest, and legs a few inches.
3. Flutter opposite arm and leg in small, quick beats.
4. Lower down slowly to rest.

Focus
Builds endurance of the back and glutes while coordinating opposite arm and leg lifts with core stability.

Target muscles
Spinal extensors, glutes, hamstrings, shoulders

Dosage
30–40 counts · about 2 min

Breathing
Inhale for five counts, exhale for five counts, steady rhythm.

Common faults
Overarching the back, rocking the pelvis, tensing the neck, legs rotating outward.

Progression / Regression
Easier: Lift one limb at a time. Harder: Hold the lifted chest, faster pace.


Cue
“Reach long through fingertips and toes and stay steady.”

Adaptation
Prone positions not recommended in pregnancy; use quadruped arm-leg reaches. Reduce range for back pain.

Side Kick Front and Back

side-lying leg swings

Intermediate | Mat | V2-012



HOW TO DO IT

1. Lie on your side, legs slightly forward, head resting on your arm.
2. Lift the top leg to hip height.
3. Inhale, swing forward with two small pulses.
4. Exhale, sweep back, keeping the pelvis still.

Focus
Develops hip mobility and pelvic stability while strengthening the glutes and hip flexors in a side-lying position.

Target muscles
Gluteus medius and maximus, hamstrings, hip flexors

Dosage
8 reps each leg · about 3 min

Breathing
Inhale to swing the leg forward in two pulses, exhale to sweep back.

Common faults
Rocking the torso, bending the knee, rolling forward or back, arching the back.

Progression / Regression
Easier: Smaller range, head resting on arm. Harder: Lift head, hold the lengthened position.


Cue
“Keep your torso still as the leg swings long.”

Adaptation
Place a pillow under the waist or head for comfort. Use side-lying in pregnancy with a pillow between the knees.

Side-Lying Leg Circles

small controlled rotations

Intermediate | Mat | V2-013



HOW TO DO IT

1. Lie on your side, top leg lifted to hip height.
2. Hold the leg long, turned out slightly.
3. Draw small circles, one direction then reverse.
4. Keep waist lifted and torso still.

Focus
Strengthens the outer hip and improves hip mobility, challenging pelvic stability with each circle.

Target muscles
Gluteus medius, hip rotators, obliques

Dosage
8 circles each direction · about 2 min

Breathing
Breathe naturally; exhale during the lift phase.

Common faults
Rolling the pelvis, large circles, dropping the waist, bending the knee.

Progression / Regression
Easier: Smaller circles with the knee bent. Harder: Add ankle weight or slower circles.


Cue
“Circle from the hip socket and keep the pelvis still.”

Adaptation
Reduce range for knee or hip pain. Use pillow support in pregnancy and avoid deep rotation.

Inner Thigh Lift

side-lying adductor lift

Intermediate | Mat | V2-014



HOW TO DO IT

1. Lie on your side, top leg bent with the foot in front.
2. Extend the bottom leg slightly, foot flexed.
3. Exhale, lift the bottom leg a few inches.
4. Inhale, lower without touching the mat.

Focus
Targets the adductors and deep stabilizers, creating balance with the outer hip in the side-lying series.

Target muscles
Adductors, deep core, pelvic floor

Dosage
10 reps each leg · about 2 min

Breathing
Exhale to lift, inhale to lower with control.

Common faults
Rolling the hips forward, gripping the neck, lifting too high, rolling the lower leg.

Progression / Regression
Easier: Bend the top knee in front. Harder: Add small pulses or ankle weights.


Cue
“Lift from the inner thigh and keep both hips stacked.”

Adaptation
Skip the lower leg lift with groin pain. Use a support under the top leg in pregnancy.

Side-Lying Bicycle

pedaling the top leg

Intermediate | Mat | V2-015



HOW TO DO IT

1. Lie on your side, top leg lifted and extended.
2. Sweep the leg forward and bend the knee.
3. Pedal the knee back and extend the leg behind.
4. Reverse after a set.

Focus
Combines hip extension and flexion in one fluid pedaling motion, working glutes and hip flexors while stabilizing the trunk.

Target muscles
Glutes, hamstrings, hip flexors, obliques

Dosage
5 reps each direction · about 3 min

Breathing
Breathe naturally; keep exhale on the harder phase.

Common faults
Rocking the torso, bending the standing hip, jerky movement, losing the waist lift.

Progression / Regression
Easier: Smaller range, bend knee less. Harder: Add ankle weights and slow tempo.


Cue
“Pedal the leg through space and keep the torso quiet.”

Adaptation
Choose a smaller range with hip or knee concerns. In pregnancy, limit range and use cushions.

Teaser Prep

one leg at a time

Intermediate | Mat | V2-016



HOW TO DO IT

1. Lie supine, one knee bent, one leg lifted to 45 degrees.
2. Reach arms toward the ceiling.
3. Curl up and balance on the back of the sit bones.
4. Roll down with control.

Focus
Builds abdominal strength and balance as a stepping stone toward the full Teaser, with control and length.

Target muscles
Rectus abdominis, hip flexors, transversus abdominis

Dosage
6 reps each side · about 3 min

Breathing
Inhale to prepare, exhale to curl up, inhale to hold, exhale to lower.

Common faults
Pulling on the neck, rolling the pelvis, collapsing the chest, using momentum.

Progression / Regression
Easier: Keep feet on the mat. Harder: Lift both legs to the full Teaser.


Cue
“Reach forward and lift tall as you balance.”

Adaptation
Keep both feet down if the back strains. Avoid in later pregnancy.

Seal

clapping the feet

Intermediate | Mat | V2-017



HOW TO DO IT

1. Sit with knees open, feet together, hands inside the legs.
2. Balance behind the sit bones with a C-curve.
3. Inhale, clap the heels three times and roll back.
4. Exhale, clap again and roll up.

Focus
Teaches smooth spinal rolling and abdominal control with a playful finishing clap of the feet.

Target muscles
Abdominals, hip adductors, spinal flexors

Dosage
6–8 reps · about 2 min

Breathing
Inhale to roll back, exhale to roll up.

Common faults
Rolling on the neck, using momentum, collapsing the feet, losing the rounded shape.

Progression / Regression
Easier: Skip the clap. Harder: Add a longer balance hold.


Cue
“Clap three times and roll like a playful seal.”

Adaptation
Avoid with neck issues, osteoporosis, and later pregnancy. Replace with a seated hold.

The Hundred

legs at tabletop

Intermediate | Mat | V2-018



HOW TO DO IT

1. Lie supine, knees at tabletop.
2. Curl the head and chest up.
3. Reach arms long and pump small beats.
4. Hold for 100 counts.

Focus
Builds breath, endurance, and abdominal control with a steady arm pump while the head and legs stay lifted.

Target muscles
Abdominals, hip flexors, shoulders, lungs

Dosage
100 beats · about 3 min

Breathing
Inhale for five pumps, exhale for five pumps.

Common faults
Neck strain, rib flare, arching the back, pumping arms too high.

Progression / Regression
Easier: Feet down or head down. Harder: Extend the legs lower.


Cue
“Pump your arms and breathe in five, out five.”

Adaptation
Keep the head down with neck strain. Avoid in later pregnancy; replace with a modified chest lift.

Single Leg Circles

stable pelvis

Intermediate | Mat | V2-019



HOW TO DO IT

1. Lie supine, one leg extended up to the ceiling.
2. Keep the other leg long along the mat.
3. Circle the leg across, down, and around.
4. Reverse direction and switch legs.

Focus
Strengthens the hips and trains pelvic stability while the leg circles independently of the torso.

Target muscles
Hip flexors, adductors, glutes, deep core

Dosage
5 circles each direction, each leg · about 2 min

Breathing
Inhale on the circle across, exhale on the return.

Common faults
Rolling the pelvis, circles too large, bending the knee, lifting the shoulders.

Progression / Regression
Easier: Bend the other knee. Harder: Add speed and larger range.


Cue
“Draw a circle with the leg and keep the pelvis still.”

Adaptation
Reduce circle size with hip concerns. Avoid prolonged supine in later pregnancy.

Shoulder Bridge

hip lift with control

Intermediate | Mat | V2-020



HOW TO DO IT

1. Lie supine, knees bent, arms by sides.
2. Exhale, roll the pelvis up one vertebra at a time.
3. Hold a long line from shoulders to knees.
4. Roll down slowly, bone by bone.

Focus
Strengthens the glutes and hamstrings and opens the hips while teaching a stable pelvis in bridging.

Target muscles
Glutes, hamstrings, core, spinal extensors

Dosage
6–8 reps · about 3 min

Breathing
Inhale to prepare, exhale to lift the hips, inhale to hold, exhale to lower.

Common faults
Overarching the back, knees splaying, pushing into the neck, uneven hips.

Progression / Regression
Easier: Pelvic curl only. Harder: Lift one leg at a time.


Cue
“Press into your feet and lift your hips to a long line.”

Adaptation
Keep the lift small with back pain. Limit time on the back in later pregnancy.

Spine Twist

seated rotation

Intermediate | Mat | V2-021



HOW TO DO IT

1. Sit tall, legs long, feet flexed, arms out to the sides.
2. Lengthen the crown of the head.
3. Exhale, rotate the torso and pulse once.
4. Inhale, return to center.

Focus
Improves thoracic rotation and posture, training the waist to twist while the pelvis stays steady.

Target muscles
Obliques, spinal rotators, deep postural muscles

Dosage
5–6 reps each side · about 2 min

Breathing
Exhale to twist, inhale to return to center.

Common faults
Collapsing the spine, shifting the hips, dropping the arms, shrugging the shoulders.

Progression / Regression
Easier: Sit on a cushion with crossed legs. Harder: Add two small pulses.


Cue
“Sit tall and twist like a corkscrew with the arms wide.”

Adaptation
Sit on a cushion with tight hips. Keep the twist open and avoid squeezing the belly in pregnancy.

Mermaid

side bend stretch

Intermediate | Mat | V2-022



HOW TO DO IT

1. Sit with legs folded to one side.
2. Place one hand on the mat and reach the other arm up.
3. Inhale to lengthen, exhale to arc over.
4. Inhale up and switch sides.

Focus
Opens the side body and ribs while teaching lateral flexion and breath, easing tension in the waist.

Target muscles
Obliques, quadratus lumborum, lats, intercostals

Dosage
4 reps each side · about 2 min

Breathing
Inhale to lengthen, exhale to bend sideways.

Common faults
Collapsing forward, rolling the shoulders, lifting the hip, shrugging.

Progression / Regression
Easier: Cross-legged seat and smaller range. Harder: Add a rotation into the bend.


Cue
“Reach up and over, lengthening through the long side.”

Adaptation
Keep the movement gentle with shoulder issues. Open the knees wide in pregnancy.

Neck Pull Prep

roll up with hands behind head

Intermediate | Mat | V2-023



HOW TO DO IT

1. Lie supine, knees bent, hands behind the head.
2. Exhale, nod the chin and curl up.
3. Inhale to reach over the legs.
4. Exhale, roll back down slowly.

Focus
Builds deep abdominal strength and spinal articulation with the hands supporting the head.

Target muscles
Rectus abdominis, hip flexors, spinal flexors

Dosage
5–6 reps · about 3 min

Breathing
Inhale to prepare, exhale to curl up, inhale to reach, exhale to roll down.

Common faults
Pulling on the neck, feet lifting, jerky motion, collapsing the chest.

Progression / Regression
Easier: Keep knees bent and feet anchored. Harder: Lengthen the arms overhead.


Cue
“Lift your chest and keep the elbows wide.”

Adaptation
Keep the head supported and range small with neck issues. Avoid in later pregnancy.

Single Straight Leg Stretch

scissor pulses

Intermediate | Mat | V2-024



HOW TO DO IT

1. Lie supine, head and chest lifted, one leg to the ceiling.
2. Hold the lifted leg with both hands.
3. Pulse twice toward the chest.
4. Switch legs without moving the torso.

Focus
Trains pelvic stability and abdominal endurance while lengthening the hamstrings with pulses.

Target muscles
Abdominals, hamstrings, hip flexors

Dosage
10 reps each side · about 3 min

Breathing
Inhale for two pulses, exhale for two pulses.

Common faults
Moving the pelvis, pulling the leg too hard, dropping the head, bent knees.

Progression / Regression
Easier: Bend the knees or head down. Harder: Lower the extended leg.


Cue
“Pulse twice toward you and switch with the torso still.”

Adaptation
Keep head down with neck strain. Limit in later pregnancy.

Double Straight Leg Stretch

legs lowering with arms overhead

Intermediate | Mat | V2-025



HOW TO DO IT

1. Lie supine, head and chest lifted, legs up at 90 degrees.
2. Hands behind the head.
3. Lower the legs to a range your back allows.
4. Draw the legs back up and repeat.

Focus
Challenges abdominal strength by controlling the lowering of both legs while the torso stays stable.

Target muscles
Rectus abdominis, hip flexors, transversus abdominis

Dosage
6–8 reps · about 3 min

Breathing
Inhale as arms reach overhead, exhale as legs lift.

Common faults
Arching the lower back, legs too low, head collapsing, ribs flaring.

Progression / Regression
Easier: Lower legs less. Harder: Lower closer to the mat.


Cue
“Reach the legs long and keep the low back anchored.”

Adaptation
Keep the legs higher if the back arches. Avoid in later pregnancy.

Single Leg Kick

prone hamstring work

Intermediate | Mat | V2-026



HOW TO DO IT

1. Lie prone on the forearms, chest lifted.
2. Kick one heel toward the glute twice.
3. Switch legs in a smooth rhythm.
4. Keep the pelvis heavy.

Focus
Strengthens the hamstrings and builds upper-body endurance while supporting the spine in extension.

Target muscles
Hamstrings, glutes, back extensors, shoulders

Dosage
8 reps each side · about 2 min

Breathing
Exhale with each kick, inhale between.

Common faults
Dumping into the lower back, shrugging, flaring the elbows, kicking forcefully.

Progression / Regression
Easier: Keep forearms on the mat. Harder: Add a lifted chest and faster tempo.


Cue
“Kick twice and keep your chest lifted and long.”

Adaptation
Prone positions are avoided in pregnancy; use quadruped leg curls. Limit range for back pain.

Double Leg Kick

prone back extension

Intermediate | Mat | V2-027



HOW TO DO IT

1. Lie prone, cheek on the mat, hands clasped behind the back.
2. Kick both heels to the glutes three times.
3. Extend the legs and stretch the chest forward.
4. Return to the start.

Focus
Stretches the front of the body and strengthens the back extensors in a rhythmic, controlled sequence.

Target muscles
Spinal extensors, hamstrings, glutes, shoulders

Dosage
6 reps · about 2 min

Breathing
Exhale to kick, inhale as arms stretch back.

Common faults
Neck hyperextension, overarching, lifting the hips, jerky kicks.

Progression / Regression
Easier: Skip the hand clasp. Harder: Hold the chest longer in the stretch.


Cue
“Kick, stretch, and lengthen through the crown of the head.”

Adaptation
Avoid prone positions in pregnancy; offer a seated chest-opening stretch. Limit range with lumbar issues.

Child's Pose

rest and stretch

Intermediate | Mat | V2-028



HOW TO DO IT

1. Kneel with big toes touching, knees wide.
2. Sit hips back toward the heels.
3. Lengthen the arms forward.
4. Breathe deeply and rest.

Focus
Gently stretches the back and hips while resetting the breath between more demanding exercises.

Target muscles
Spinal extensors, glutes, hip rotators

Dosage
30 sec hold · about 1 min

Breathing
Slow, deep inhalations into the back ribs.

Common faults
Sitting back too far with knee pain, tensing shoulders, holding the breath.

Progression / Regression
Easier: Place a cushion under the hips. Harder: Reach the arms and breathe into the sides.


Cue
“Sink your hips back and breathe into your back.”

Adaptation
Widen the knees in pregnancy. Use a cushion for knee discomfort.

Cat Stretch

spinal flexion and extension

Intermediate | Mat | V2-029



HOW TO DO IT

1. Start on hands and knees, spine neutral.
2. Exhale, round the spine and tuck the tailbone.
3. Inhale, lengthen the spine forward.
4. Repeat with smooth control.

Focus
Warms up the spine through gentle flexion and extension, preparing the core for mat work.

Target muscles
Spinal flexors and extensors, abdominals, shoulders

Dosage
8 reps · about 2 min

Breathing
Exhale to round, inhale to lengthen.

Common faults
Collapsing the shoulders, moving only the lower back, locking the elbows.

Progression / Regression
Easier: Smaller range. Harder: Add a hip shift.


Cue
“Round like a cat and then lengthen forward.”

Adaptation
Safe through pregnancy; keep the spine neutral. Reduce range for wrist pain.

Pelvic Curl

articulating bridge

Intermediate | Mat | V2-030



HOW TO DO IT

1. Lie supine, knees bent, feet hip-width.
2. Exhale, tuck the tailbone and curl up.
3. Hold at the top with a long line.
4. Roll down slowly.

Focus
Warms the spine and glutes, teaching segmental articulation and pelvic control for harder exercises.

Target muscles
Glutes, hamstrings, abdominals, spinal extensors

Dosage
8 reps · about 2 min

Breathing
Exhale to lift, inhale to hold, exhale to roll down.

Common faults
Overarching, pushing into the neck, knees falling apart, uneven weight.

Progression / Regression
Easier: Lift a small range. Harder: Add a march at the top.


Cue
“Roll your spine up one bone at a time.”

Adaptation
Keep range small with back pain. Limit supine time in later pregnancy.

Chest Lift with Rotation

diagonal curl

Intermediate | Mat | V2-031



HOW TO DO IT

1. Lie supine, knees bent, hands behind the head.
2. Exhale, curl the chest up and rotate.
3. Hold, then return to center.
4. Switch sides.

Focus
Strengthens the obliques and trains rotation with an anchored pelvis, building control for twisting exercises.

Target muscles
Obliques, rectus abdominis, hip flexors

Dosage
8 reps each side · about 2 min

Breathing
Exhale to rotate up, inhale to return.

Common faults
Pulling on the neck, rolling the hips, rushing, shrugging the shoulders.

Progression / Regression
Easier: Keep the head down. Harder: Hold the rotation at the top.


Cue
“Reach one shoulder toward the opposite knee.”

Adaptation
Skip in later pregnancy; use side-lying exercises instead. Keep head supported for neck pain.

Lateral Thoracic Breathing

ribs widen

Intermediate | Mat | V2-032



HOW TO DO IT

1. Sit or lie with hands on the ribs.
2. Inhale and widen the ribs sideways.
3. Exhale and draw the ribs together.
4. Repeat slowly and evenly.

Focus
Improves breath awareness and rib mobility, setting up deep core engagement for the whole class.

Target muscles
Intercostals, diaphragm, transversus abdominis

Dosage
8 breaths · about 1 min

Breathing
Inhale wide into the sides of the ribs, exhale and zip the abs.

Common faults
Lifting the shoulders, belly bulging, holding the breath, tensing the neck.

Progression / Regression
Easier: Use hands on the ribs. Harder: Add arm reaches overhead.


Cue
“Breathe wide into your ribs and zip up the front.”

Adaptation
Safe through pregnancy; sit upright or side-lying if comfortable.

Standing Roll Down

spine articulation

Intermediate | Mat | V2-033



HOW TO DO IT

1. Stand tall, feet hip-width, arms by sides.
2. Exhale, nod the chin and roll down.
3. Hang with soft knees.
4. Roll up slowly, stacking each vertebra.

Focus
Warms the spine and hamstrings while teaching the abdominals to control spinal flexion against gravity.

Target muscles
Abdominals, spinal extensors, hamstrings

Dosage
6 reps · about 2 min

Breathing
Exhale as you roll down, inhale at the bottom, exhale as you roll up.

Common faults
Collapsing the knees, rolling from the lower back, rushing, locking the knees.

Progression / Regression
Easier: Bend the knees more. Harder: Add a hold at the bottom.


Cue
“Roll down slowly, bone by bone, and stack up.”

Adaptation
Soften the knees and keep the range comfortable for back or balance concerns. Use a wall in pregnancy if needed.

Leg Pull Front

plank with leg lift

Intermediate | Mat | V2-034



HOW TO DO IT

1. Start in a long plank, hands under shoulders.
2. Draw the abs in and lengthen the heels back.
3. Lift one leg a few inches, keeping hips level.
4. Lower and switch.

Focus
Builds shoulder stability and core strength in a plank, adding a controlled leg lift for hip extension.

Target muscles
Shoulders, abdominals, glutes, triceps

Dosage
5 reps each leg · about 3 min

Breathing
Inhale to lift the leg, exhale to lower.

Common faults
Sagging hips, shrugging, rocking the pelvis, locked elbows.

Progression / Regression
Easier: Hold the plank on the knees. Harder: Flex the foot and lift higher.


Cue
“Press away from the floor and lift one leg.”

Adaptation
Skip with wrist or shoulder pain; use an incline. Plank is avoided in later pregnancy.

Pilates Push-Up

standing to plank

Intermediate | Mat | V2-035



HOW TO DO IT

1. Stand tall, roll down to the mat.
2. Walk the hands out to a plank.
3. Bend the elbows close to the ribs.
4. Press up and walk back to stand.

Focus
Strengthens the triceps, chest, and core while the whole body moves together in a controlled sequence.

Target muscles
Triceps, pectorals, shoulders, abdominals

Dosage
5 reps · about 3 min

Breathing
Inhale as you walk out, exhale to push-up, inhale to walk in.

Common faults
Flared elbows, sagging hips, rushing, locked knees on the roll down.

Progression / Regression
Easier: Do push-ups from the knees. Harder: Add an extra push-up in the plank.


Cue
“Keep your elbows hugging your ribs as you lower.”

Adaptation
Use an incline or skip with wrist or shoulder pain. Avoid plank in later pregnancy.

Rollover Prep

legs over head

Intermediate | Mat | V2-036



HOW TO DO IT

1. Lie supine, legs up to 90 degrees, arms pressing down.
2. Exhale, tilt the pelvis and lift the hips.
3. Reach the legs over without rolling to the neck.
4. Roll down one vertebra at a time.

Focus
Prepares the spine for the full Rollover by teaching controlled hip lift and abdominal strength.

Target muscles
Abdominals, spinal flexors, hip extensors

Dosage
5 reps · about 2 min

Breathing
Inhale to lift legs, exhale to roll the hips up.

Common faults
Rolling onto the neck, using momentum, flopping the legs, tense shoulders.

Progression / Regression
Easier: Bend the knees. Harder: Straighten the legs overhead.


Cue
“Roll through your spine and press your arms into the mat.”

Adaptation
Skip with neck issues, high blood pressure, or osteoporosis, and avoid in pregnancy.

Single Leg Balance with Relevé

standing foot and ankle work

Intermediate | Mat | V2-037



HOW TO DO IT

1. Stand tall near a wall, one foot lifted.
2. Press up through the standing foot.
3. Hold the balance and lengthen the crown.
4. Lower with control and switch.

Focus
Builds standing balance and ankle strength while training the deep core to steady the body.

Target muscles
Calves, glutes, deep core, foot intrinsics

Dosage
8 reps each leg · about 2 min

Breathing
Exhale to rise, inhale to lower.

Common faults
Gripping the toes, hip hiking, leaning forward, locking the knee.

Progression / Regression
Easier: Hold a wall. Harder: Close the eyes or hold the relevé.


Cue
“Rise tall and stay steady through your ankle.”

Adaptation
Use a wall for balance in older adults or pregnancy. Skip if ankle or knee pain.

Supine Hamstring Stretch

leg to the ceiling

Intermediate | Mat | V2-038



HOW TO DO IT

1. Lie supine, one leg extended up.
2. Hold behind the thigh or calf.
3. Gently draw the leg toward you.
4. Hold and switch legs.

Focus
Lengthens the hamstrings and calves while keeping the pelvis stable on the mat for a gentle cooldown.

Target muscles
Hamstrings, calves, glutes

Dosage
30 sec hold each leg · about 2 min

Breathing
Slow inhale and exhale, softening into the stretch.

Common faults
Pulling the leg too hard, lifting the hips, rounding the back, bending the knee.

Progression / Regression
Easier: Bend the knee slightly. Harder: Add a gentle pulse.

Cue
“Lengthen the leg and keep your pelvis heavy.”

Adaptation
Use a strap for tight hamstrings. In later pregnancy, use a slight incline instead of lying flat.

VOLUME 2 · INTERMEDIATE


Band

14 exercises

Banded Roll Down

standing with band behind the back

Intermediate | Band | V2-039



HOW TO DO IT

1. Stand tall with feet hip-width apart, band looped behind your back, held at chest level.
2. Nod the chin and start rolling down slowly, one vertebra at a time.
3. Stop where you can keep the hips over the heels.
4. Press the feet down and stack the spine back up.

Focus
Builds segmental spinal articulation with gentle resistance, teaching the abdominals to control flexion.

Target muscles
Rectus abdominis, transverse abdominis, erector spinae

Dosage
6–8 reps · about 3 min

Breathing
Inhale to prepare, exhale to roll down, inhale to hold, exhale to stack up.

Common faults
Dropping the head first, locking the knees, and letting the band pull the shoulders forward.

Progression / Regression
Easier: Use a lighter band and bend the knees. Harder: Pause at the bottom and add a small arm reach.


Cue
“Roll down one vertebra at a time, like peeling off a wall.”

Adaptation
After the first trimester or with disc issues, keep the range small and bend the knees; consult the client's clinician.

Banded Chest Expansion

standing

Intermediate | Band | V2-040



HOW TO DO IT

1. Stand tall with feet parallel, holding the band at shoulder width in front of the thighs.
2. Lengthen the crown of the head and draw the shoulder blades down.
3. Pull the band apart and slightly back without arching.
4. Return slowly with control.

Focus
Opens the chest and strengthens the upper back while the trunk stays tall and still.

Target muscles
Rear deltoids, rhomboids, middle trapezius, posterior shoulder

Dosage
8–10 reps · about 2 min

Breathing
Inhale to prepare, exhale as you pull the band apart, inhale to return.

Common faults
Flaring the ribs, jutting the chin, and shrugging the shoulders toward the ears.

Progression / Regression
Easier: Use a lighter band and keep the hands wider. Harder: Add a slow head turn at full extension.


Cue
“Draw the band apart and keep your ribs knitted down.”

Adaptation
With shoulder injury, shorten the range and keep the hands below shoulder height; safe in pregnancy if standing tall.

Seated Row

with a band around the feet

Intermediate | Band | V2-041



HOW TO DO IT

1. Sit tall with legs extended, band wrapped around both feet.
2. Hold the band ends with the arms reaching forward at shoulder height.
3. Pull the elbows back along the ribs, squeezing the shoulder blades.
4. Reach the arms forward with control.

Focus
Trains upper back strength and posture while the spine stays long against the pull of the band.

Target muscles
Latissimus dorsi, rhomboids, middle trapezius, biceps

Dosage
8–12 reps · about 3 min

Breathing
Inhale to lengthen, exhale to pull the elbows back, inhale to release.

Common faults
Rounding the lower back, rocking the torso, and lifting the shoulders.

Progression / Regression
Easier: Sit on a folded towel with knees bent. Harder: Add a small spinal roll-back at the end.


Cue
“Pull your elbows back and keep your spine tall.”

Adaptation
With lumbar sensitivity, sit on a cushion and bend the knees; avoid leaning back in later pregnancy.

Banded Bicep Curl

single leg stance

Intermediate | Band | V2-042



HOW TO DO IT

1. Stand on the band with one foot and hold the ends with palms forward.
2. Lift the other foot slightly and find your balance.
3. Curl the hands toward the shoulders keeping the elbows by the ribs.
4. Lower slowly and switch sides.

Focus
Combines arm strength with standing balance, challenging the deep core to stabilize the trunk.

Target muscles
Biceps, brachialis, gluteus medius, deep core

Dosage
10 reps each leg · about 3 min

Breathing
Exhale to curl, inhale to lower.

Common faults
Swaying the trunk, swinging the elbows forward, and locking the standing knee.

Progression / Regression
Easier: Keep both feet down in a split stance. Harder: Close the eyes or stand on a cushion.


Cue
“Curl up and stay tall through the standing leg.”

Adaptation
With knee injury, keep a soft bend and stay near a wall; with balance concerns, hold a chair.

Banded Clamshell

side-lying, band above the knees

Intermediate | Band | V2-043



HOW TO DO IT

1. Lie on your side with knees bent, band around the thighs just above the knees.
2. Stack the hips and shoulders and keep the heels together.
3. Lift the top knee without rolling the pelvis.
4. Lower with control and repeat.

Focus
Strengthens the hip rotators and glutes while teaching pelvic stability.

Target muscles
Gluteus medius, deep hip rotators, obliques

Dosage
12–15 reps each side · about 3 min

Breathing
Exhale to open the knee, inhale to close.

Common faults
Rolling the pelvis back, lifting the feet apart, and moving the lumbar spine.

Progression / Regression
Easier: Use a lighter band or no band. Harder: Lift the feet off the floor and hold the pelvis steady.


Cue
“Open your top knee and keep your hips stacked.”

Adaptation
Safe in pregnancy with pillow support; with lumbar pain, keep the range small and the hips stacked.

Side-Lying Leg Lift

with a band at the ankles

Intermediate | Band | V2-044



HOW TO DO IT

1. Lie on your side, legs extended slightly forward, band at the ankles.
2. Lengthen the bottom arm under the head and brace the core.
3. Lift the top leg to hip height with a neutral foot.
4. Lower slowly without losing the line.

Focus
Targets the outer hip and teaches a long, stable trunk under load.

Target muscles
Gluteus medius, tensor fasciae latae, obliques

Dosage
10–12 reps each side · about 3 min

Breathing
Exhale to lift, inhale to lower.

Common faults
Hiking the hip, rotating the leg forward, and letting the waist collapse.

Progression / Regression
Easier: Remove the band or shorten the lever with a bent knee. Harder: Add small beats at the top.


Cue
“Lift from the hip and keep the waist long.”

Adaptation
With hip or lumbar pain, reduce the range; in pregnancy, support the head and bend the bottom knee.

Bridge with Abduction

band above the knees

Intermediate | Band | V2-045



HOW TO DO IT

1. Lie on your back, knees bent, band above the knees.
2. Press into the heels and roll the pelvis up.
3. Open the knees against the band and close.
4. Roll down one vertebra at a time.

Focus
Strengthens the glutes and hamstrings while challenging the outer hip to hold knee alignment.

Target muscles
Gluteus maximus, hamstrings, gluteus medius

Dosage
8–10 reps · about 3 min

Breathing
Inhale to prepare, exhale to lift, inhale to open the knees, exhale to close.

Common faults
Arching the lower back, letting the knees collapse inward, and pushing off the toes.

Progression / Regression
Easier: Keep the hips low and skip the abduction. Harder: Hold the bridge for 3 breaths while pulsing.


Cue
“Press your hips up and keep your knees open.”

Adaptation
Avoid long supine periods in later pregnancy; use a wedge. Keep the lift small with lumbar sensitivity.

Banded Dead Bug

band under the feet

Intermediate | Band | V2-046



HOW TO DO IT

1. Lie on your back with knees in tabletop and arms toward the ceiling, band around the feet.
2. Draw the navel in and set the ribs.
3. Extend one leg and the opposite arm without losing your spine position.
4. Return and switch sides.

Focus
Develops deep core control and coordination as arms and legs move against light resistance.

Target muscles
Transverse abdominis, rectus abdominis, hip flexors

Dosage
8–10 reps each side · about 3 min

Breathing
Exhale to extend, inhale to return.

Common faults
Flaring the ribs, arching the lower back, and holding the breath.

Progression / Regression
Easier: Move only the legs. Harder: Extend the opposite arm and leg together with the band taut.


Cue
“Reach long and keep your spine heavy on the mat.”

Adaptation
Skip supine work in later pregnancy; with lumbar pain, keep the feet on the floor and move arms only.

Spine Stretch Forward

with a band around the feet

Intermediate | Band | V2-047



HOW TO DO IT

1. Sit tall with legs hip-width apart, band around the feet.
2. Hold the band ends with soft arms reaching forward.
3. Nod the head and curl the spine over the pelvis.
4. Stack back up one vertebra at a time.

Focus
Lengthens the spine and hamstrings while training deep abdominal control in flexion.

Target muscles
Erector spinae, hamstrings, transverse abdominis

Dosage
6–8 reps · about 3 min

Breathing
Inhale to sit tall, exhale to curl forward, inhale to hold, exhale to stack up.

Common faults
Collapsing the chest, sliding the pelvis back, and pulling with the arms.

Progression / Regression
Easier: Bend the knees and sit on a cushion. Harder: Add a slight reach with both hands over the feet.


Cue
“Scoop forward and lengthen away from your hips.”

Adaptation
Avoid deep forward folds with disc injury or in later pregnancy; sit on a cushion and widen the legs.

Shoulder External Rotation

side-lying with a band

Intermediate | Band | V2-048



HOW TO DO IT

1. Lie on your side, top elbow bent at 90 degrees against the ribs, holding the band.
2. Keep the wrist neutral and shoulder blade set.
3. Rotate the forearm outward without moving the elbow.
4. Return slowly with control.

Focus
Strengthens the rotator cuff for healthy shoulder mechanics.

Target muscles
Infraspinatus, teres minor, posterior deltoid

Dosage
12 reps each side · about 2 min

Breathing
Exhale to rotate out, inhale to return.

Common faults
Letting the elbow drift from the ribs, shrugging, and rushing the return.

Progression / Regression
Easier: Use a lighter band or a towel roll. Harder: Add a 3-second hold at the end range.


Cue
“Rotate from the shoulder and keep your elbow glued.”

Adaptation
With shoulder injury, keep the range small and stop at any pinching; consult the client's clinician.

Standing Lateral Walk

band above the knees

Intermediate | Band | V2-049



HOW TO DO IT

1. Stand with feet hip-width apart, band above the knees, soft bend in the knees.
2. Shift weight onto one leg.
3. Step the other foot wide and keep tension on the band.
4. Bring the feet back together slowly and repeat.

Focus
Strengthens the outer hips and improves lateral stability during walking and balance.

Target muscles
Gluteus medius, gluteus minimus, quadriceps

Dosage
10 steps each direction · about 3 min

Breathing
Breathe steadily, exhaling on each step out.

Common faults
Leaning the torso, collapsing the knees inward, and dragging the feet.

Progression / Regression
Easier: Use a lighter band or take smaller steps. Harder: Lower into a deeper squat position.


Cue
“Step wide and keep your knees tracking over your toes.”

Adaptation
With knee pain, shorten the squat depth; with balance concerns, stay near a wall.

Banded Hamstring Stretch

supine with a band around the foot

Intermediate | Band | V2-050



HOW TO DO IT

1. Lie on your back with one foot in the band loop and the other leg extended or bent.
2. Lift the leg toward the ceiling and hold the band with both hands.
3. Keep the hips level and the pelvis heavy.
4. Hold, then switch legs.

Focus
Safely lengthens the hamstrings and calf with the pelvis stable and the spine neutral.

Target muscles
Hamstrings, gastrocnemius, hip extensors

Dosage
30 sec hold each leg · about 3 min

Breathing
Breathe slowly into the back of the leg.

Common faults
Lifting the tailbone, bending the standing knee, and forcing the stretch.

Progression / Regression
Easier: Bend the standing knee or the stretching knee. Harder: Add gentle ankle circles at the top.


Cue
“Reach through your heel and let your hamstring soften.”

Adaptation
Avoid long supine periods in later pregnancy; use a wedge. Stay in the comfortable range with lumbar pain.

Banded Roll Up

lying on the mat

Intermediate | Band | V2-051



HOW TO DO IT

1. Lie on your back, band around the feet held in both hands.
2. Nod the chin and begin to roll the spine up.
3. Reach forward over the legs at the top.
4. Roll down slowly, keeping the abdominals scooped.

Focus
Trains controlled spinal flexion and abdominal strength using a band for assistance and feedback.

Target muscles
Rectus abdominis, transverse abdominis, hip flexors

Dosage
5–6 reps · about 3 min

Breathing
Inhale to prepare, exhale to roll up, inhale at the top, exhale to roll down.

Common faults
Using momentum, lifting the feet, and jerking the shoulders forward.

Progression / Regression
Easier: Bend the knees and use a lighter band. Harder: Straighten the arms and add a pause at the top.


Cue
“Peel your spine off the mat one vertebra at a time.”

Adaptation
Avoid beyond the first trimester or with acute disc issues; replace with a supported chest lift.

Standing Row

single leg stance

Intermediate | Band | V2-052



HOW TO DO IT

1. Anchor the band at chest height and stand facing it on one leg.
2. Reach the arms forward with soft elbows.
3. Row the elbows back while keeping the pelvis level.
4. Return with control and switch legs.

Focus
Challenges balance and posture while the back muscles work against the pull of the band.

Target muscles
Latissimus dorsi, rhomboids, gluteus medius, deep core

Dosage
8–10 reps each side · about 3 min

Breathing
Exhale to pull, inhale to release.

Common faults
Swaying the trunk, rotating the pelvis, and locking the standing knee.

Progression / Regression
Easier: Keep both feet down in a split stance. Harder: Add a slow reach of the free leg behind.

Cue
“Row back and keep your hips level and quiet.”

Adaptation
Hold a wall or chair for balance; with knee injury, use a soft bend.

VOLUME 2 · INTERMEDIATE


Magic Circle

14 exercises

Bridge with Circle

inner thigh squeeze

Intermediate | Magic Circle | V2-053



HOW TO DO IT

1. Lie on your back with knees bent and the circle between the thighs or ankles.
2. Press the feet down and roll the pelvis up.
3. Squeeze the ring lightly and hold.
4. Roll down one vertebra at a time.

Focus
Strengthens the glutes and inner thighs while promoting pelvic stability and hamstring engagement.

Target muscles
Gluteus maximus, adductors, hamstrings

Dosage
10 reps · about 3 min

Breathing
Inhale to prepare, exhale to lift, inhale to hold, exhale to lower.

Common faults
Arching the lumbar spine, pressing too hard on the ring, and tilting the pelvis.

Progression / Regression
Easier: Keep the hips low and press gently. Harder: Hold at the top and pulse the circle.


Cue
“Squeeze the ring and lift your hips together.”

Adaptation
Use a wedge in later pregnancy; keep the lift small with lumbar sensitivity.

Standing Chest Squeeze

ring in front of the chest

Intermediate | Magic Circle | V2-054



HOW TO DO IT

1. Stand tall with feet parallel, hold the circle at chest height with both hands.
2. Draw the shoulder blades down.
3. Press the palms together to squeeze the circle.
4. Release slowly without losing tension.

Focus
Tones the chest and inner arms while the trunk stays tall and the shoulders stay down.

Target muscles
Pectoralis major, serratus anterior, triceps

Dosage
10–12 reps · about 2 min

Breathing
Exhale to press, inhale to release.

Common faults
Shrugging the shoulders, lifting the ribs, and locking the elbows.

Progression / Regression
Easier: Press the ring more gently. Harder: Add a small leg lift behind.


Cue
“Press the ring and keep your shoulders down.”

Adaptation
With shoulder injury, keep the elbows low and the pressure light; safe in pregnancy if standing tall.

Hundred

with the circle between the ankles

Intermediate | Magic Circle | V2-055



HOW TO DO IT

1. Lie on your back, circle between the ankles, legs in tabletop.
2. Curl the head and shoulders off the mat.
3. Pump the arms by the hips for 100 beats.
4. Lower and rest.

Focus
Builds abdominal endurance and breath control with added inner-thigh engagement.

Target muscles
Rectus abdominis, transverse abdominis, adductors

Dosage
100 beats · about 3 min

Breathing
Inhale for 5 pumps, exhale for 5 pumps.

Common faults
Tucking the chin too far, arching the back, and gripping the neck.

Progression / Regression
Easier: Keep the knees bent in tabletop. Harder: Extend the legs lower while keeping the ring squeezed.


Cue
“Pump your arms and keep your ribs knitted.”

Adaptation
Skip in later pregnancy; with neck strain, rest the head down and pump less.

Roll Up

with a circle between the hands

Intermediate | Magic Circle | V2-056



HOW TO DO IT

1. Lie on your back with legs extended, holding the circle at chest height.
2. Nod the chin and roll the spine up.
3. Reach forward over the legs and press the circle lightly.
4. Roll down one vertebra at a time.

Focus
Develops spinal flexion control and abdominal strength using the ring to keep the arms engaged.

Target muscles
Rectus abdominis, transverse abdominis, shoulder stabilizers

Dosage
5–6 reps · about 3 min

Breathing
Inhale to prepare, exhale to roll up, inhale to reach, exhale to roll down.

Common faults
Using momentum, collapsing the chest, and lifting the feet.

Progression / Regression
Easier: Bend the knees or reduce the range. Harder: Hold the ring overhead.


Cue
“Press the ring and peel your spine up.”

Adaptation
Avoid beyond the first trimester or with acute disc issues; replace with a supported chest lift.

Inner Thigh Press

side-lying with the circle between the ankles

Intermediate | Magic Circle | V2-057



HOW TO DO IT

1. Lie on your side with the circle between the ankles.
2. Stack the hips and brace the core.
3. Lift the bottom leg toward the top leg.
4. Lower slowly and keep the tension.

Focus
Strengthens the adductors and teaches pelvic stability in side-lying.

Target muscles
Adductors, obliques, deep core

Dosage
10–12 reps each side · about 3 min

Breathing
Exhale to lift, inhale to lower.

Common faults
Rolling the pelvis, using momentum, and letting the lower leg rest on the floor.

Progression / Regression
Easier: Lift only slightly and keep the knee bent. Harder: Pulse at the top.


Cue
“Squeeze the ring and lift from the inner thigh.”

Adaptation
Support the head in pregnancy; with hip pain, reduce the range.

Outer Thigh Press

side-lying

Intermediate | Magic Circle | V2-058



HOW TO DO IT

1. Lie on your side with the circle above the top ankle.
2. Stack the hips and set the core.
3. Press the top leg into the ring and lift.
4. Lower under control.

Focus
Strengthens the outer hip and gluteus medius against the ring's resistance.

Target muscles
Gluteus medius, tensor fasciae latae, obliques

Dosage
10–12 reps each side · about 3 min

Breathing
Exhale to press, inhale to release.

Common faults
Rolling the pelvis back, hiking the hip, and rushing the return.

Progression / Regression
Easier: Press more gently and shorten the range. Harder: Add small beats at the end.


Cue
“Press out and keep your hips stacked.”

Adaptation
Support the head in pregnancy; with hip or lumbar pain, keep the range small.

Single Leg Stretch

ring on the knee

Intermediate | Magic Circle | V2-059



HOW TO DO IT

1. Lie on your back with one knee pulled toward the chest, circle between the hands on the knee.
2. Lift the head and shoulders.
3. Extend the other leg while pressing the ring.
4. Switch legs smoothly.

Focus
Challenges abdominal control with coordination as the ring gives feedback and resistance.

Target muscles
Rectus abdominis, obliques, hip flexors

Dosage
8–10 reps each side · about 3 min

Breathing
Inhale for two switches, exhale for two switches.

Common faults
Rocking the pelvis, tucking the chin, and pulling on the neck.

Progression / Regression
Easier: Keep the head down. Harder: Lower the extended leg and pulse the ring.


Cue
“Switch legs and keep your torso still.”

Adaptation
Skip in later pregnancy; with neck strain, keep the head resting down.

Seated Spine Twist

with the circle at chest level

Intermediate | Magic Circle | V2-060



HOW TO DO IT

1. Sit tall with legs crossed or extended, circle held at chest height.
2. Lift out of the hips.
3. Rotate the ribcage as one unit while pressing the ring.
4. Return to center and switch.

Focus
Improves rotation and posture by stabilizing the pelvis while the ribcage turns.

Target muscles
Obliques, multifidus, serratus anterior

Dosage
6–8 reps each side · about 3 min

Breathing
Inhale to lengthen, exhale to twist, inhale to center.

Common faults
Collapsing the spine, shifting the hips, and shrugging the shoulders.

Progression / Regression
Easier: Sit on a cushion or cross the legs. Harder: Lift the arms higher and add a slight spine extension.


Cue
“Grow tall and rotate around your center line.”

Adaptation
With lumbar sensitivity, twist smaller; in pregnancy, rotate open rather than closed.

Overhead Press

standing

Intermediate | Magic Circle | V2-061



HOW TO DO IT

1. Stand tall holding the circle at chest height.
2. Set the abdominals.
3. Press the ring overhead without arching.
4. Lower slowly.

Focus
Strengthens the shoulders and upper back while the ribcage and spine stay stable.

Target muscles
Deltoids, triceps, serratus anterior, trapezius

Dosage
8–10 reps · about 2 min

Breathing
Exhale to press up, inhale to lower.

Common faults
Arching the lower back, flaring the ribs, and pushing the head forward.

Progression / Regression
Easier: Press to eye level only. Harder: Add a small calf raise.


Cue
“Press up and keep your ribs down.”

Adaptation
With shoulder injury, stay below shoulder height and stop at any pain; safe in pregnancy if standing tall.

Teaser Prep

with the ring between the ankles

Intermediate | Magic Circle | V2-062



HOW TO DO IT

1. Lie on your back with the ring between the ankles and the arms overhead.
2. Lift the legs to a diagonal and begin to roll up.
3. Balance on the sit bones with arms reaching forward.
4. Roll down with control.

Focus
Builds the strength and control needed for the full Teaser using the ring for leg engagement.

Target muscles
Rectus abdominis, hip flexors, adductors

Dosage
6–8 reps · about 3 min

Breathing
Exhale to roll up, inhale to hold, exhale to roll down.

Common faults
Using momentum, collapsing the lower back, and losing the ring squeeze.

Progression / Regression
Easier: Keep the knees bent and the feet on the mat. Harder: Straighten the legs slowly.


Cue
“Roll up and balance on your sit bones.”

Adaptation
Avoid beyond the first trimester or with acute disc issues; replace with a supported chest lift.

Relevé with Circle

standing balance

Intermediate | Magic Circle | V2-063



HOW TO DO IT

1. Stand with heels together and toes apart, hold the circle at chest height.
2. Squeeze the ring lightly.
3. Rise onto the balls of the feet.
4. Lower with control.

Focus
Improves balance and ankle stability while the ring gives arm and shoulder feedback.

Target muscles
Gastrocnemius, soleus, deep core, shoulder stabilizers

Dosage
10 reps · about 2 min

Breathing
Exhale to rise, inhale to lower.

Common faults
Rolling the ankles outward, leaning, and holding the breath.

Progression / Regression
Easier: Hold a wall lightly. Harder: Lift to one leg or close the eyes.


Cue
“Rise tall and press your heels together.”

Adaptation
With balance concerns, hold a wall; with ankle pain, reduce the lift.

Seated Side Bend

with the circle overhead

Intermediate | Magic Circle | V2-064



HOW TO DO IT

1. Sit tall with legs crossed, circle overhead.
2. Reach upward through the crown of the head.
3. Bend sideways while keeping both sit bones heavy.
4. Return to center and switch sides.

Focus
Opens the side body and improves lateral flexibility with controlled breath.

Target muscles
Obliques, quadratus lumborum, intercostals

Dosage
5–6 reps each side · about 3 min

Breathing
Inhale to lengthen, exhale to bend, inhale to return.

Common faults
Rotating the torso, collapsing the chest, and lifting the hips.

Progression / Regression
Easier: Keep the arms lower. Harder: Add a slight rotation at the end.


Cue
“Lift tall and bend over a big rainbow.”

Adaptation
Sit on a cushion in pregnancy or with lumbar sensitivity; keep the bend small.

Prone Chest Lift

with the circle behind the back

Intermediate | Magic Circle | V2-065



HOW TO DO IT

1. Lie face down with legs together, hands on the circle at the lower back.
2. Lengthen through the crown of the head.
3. Lift the chest slightly while pressing the ring.
4. Lower with control.

Focus
Strengthens the back extensors and shoulders while keeping the neck long.

Target muscles
Erector spinae, rhomboids, posterior deltoid

Dosage
6–8 reps · about 3 min

Breathing
Inhale to lift, exhale to lower.

Common faults
Overextending the neck, clenching the glutes, and pressing the ribs into the mat.

Progression / Regression
Easier: Lift only slightly with the hands under the forehead. Harder: Reach the arms back with the ring.


Cue
“Lift your chest and keep your neck long.”

Adaptation
Avoid in pregnancy; with lumbar sensitivity, use a small lift and a pillow under the pelvis.

Standing Squat with Circle

ring between the knees

Intermediate | Magic Circle | V2-066



HOW TO DO IT

1. Stand with feet hip-width apart, circle between the knees or thighs.
2. Hold the arms forward for balance.
3. Bend the knees and sink the hips back.
4. Press through the heels to rise.

Focus
Strengthens the legs and inner thighs while teaching squat alignment and core support.

Target muscles
Quadriceps, gluteus maximus, adductors

Dosage
10–12 reps · about 3 min

Breathing
Inhale to lower, exhale to rise.

Common faults
Letting the knees collapse inward, lifting the heels, and rounding the back.

Progression / Regression
Easier: Squat shallower and hold a wall. Harder: Add a calf raise at the top.

Cue
“Sink down and squeeze the ring between your knees.”

Adaptation
With knee pain, limit the depth; safe in pregnancy with support from a wall.

VOLUME 2 · INTERMEDIATE


Stability Ball

16 exercises

Single Leg Bridge

on the ball

Intermediate | Stability Ball | V2-067



HOW TO DO IT

1. Lie on your back with the calves or heels on the ball.
2. Lift the hips into a bridge.
3. Extend one leg while keeping the pelvis level.
4. Lower the hips and switch legs.

Focus
Strengthens the glutes and hamstrings while the unstable ball challenges pelvic and core stability.

Target muscles
Gluteus maximus, hamstrings, deep core, hip stabilizers

Dosage
8 reps each leg · about 3 min

Breathing
Exhale to lift, inhale to lower.

Common faults
Dropping the pelvis, rolling the ball out, and arching the lower back.

Progression / Regression
Easier: Keep both feet on the ball. Harder: Hold at the top and roll the ball away slowly.


Cue
“Lift your hips and keep your pelvis level.”

Adaptation
Avoid long supine periods in later pregnancy; with lumbar pain, use both feet on the ball.

Hamstring Curl

bridge on the ball

Intermediate | Stability Ball | V2-068



HOW TO DO IT

1. Lie on your back with the heels on the ball and hips lifted.
2. Press the arms down.
3. Bend the knees to roll the ball toward the hips.
4. Extend the legs without dropping the hips.

Focus
Strengthens the hamstrings and glutes while the core stabilizes the pelvis.

Target muscles
Hamstrings, gluteus maximus, deep core

Dosage
8–10 reps · about 3 min

Breathing
Inhale to extend, exhale to curl.

Common faults
Lifting too high, letting the hips drop, and rolling the ball unevenly.

Progression / Regression
Easier: Keep the hips lower and use a smaller range. Harder: Perform on one leg.


Cue
“Curl the ball in and keep your hips high.”

Adaptation
Avoid in later pregnancy; with hamstring injury, keep the range small.

Seated Pelvic Tilts

on the ball

Intermediate | Stability Ball | V2-069



HOW TO DO IT

1. Sit tall on the ball with feet hip-width apart.
2. Place the hands on the hips.
3. Tilt the pelvis forward and back.
4. Return to neutral.

Focus
Mobilizes the pelvis and lumbar spine while building awareness of neutral.

Target muscles
Transverse abdominis, multifidus, pelvic floor

Dosage
10 reps · about 2 min

Breathing
Exhale to tuck, inhale to arch.

Common faults
Over-arching the lower back and moving the head and shoulders.

Progression / Regression
Easier: Keep the feet wide. Harder: Combine with small circles.


Cue
“Rock your pelvis like a bowl of water.”

Adaptation
Safe in pregnancy; with lumbar pain, reduce the range.

Seated Marching

on the ball

Intermediate | Stability Ball | V2-070



HOW TO DO IT

1. Sit tall on the ball with feet flat.
2. Lengthen through the spine.
3. Lift one foot slightly without tilting the pelvis.
4. Lower and switch.

Focus
Trains balance and core stability as the legs lift without the pelvis tilting.

Target muscles
Hip flexors, deep core, gluteus medius

Dosage
10 reps each leg · about 3 min

Breathing
Exhale to lift, inhale to lower.

Common faults
Leaning to one side, gripping the ball with the toes, and holding the breath.

Progression / Regression
Easier: Lift the heel only. Harder: Lift the arms overhead.


Cue
“March gently and keep your pelvis level.”

Adaptation
Sit near a wall for safety; with balance concerns, hold a chair.

Rib Breathing

supine over the ball

Intermediate | Stability Ball | V2-071



HOW TO DO IT

1. Lie back over the ball with feet flat and the head supported.
2. Place the hands on the lower ribs.
3. Inhale to widen the ribs.
4. Exhale to draw them together.

Focus
Opens the ribcage and promotes lateral breathing while the spine is supported.

Target muscles
Diaphragm, intercostals, serratus anterior

Dosage
6–8 breaths · about 2 min

Breathing
Inhale wide into the ribs, exhale and soften them.

Common faults
Over-arching the lower back, lifting the chin, and tensing the neck.

Progression / Regression
Easier: Support the head with a pillow. Harder: Reach the arms overhead.


Cue
“Breathe into your ribs and let them widen.”

Adaptation
Avoid in later pregnancy; with shoulder issues, keep the arms by the sides.

Ball Crunch

on the ball

Intermediate | Stability Ball | V2-072



HOW TO DO IT

1. Sit on the ball and walk the feet forward until the lower back is supported.
2. Place the hands behind the head.
3. Curl the head and shoulders up.
4. Lower with control.

Focus
Builds abdominal strength with a greater range of motion thanks to the ball's support.

Target muscles
Rectus abdominis, transverse abdominis

Dosage
10–12 reps · about 3 min

Breathing
Exhale to lift, inhale to lower.

Common faults
Pulling on the neck, rolling the ball, and arching the lower back.

Progression / Regression
Easier: Keep the arms crossed over the chest. Harder: Reach the arms overhead.


Cue
“Curl up and keep your ribs soft.”

Adaptation
Skip in later pregnancy; with neck strain, support the head.

Ball Pass

supine with the ball between hands and feet

Intermediate | Stability Ball | V2-073



HOW TO DO IT

1. Lie on your back with the ball held overhead.
2. Lift the legs and reach the ball toward them.
3. Squeeze the ball between the feet.
4. Lower the arms and legs together.

Focus
Develops core control and coordination as the ball is transferred between hands and feet.

Target muscles
Rectus abdominis, hip flexors, transverse abdominis

Dosage
6–8 passes · about 3 min

Breathing
Exhale to pass, inhale to extend.

Common faults
Letting the lower back lift, dropping the ball, and tensing the neck.

Progression / Regression
Easier: Pass with the knees bent. Harder: Lower the legs further.


Cue
“Reach and exchange the ball while your back stays heavy.”

Adaptation
Skip in later pregnancy; with lumbar sensitivity, keep the legs higher.

Roll Out

kneeling with the ball

Intermediate | Stability Ball | V2-074



HOW TO DO IT

1. Kneel behind the ball with the forearms on top.
2. Set the core.
3. Roll the ball forward while the hips extend.
4. Pull back to the start.

Focus
Strengthens the deep core, shoulders, and lats while the trunk stays long.

Target muscles
Transverse abdominis, rectus abdominis, latissimus dorsi, shoulders

Dosage
6–8 reps · about 3 min

Breathing
Inhale to roll out, exhale to roll back.

Common faults
Arching the back, dropping the hips, and shrugging the shoulders.

Progression / Regression
Easier: Roll out less or use a wall. Harder: Extend the arms farther.


Cue
“Roll out and keep your body in one long line.”

Adaptation
Avoid beyond the first trimester or with shoulder injury; keep the range small.

Ball Hundred

feet on the ball

Intermediate | Stability Ball | V2-075



HOW TO DO IT

1. Lie on your back with the lower legs on the ball.
2. Curl the head and shoulders up.
3. Pump the arms by the hips.
4. Lower and rest.

Focus
Builds endurance and breath control while the ball challenges pelvic stability.

Target muscles
Rectus abdominis, transverse abdominis

Dosage
50–100 beats · about 3 min

Breathing
Inhale for 5 pumps, exhale for 5 pumps.

Common faults
Arching the lower back, gripping the neck, and losing the leg position.

Progression / Regression
Easier: Keep the head down. Harder: Lift the legs off the ball.


Cue
“Pump your arms and stay steady.”

Adaptation
Skip in later pregnancy; with neck strain, keep the head resting.

Wall Squat

with the ball behind the back

Intermediate | Stability Ball | V2-076



HOW TO DO IT

1. Stand with the ball between your lower back and the wall.
2. Walk the feet forward and hip-width apart.
3. Bend the knees and sink down.
4. Press into the heels to rise.

Focus
Strengthens the quadriceps and glutes with the ball reducing strain on the lower back.

Target muscles
Quadriceps, gluteus maximus, hamstrings

Dosage
10–12 reps · about 3 min

Breathing
Inhale to lower, exhale to rise.

Common faults
Letting the knees collapse inward, leaning on the toes, and dropping too deep.

Progression / Regression
Easier: Squat shallower. Harder: Add a hold for 3 breaths.


Cue
“Sink down and keep your knees over your toes.”

Adaptation
With knee pain, limit the depth; safe in pregnancy with support.

Back Extension

prone over the ball

Intermediate | Stability Ball | V2-077



HOW TO DO IT

1. Lie face down over the ball with feet on the floor.
2. Place the hands behind the head.
3. Lift the chest slightly while keeping the legs heavy.
4. Lower with control.

Focus
Strengthens the spinal extensors and mobilizes the thoracic spine with gravity assisting.

Target muscles
Erector spinae, gluteus maximus, rhomboids

Dosage
8–10 reps · about 3 min

Breathing
Inhale to lift, exhale to lower.

Common faults
Overextending the neck, lifting too high, and gripping the glutes.

Progression / Regression
Easier: Keep the hands behind the head. Harder: Reach the arms forward.


Cue
“Lift your chest and keep your neck long.”

Adaptation
Avoid in pregnancy; with lumbar sensitivity, use a small range.

Seated Spine Twist

on the ball

Intermediate | Stability Ball | V2-078



HOW TO DO IT

1. Sit tall on the ball with feet wide.
2. Cross the arms or place the hands behind the head.
3. Rotate the ribcage as one unit.
4. Return to center and switch.

Focus
Improves rotation and posture while the unstable surface challenges the deep core.

Target muscles
Obliques, multifidus, transverse abdominis

Dosage
6–8 reps each side · about 3 min

Breathing
Inhale to lengthen, exhale to twist.

Common faults
Collapsing the spine, shifting the pelvis, and holding the breath.

Progression / Regression
Easier: Keep the arms crossed over the chest. Harder: Open the arms wide.


Cue
“Sit tall and twist around your spine.”

Adaptation
With lumbar sensitivity, twist smaller; sit near a wall for balance.

Side Bend

over the ball

Intermediate | Stability Ball | V2-079



HOW TO DO IT

1. Kneel beside the ball and lay the torso sideways over it.
2. Reach the top arm overhead.
3. Stretch away from the ball.
4. Return slowly.

Focus
Lengthens the side body and improves lateral flexibility with the ball's support.

Target muscles
Obliques, quadratus lumborum, intercostals, latissimus dorsi

Dosage
5–6 reps each side · about 3 min

Breathing
Inhale to lengthen, exhale to stretch.

Common faults
Rotating the torso, collapsing the ribs, and overextending the neck.

Progression / Regression
Easier: Bend the top knee. Harder: Reach the top arm overhead.


Cue
“Reach long and open the side of your ribs.”

Adaptation
With shoulder injury, rest the arm on the ball; in pregnancy, keep the range comfortable.

Plank on the Ball

forearms on the ball

Intermediate | Stability Ball | V2-080



HOW TO DO IT

1. Kneel with the forearms on the ball.
2. Extend the legs behind you into a plank.
3. Set the core and glutes.
4. Hold and lower.

Focus
Builds full-body strength and stability as the ball challenges the core and shoulders.

Target muscles
Transverse abdominis, rectus abdominis, shoulders, gluteus maximus

Dosage
3 sets of 20–30 sec · about 3 min

Breathing
Breathe steadily, exhaling on effort.

Common faults
Sagging the hips, shrugging the shoulders, and holding the breath.

Progression / Regression
Easier: Kneel and reduce the hold time. Harder: Lift one foot slightly.


Cue
“Hold your plank and breathe into your ribs.”

Adaptation
Avoid beyond the first trimester or with shoulder injury; use a wall.

Prone Walkout

on the ball

Intermediate | Stability Ball | V2-081



HOW TO DO IT

1. Lie prone over the ball with the hands on the floor.
2. Walk the hands forward until the ball is under the shins.
3. Hold a plank position.
4. Walk back to the start.

Focus
Develops full-body strength and trunk stability as the ball rolls under the shins.

Target muscles
Transverse abdominis, shoulders, gluteus maximus, hip flexors

Dosage
6–8 reps · about 3 min

Breathing
Inhale to walk out, exhale to walk back.

Common faults
Letting the hips sag, shrugging the shoulders, and rolling too far.

Progression / Regression
Easier: Roll out less. Harder: Roll to the toes.


Cue
“Walk out and keep your body in one long line.”

Adaptation
Avoid in pregnancy; with shoulder or lumbar issues, use a smaller range.

Child's Pose

over the ball

Intermediate | Stability Ball | V2-082



HOW TO DO IT

1. Kneel in front of the ball.
2. Lay the torso forward over the ball.
3. Reach the arms long.
4. Hold and breathe.

Focus
Releases the back and shoulders and promotes relaxation at the end of class.

Target muscles
Latissimus dorsi, erector spinae, shoulder muscles

Dosage
30 sec hold · about 2 min

Breathing
Breathe slowly into the back.

Common faults
Tensing the shoulders and holding the breath.

Progression / Regression
Easier: Widen the knees. Harder: Reach the arms further.

Cue
“Let your breath soften your back.”

Adaptation
Widen the knees in pregnancy; with knee pain, add a cushion.

VOLUME 2 · INTERMEDIATE


Wall

12 exercises

Wall Roll-Down

back to the wall

Intermediate | Wall | V2-083



HOW TO DO IT

1. Stand with heels a hand's width from the wall, back and head touching it.
2. Nod your chin and peel the head, then each part of the spine, away from the wall.
3. Hang the arms forward, tailbone reaching toward the wall.
4. Press the feet down and stack the spine back up one segment at a time.

Focus
Articulates the spine one segment at a time while the wall gives feedback. Builds control and awareness of each vertebral level.

Target muscles
Rectus abdominis, erector spinae, hamstrings, deep core

Dosage
6–8 reps · about 3 min

Breathing
Inhale to prepare, exhale to roll down, inhale at the bottom, exhale to stack up.

Common faults
Letting the pelvis lift off the wall, collapsing the chest first, rushing the return, locking the knees.

Progression / Regression
Easier: bend the knees and shorten the range. Harder: step the feet closer to the wall and add an overhead arm reach.


Cue
“Peel your spine off the wall one bone at a time.”

Adaptation
Keep knees soft with lower back sensitivity; avoid deep flexion in later pregnancy and with disc concerns unless cleared.

Wall Squat

with arm press

Intermediate | Wall | V2-084



HOW TO DO IT

1. Stand with your back on the wall, feet hip-width and a step forward.
2. Slide down until the knees are above the ankles, arms reaching forward at shoulder height.
3. Press the palms forward as if pushing a wall, shoulders relaxed.
4. Exhale to straighten the legs and slide back to standing.

Focus
Strengthens the legs in a supported squat while the arms press forward for shoulder stability and trunk control.

Target muscles
Quadriceps, gluteals, hamstrings, deltoids, serratus anterior

Dosage
10–12 reps · about 3 min

Breathing
Inhale to lower, exhale to press up through the heels.

Common faults
Knees collapsing inward, heels lifting, lowering past parallel, shrugging the shoulders during the press.

Progression / Regression
Easier: shallow squat with arms down. Harder: hold the low position for 3 breaths or add a heel raise at the top.


Cue
“Press through your heels and grow tall up the wall.”

Adaptation
Limit depth with knee pain; stop if pelvic pressure arises in pregnancy; keep a hand free for balance.

Wall Bridge

feet on the wall

Intermediate | Wall | V2-085



HOW TO DO IT

1. Lie on your back with hips about a foot from the wall, feet flat on the wall, knees bent.
2. Flatten the lower back and tilt the pelvis to start the curl.
3. Press the feet into the wall and lift the hips to a long diagonal line.
4. Roll back down slowly, vertebra by vertebra, to the mat.

Focus
Teaches a controlled spinal curl with the feet elevated on the wall, challenging hamstrings and glutes while mobilizing the spine.

Target muscles
Gluteus maximus, hamstrings, abdominals, spinal extensors

Dosage
8 reps · about 3 min

Breathing
Inhale to prepare, exhale to curl up, inhale to hold, exhale to roll down.

Common faults
Pushing the ribs up, flaring the knees, tension in the neck, lifting too high on the shoulders.

Progression / Regression
Easier: feet lower on the wall with a shorter lift. Harder: march one foot off the wall at the top.


Cue
“Roll up through your tailbone, one bone at a time.”

Adaptation
Reduce range with lower back sensitivity; skip lying on the back for long periods in the second and third trimesters.

Standing Wall Push-Up

slow tempo

Intermediate | Wall | V2-086



HOW TO DO IT

1. Face the wall at arm's length, palms flat at shoulder height.
2. Lean forward into a long diagonal line, abdominals engaged.
3. Bend the elbows close to the ribs, bringing the chest toward the wall.
4. Press back to the start without losing the line.

Focus
Strengthens the chest, arms and shoulder stabilizers in a standing plank while holding a straight line from head to heels.

Target muscles
Pectorals, triceps, serratus anterior, core

Dosage
8–10 reps · about 2 min

Breathing
Inhale to bend the elbows, exhale to press away from the wall.

Common faults
Sagging at the hips, winging the shoulder blades, elbows flaring wide, craning the neck.

Progression / Regression
Easier: stand closer to the wall. Harder: step farther back or lift one heel at a time.


Cue
“Press the floor away and keep one long line.”

Adaptation
Use a closer stance with shoulder or wrist pain; a good option in pregnancy since it avoids lying down.

Wall Hundred

feet on the wall

Intermediate | Wall | V2-087



HOW TO DO IT

1. Lie on your back with the feet on the wall, hips and knees at 90 degrees.
2. Nod the chin and curl the head and shoulders up.
3. Reach the arms long by the hips and pump them in small beats.
4. Hold the curl and breathing rhythm until the count is done.

Focus
A supported take on the Hundred, building abdominal endurance and breath control with the legs held at a stable table height.

Target muscles
Rectus abdominis, transversus abdominis, hip flexors, shoulder stabilizers

Dosage
50–100 pulses · about 3 min

Breathing
Inhale for 5 pumps, exhale for 5 pumps, in a steady rhythm.

Common faults
Neck gripping, ribs flaring, lower back arching, small arm pulses without a breath rhythm.

Progression / Regression
Easier: head down and 50 pulses. Harder: extend the legs up the wall and hold the curl.


Cue
“Pump the arms and keep your belly scooped.”

Adaptation
Skip after the first trimester of pregnancy and with neck strain; keep the head down and use fewer pulses for older adults.

Wall Angels

back on the wall

Intermediate | Wall | V2-088



HOW TO DO IT

1. Stand with back, head and hips against the wall, elbows bent at shoulder height.
2. Press the back of the arms and wrists toward the wall.
3. Slide the arms overhead as far as you can without arching.
4. Slide down again, keeping the shoulders away from the ears.

Focus
Improves shoulder mobility and upper-back posture by sliding the arms against the wall while the ribs stay anchored.

Target muscles
Lower trapezius, rhomboids, serratus anterior, rotator cuff

Dosage
10 reps · about 2 min

Breathing
Inhale as the arms rise, exhale as they lower.

Common faults
Ribs flaring, head leaving the wall, shrugging, forcing the arms past a comfortable range.

Progression / Regression
Easier: smaller range with the elbows lower. Harder: add a squat while sliding the arms.


Cue
“Slide your arms up and keep your ribs soft.”

Adaptation
Work only in a pain-free range with shoulder injuries; stop and refer out if you feel pinching.

Standing Side Leg Lift

hand on the wall

Intermediate | Wall | V2-089



HOW TO DO IT

1. Stand sideways to the wall with one hand lightly touching it.
2. Stack hips and shoulders, standing leg soft.
3. Lift the outside leg to the side, toes forward.
4. Lower with control, keeping the pelvis level.

Focus
Works the hip abductors and lateral stability while the wall helps with balance and pelvic alignment.

Target muscles
Gluteus medius, tensor fasciae latae, obliques, standing leg stabilizers

Dosage
10 reps each side · about 3 min

Breathing
Inhale to prepare, exhale to lift the leg, inhale to lower.

Common faults
Leaning the torso, hiking the hip, swinging the leg, rotating the toes upward.

Progression / Regression
Easier: smaller lift. Harder: add small circles or a slow tempo at the top.


Cue
“Lift from your hip and keep your torso tall.”

Adaptation
Keep the lift small with hip or knee pain; hold the wall firmly if balance is a concern.

Single Leg Heel Raise

balance at the wall

Intermediate | Wall | V2-090



HOW TO DO IT

1. Face the wall with fingertips resting on it, feet hip-width.
2. Lift one foot slightly off the floor.
3. Rise onto the ball of the standing foot.
4. Lower slowly through the heel.

Focus
Challenges ankle stability and single leg balance, supporting the lower leg and walking mechanics.

Target muscles
Gastrocnemius, soleus, intrinsic foot muscles, gluteus medius

Dosage
8–10 reps each side · about 2 min

Breathing
Exhale to rise, inhale to lower slowly.

Common faults
Rolling to the outside of the foot, leaning on the wall, locking the knee, rushing.

Progression / Regression
Easier: both feet with fingertip support. Harder: close the eyes or use a slow 4-count lowering.


Cue
“Rise tall and keep your ankle straight.”

Adaptation
Use two feet when balance is a concern; keep a wall touch at all times for older adults.

Wall Seated Spine Twist

back on the wall

Intermediate | Wall | V2-091



HOW TO DO IT

1. Sit with your back against the wall, legs crossed or extended.
2. Lift the arms in a T or cross them at the chest.
3. Exhale and rotate the ribcage to one side, both sit bones heavy.
4. Return to center and repeat on the other side.

Focus
Rotates the thoracic spine while the wall keeps the back upright, improving rotation and waist control.

Target muscles
Obliques, multifidus, erector spinae, deep rotators

Dosage
5 each side · about 2 min

Breathing
Inhale to lengthen, exhale to twist, inhale to return.

Common faults
Collapsing the posture, moving the hips, twisting from the neck, forcing the range.

Progression / Regression
Easier: hands crossed on the chest. Harder: arms in a T with a double pulse at the end.


Cue
“Sit tall and rotate around your center.”

Adaptation
Sit on a folded towel if hamstrings are tight; keep the twist gentle with disc problems or in later pregnancy.

Legs Up the Wall

restorative stretch

Intermediate | Wall | V2-092



HOW TO DO IT

1. Sit with one hip beside the wall, then swing the legs up as you lie back.
2. Bring the hips near the wall, legs resting against it.
3. Place the arms by the sides with palms up.
4. Breathe slowly for the full hold.

Focus
A passive stretch for the hamstrings that relaxes the legs and quiets the nervous system at the end of a session.

Target muscles
Hamstrings, calves, lower back, hip adductors

Dosage
1–2 min hold · about 3 min

Breathing
Breathe slowly into the ribs for 5 to 6 deep breaths.

Common faults
Hips too far from the wall, tight hamstrings flattening the lower back, forcing straight knees.

Progression / Regression
Easier: bend the knees or move the hips farther from the wall. Harder: flex the feet and open the legs gently.


Cue
“Let your legs rest and your breath slow down.”

Adaptation
Avoid in later pregnancy and with reflux concerns; bend the knees if the hamstrings pull.

Wall Sit Leg Extension

one leg at a time

Intermediate | Wall | V2-093



HOW TO DO IT

1. Slide down the wall to a comfortable sit with knees over ankles.
2. Keep the pelvis level and the back long.
3. Extend one leg forward at hip height.
4. Lower the foot and switch legs.

Focus
Builds quadriceps strength and endurance in a supported wall sit, promoting knee control and thigh strength.

Target muscles
Quadriceps, gluteals, hamstrings, calves

Dosage
6 reps each leg · about 3 min

Breathing
Exhale to extend the leg, inhale to lower it.

Common faults
Hips shifting, back arching off the wall, locking the knee, dropping too low.

Progression / Regression
Easier: higher sit with no leg extension. Harder: hold the lifted leg for 3 breaths.


Cue
“Hold your sit steady and extend one long leg.”

Adaptation
Keep a shallow sit with knee pain; stop if kneecap discomfort appears.

Wall Curl-Up

teaser preparation

Intermediate | Wall | V2-094



HOW TO DO IT

1. Lie on your back with the feet flat against the wall, knees bent.
2. Reach the arms toward the knees and nod the chin.
3. Curl the head, neck and shoulders up, then the ribs.
4. Hold briefly and roll back down slowly.

Focus
Prepares the Teaser with a supported curl that builds abdominal flexion strength and spinal articulation.

Target muscles
Rectus abdominis, obliques, hip flexors

Dosage
8 reps · about 3 min

Breathing
Inhale to prepare, exhale to curl up, inhale to hold, exhale to lower.

Common faults
Pulling on the neck, rolling onto the tailbone too soon, legs dropping, using momentum.

Progression / Regression
Easier: hands behind the thighs. Harder: extend the arms alongside the legs with a pause.

Cue
“Curl up from your belly and reach forward.”

Adaptation
Skip in later pregnancy; reduce the range with lower back pain or osteoporosis concerns.

VOLUME 2 · INTERMEDIATE


Reformer

40 exercises

Hundred

legs at tabletop

Intermediate | Reformer | V2-095



HOW TO DO IT

1. Lie supine, holding the straps with arms long and legs in tabletop.
2. Curl the head and shoulders up, gaze toward the thighs.
3. Press the straps down in small, quick pumps beside the hips.
4. Hold the curl for ten breath cycles, then lower with control.

Focus
Builds abdominal endurance and breath control while the straps challenge pelvic stability.

Target muscles
Rectus abdominis, transversus abdominis, hip flexors, shoulder extensors

Springs
1–2 light springs

Dosage
100 pumps (10 breath cycles) · about 3 min

Breathing
Inhale for 5 pumps, exhale for 5 pumps, steady and rhythmic.

Common faults
Neck gripping, ribs flaring, low back arching, arms pumping from the elbows instead of the shoulders.

Progression / Regression
Easier: feet on the footbar or legs bent. Harder: extend legs to 45 degrees with a longer hold.


Cue
“Pump from your shoulders and keep your ribs knitted together.”

Adaptation
Skip prolonged supine work after the first trimester; use an incline. With neck or low back pain, keep the head down and legs bent.

Coordination

legs and arms combined

Intermediate | Reformer | V2-096



HOW TO DO IT

1. Lie supine, straps in hands, legs in tabletop, head curled up.
2. Extend the legs at an angle while pressing the arms down.
3. Open the legs to shoulder width, then close with the inner thighs.
4. Bend the knees back into tabletop and lower the head.

Focus
Links leg extension, arm press and a curl-up into one smooth, precise sequence.

Target muscles
Abdominals, hip flexors, inner thighs, triceps, shoulder stabilizers

Springs
2 springs

Dosage
5–6 reps · about 3 min

Breathing
Inhale to prepare, exhale as you open the legs, inhale to close.

Common faults
Rushing the leg return, dropping the pelvis, letting the knees bend as the legs open.

Progression / Regression
Easier: omit the curl and keep the head down. Harder: add a pause with legs low at 45 degrees.


Cue
“Float your legs out, then squeeze them together like glue.”

Adaptation
Avoid for pregnancy after the first trimester. With low back sensitivity, keep the legs higher.

Rowing 1

into the sternum

Intermediate | Reformer | V2-097



HOW TO DO IT

1. Sit tall on the carriage facing the straps, legs crossed or long.
2. Hold the straps at chest height, palms down, elbows out.
3. Pull the elbows back as the torso hinges slightly forward, then rises.
4. Return the arms forward without losing height.

Focus
Strengthens the back and shoulder girdle while holding a tall, anchored seated posture.

Target muscles
Latissimus dorsi, rhomboids, rear deltoids, erector spinae, abdominals

Springs
1–2 springs

Dosage
5–6 reps · about 3 min

Breathing
Inhale to prepare, exhale as you pull, inhale to return.

Common faults
Slumping the spine, shrugging the shoulders, pulling the elbows too far behind the body.

Progression / Regression
Easier: sit upright with less spring. Harder: add a spinal extension at the end of each pull.


Cue
“Grow tall and wrap your shoulder blades onto your back.”

Adaptation
With shoulder issues, keep the range smaller and avoid straps behind the torso line. Older clients may sit on a low platform.

Overhead

rolling back with straps

Intermediate | Reformer | V2-098



HOW TO DO IT

1. Lie supine, hands in the straps with arms long and head near the shoulder blocks.
2. Lift the legs overhead and roll the pelvis off the mat.
3. Hold at the top while the carriage moves slowly.
4. Roll down vertebra by vertebra to start.

Focus
Develops controlled spinal flexion and shoulder stability as the carriage glides away.

Target muscles
Rectus abdominis, latissimus dorsi, hamstrings, spinal flexors

Springs
2 springs

Dosage
5–6 reps · about 3 min

Breathing
Inhale to roll up, exhale to roll down segment by segment.

Common faults
Pushing the head into the pad, collapsing the neck, letting the hips drift away from the shoulders.

Progression / Regression
Easier: keep the hips lower and use less range. Harder: lift higher with a straight, extended leg line.


Cue
“Peel up one vertebra at a time, then roll down just as slowly.”

Adaptation
Avoid with neck concerns or high blood pressure; skip in pregnancy after the first trimester.

Short Spine Massage

spinal mobility

Intermediate | Reformer | V2-099



HOW TO DO IT

1. Lie supine, feet in the straps, legs extended to the ceiling.
2. Open the legs slightly and roll the pelvis up and overhead.
3. Bend the knees toward the chest to stretch the back.
4. Press down through the arms, then roll down slowly.

Focus
Articulates the spine and stretches the hamstrings with gentle, flowing roll-through.

Target muscles
Spinal flexors, hamstrings, hip flexors, rectus abdominis

Springs
1–2 springs

Dosage
4–5 reps · about 3 min

Breathing
Inhale to open the legs, exhale to roll down.

Common faults
Using momentum, bending the knees, lifting the neck or shoulders off the mat.

Progression / Regression
Easier: bend the knees slightly. Harder: lift the hips higher with a longer pause.


Cue
“Peel your spine down slowly, one bone at a time.”

Adaptation
Avoid in pregnancy after the first trimester and with osteoporosis or neck issues.

Frog

feet in straps

Intermediate | Reformer | V2-100



HOW TO DO IT

1. Lie supine, heels in the straps, knees bent and turned out.
2. Extend the legs diagonally through the heels.
3. Open slightly, then circle the legs closed.
4. Bend the knees back toward the chest.

Focus
Trains hip control and inner-thigh engagement by pressing and closing the legs against springs.

Target muscles
Gluteals, adductors, hamstrings, abdominals

Springs
1–2 light springs

Dosage
8–10 reps · about 2 min

Breathing
Exhale as the legs press out, inhale to bend back in.

Common faults
Pressing with straight toes, dropping the pelvis, tension in the neck and shoulders.

Progression / Regression
Easier: shorter range of motion. Harder: add a head lift and curl-up.


Cue
“Press out strong, then circle your heels together.”

Adaptation
Avoid supine work for long periods after the first trimester; use an incline. Keep the range small with knee pain.

Leg Circles

feet in straps

Intermediate | Reformer | V2-101



HOW TO DO IT

1. Lie supine, feet in the straps, legs extended to the ceiling.
2. Lower the legs toward the mat until the lumbar spine feels neutral.
3. Open, circle down, and squeeze them together.
4. Reverse the direction after the set.

Focus
Improves pelvic stability while the legs move independently in a small, controlled circle.

Target muscles
Hip flexors, adductors, gluteals, deep abdominals

Springs
1–2 springs

Dosage
5 circles each direction · about 3 min

Breathing
Inhale as the legs lift, exhale as they sweep around.

Common faults
Rocking the pelvis, lifting the ribs, making circles too large.

Progression / Regression
Easier: bend the knees slightly. Harder: lift the head and hold a curl while circling.


Cue
“Draw a small circle while your pelvis stays still.”

Adaptation
With low back pain, keep the circles small. Avoid supine work for long in later pregnancy.

Single Leg Skating

hip stability

Intermediate | Reformer | V2-102



HOW TO DO IT

1. Stand with one foot on the platform and the other on the carriage.
2. Hold the bar or stand tall with hands on the hips.
3. Bend the standing knee as the carriage moves away.
4. Straighten both legs to return.

Focus
Develops single-leg strength and hip stability as the carriage glides with each push.

Target muscles
Gluteus medius, quadriceps, hamstrings, deep core

Springs
1–2 springs

Dosage
6–8 reps each side · about 3 min

Breathing
Inhale to bend the standing knee, exhale to straighten.

Common faults
Letting the knee collapse inward, tilting the pelvis, gripping with the toes.

Progression / Regression
Easier: keep the foot closer to the bar. Harder: add a small hop or pulse at the end.


Cue
“Press through your heel and keep your hips level.”

Adaptation
With knee pain, limit the bend. Older clients should hold a stable support.

Knee Stretches

round back

Intermediate | Reformer | V2-103



HOW TO DO IT

1. Kneel on the carriage with hands on the footbar, spine rounded.
2. Keep the pelvis tucked and eyes on the navel.
3. Push the carriage out with the legs.
4. Pull it back in without changing the spine shape.

Focus
Teaches a stable curved spine while the legs push and pull the carriage with control.

Target muscles
Rectus abdominis, hip flexors, quadriceps, hamstrings

Springs
1–2 springs

Dosage
10–12 reps · about 3 min

Breathing
Exhale on the push, inhale to pull in.

Common faults
Letting the lower back flatten and arch, lifting the shoulders, bouncing the carriage.

Progression / Regression
Easier: reduce the range. Harder: lift the knees an inch off the carriage.


Cue
“Keep your back round like a cat and stay still.”

Adaptation
With wrist pain, use forearms or a wedge. Limit round-back time in later pregnancy.

Knee Stretches

flat back

Intermediate | Reformer | V2-104



HOW TO DO IT

1. Kneel with hands on the footbar, spine long and flat.
2. Engage the abdominals, shoulders away from ears.
3. Push the legs back until the hips extend.
4. Return with control, spine unchanged.

Focus
Builds a neutral, strong spine while the legs work powerfully against the springs.

Target muscles
Erector spinae, glutes, quadriceps, abdominals

Springs
1–2 springs

Dosage
10–12 reps · about 3 min

Breathing
Exhale as you extend the legs, inhale as you return.

Common faults
Arching the lumbar spine, dropping the head, shoulders shrugging.

Progression / Regression
Easier: reduce the range of the push. Harder: move quicker without bouncing.


Cue
“Hold your spine long and tall while your legs push.”

Adaptation
With low back pain, keep the range small. Safe in pregnancy with a neutral spine and wide knees.

Knee Stretches

knees off

Intermediate | Reformer | V2-105



HOW TO DO IT

1. Kneel with hands on the footbar, back flat.
2. Lift the knees one inch off the carriage.
3. Slide the carriage out and back with the legs.
4. Keep the knees hovering throughout.

Focus
Raises the challenge by lifting the knees and working the legs and abs against the springs.

Target muscles
Quadriceps, hip flexors, abdominals, shoulder stabilizers

Springs
1–2 springs

Dosage
8–10 reps · about 3 min

Breathing
Exhale as the carriage moves out, inhale to return.

Common faults
Hips lifting high, sagging in the back, locked elbows.

Progression / Regression
Easier: keep the knees on the carriage. Harder: hold the knees off for a full set.


Cue
“Hover your knees and stay compact.”

Adaptation
Skip in pregnancy after the first trimester and with wrist or shoulder pain.

Long Stretch

plank on the reformer

Intermediate | Reformer | V2-106



HOW TO DO IT

1. Place hands on the footbar and feet against the shoulder blocks, body in plank.
2. Press the heels back so the carriage glides slightly out.
3. Hold the plank line for a breath.
4. Bring the carriage back in by pulling the abdominals in.

Focus
Builds shoulder strength and trunk stability in a long plank, with the carriage in motion.

Target muscles
Abdominals, shoulders, serratus anterior, glutes, triceps

Springs
1–2 springs

Dosage
5–6 reps · about 3 min

Breathing
Inhale as the carriage moves out, exhale as it returns.

Common faults
Hips sagging or piking, shoulders collapsing, neck dropping.

Progression / Regression
Easier: keep the knees on the carriage or reduce the range. Harder: hold the plank for 3 breaths.


Cue
“Hold one long line from head to heels.”

Adaptation
Avoid with wrist or shoulder pain; skip in pregnancy after the first trimester.

Down Stretch

with a back extension

Intermediate | Reformer | V2-107



HOW TO DO IT

1. Kneel on the carriage with hands on the footbar.
2. Round the spine and draw the carriage forward.
3. Open the chest and arch while the carriage goes out.
4. Return to the rounded shape to start.

Focus
Combines a deep abdominal hold with a spinal extension for strength and mobility.

Target muscles
Spinal extensors, abdominals, shoulders, hip flexors

Springs
1–2 springs

Dosage
5 reps · about 3 min

Breathing
Inhale to extend, exhale to return to the arch.

Common faults
Collapsing the lumbar spine, tensing the neck, overextending the elbows.

Progression / Regression
Easier: reduce the range. Harder: add a longer hold at the top.


Cue
“Lift your chest and lengthen through the crown.”

Adaptation
Avoid with low back pain or wrist pain; skip in pregnancy.

Up Stretch

pike on the carriage

Intermediate | Reformer | V2-108



HOW TO DO IT

1. Stand on the carriage with hands on the footbar.
2. Lift the hips into a pike shape.
3. Press the carriage away and back with the legs.
4. Return to a plank-like position.

Focus
Teaches a strong pike shape that stretches the hamstrings and challenges the shoulders and abs.

Target muscles
Shoulder stabilizers, hamstrings, abdominals, hip flexors

Springs
1–2 springs

Dosage
5–6 reps · about 3 min

Breathing
Inhale to prepare, exhale to lift the hips.

Common faults
Hips dropping, shoulders shrugging, locking the knees hard.

Progression / Regression
Easier: reduce the range and bend the knees. Harder: add a pulse at the top.


Cue
“Lift your hips high and push the floor away.”

Adaptation
Avoid with wrist or shoulder pain; skip in pregnancy.

Elephant

hamstring stretch

Intermediate | Reformer | V2-109



HOW TO DO IT

1. Stand with the feet on the platform and hands on the footbar.
2. Round the spine and lift the hips.
3. Push the carriage out with the legs, then pull it in.
4. Keep the head relaxed.

Focus
Stretches the hamstrings and lengthens the spine while training controlled leg and arm pushes.

Target muscles
Hamstrings, glutes, spinal flexors, abdominals

Springs
1–2 springs

Dosage
8–10 reps · about 2 min

Breathing
Exhale as the carriage moves out, inhale to bring it in.

Common faults
Locking the knees, hunching the shoulders, tipping the pelvis too far.

Progression / Regression
Easier: bend the knees slightly. Harder: lift one leg off the platform.


Cue
“Round your back and draw your hips high.”

Adaptation
With hamstring or knee pain, keep the knees soft. Pregnancy: wide stance, light springs.

Stomach Massage

round back

Intermediate | Reformer | V2-110



HOW TO DO IT

1. Sit on the carriage with feet on the footbar, hands near the hips.
2. Round the back and tuck the pelvis.
3. Press the legs out until the knees straighten.
4. Return the legs without moving the torso.

Focus
Strengthens the abdominals and mobilizes the spine while keeping the pelvis steady.

Target muscles
Rectus abdominis, hip flexors, quadriceps

Springs
1–2 springs

Dosage
6–8 reps · about 3 min

Breathing
Exhale as the legs press out, inhale to bring them back.

Common faults
Letting the spine collapse, lifting the heels, moving the pelvis.

Progression / Regression
Easier: place hands behind the hips. Harder: add a pulse at full extension.


Cue
“Scoop your belly and keep rolling back.”

Adaptation
Fine for most clients with neutral posture. Avoid in pregnancy after the first trimester.

Stomach Massage

reach

Intermediate | Reformer | V2-111



HOW TO DO IT

1. Sit tall on the carriage with feet on the footbar.
2. Reach both arms overhead with a long spine.
3. Roll back through the spine while the carriage glides.
4. Return the carriage and arms together.

Focus
Adds an overhead reach to challenge spinal extension and abdominal control.

Target muscles
Abdominals, back extensors, shoulders, hip flexors

Springs
1–2 springs

Dosage
6–8 reps · about 3 min

Breathing
Inhale as the arms reach, exhale as you roll back.

Common faults
Overarching the lumbar spine, shoulders lifting, pelvis tipping.

Progression / Regression
Easier: reduce the arm reach. Harder: add a rotation with the reach.


Cue
“Reach tall and hold your abs in.”

Adaptation
Skip in pregnancy after the first trimester. Keep the shoulder range pain-free.

Stomach Massage

twist

Intermediate | Reformer | V2-112



HOW TO DO IT

1. Sit tall on the carriage with feet on the footbar and hands behind the head.
2. Round the spine slightly and press out.
3. Rotate the torso to one side while the carriage is out.
4. Center and return to start.

Focus
Challenges rotation with an abdominal squeeze, strengthening the obliques while the carriage moves.

Target muscles
Obliques, transversus abdominis, hip flexors

Springs
1–2 springs

Dosage
4–5 each side · about 3 min

Breathing
Exhale as you rotate, inhale as you center.

Common faults
Dropping the shoulder, moving the pelvis, rotating from the arms only.

Progression / Regression
Easier: limit the rotation and use a smaller range. Harder: hold the twist for 2 breaths.


Cue
“Twist from your waist and keep your hips square.”

Adaptation
Avoid with low back pain; skip in pregnancy after the first trimester.

Tendon Stretch

pike and extend

Intermediate | Reformer | V2-113



HOW TO DO IT

1. Stand on the carriage with hands on the footbar.
2. Lift the hips into a pike.
3. Push the carriage away and bring it in.
4. Return to a long line.

Focus
Challenges balance and stability with a deep hamstring stretch and a shoulder load.

Target muscles
Hamstrings, shoulder stabilizers, abdominals, spinal extensors

Springs
1–2 springs

Dosage
5–6 reps · about 3 min

Breathing
Exhale as you lift, inhale to return.

Common faults
Hips collapsing, knees bending hard, shrugging the shoulders.

Progression / Regression
Easier: shorten the range. Harder: add a longer hold at the top.


Cue
“Lift tall and stretch through your heels.”

Adaptation
Avoid with wrist or shoulder pain; skip in pregnancy.

Running

heels on the bar

Intermediate | Reformer | V2-114



HOW TO DO IT

1. Lie supine with the shoulders against the blocks and the balls of the feet on the footbar.
2. Press the legs out so the carriage moves away.
3. Alternate lowering one heel and lifting the other.
4. Keep the pelvis still.

Focus
Builds leg endurance and ankle mobility with alternating heel lifts and lowering.

Target muscles
Calves, quadriceps, glutes, abdominals

Springs
2–3 springs

Dosage
20–30 alternating reps · about 2 min

Breathing
Breathe steadily, matching the rhythm of the legs.

Common faults
Locking the knees, bouncing the carriage, lifting the shoulders.

Progression / Regression
Easier: slower pace and smaller range. Harder: add the running pace for a longer time.


Cue
“Run on the spot and keep the rhythm smooth.”

Adaptation
With calf or knee issues, slow down. Fine in pregnancy with light springs.

Snake

on the reformer

Intermediate | Reformer | V2-115



HOW TO DO IT

1. Sit sideways on the carriage with one hand on the footbar.
2. Lift the hips and press the carriage away.
3. Arch the spine and reach with the top arm.
4. Return to the side-sit position.

Focus
Combines shoulder strength with mobility as the body arcs through a deep spinal extension.

Target muscles
Spinal extensors, shoulders, abdominals, hip flexors

Springs
1–2 springs

Dosage
4–5 reps · about 3 min

Breathing
Inhale as you arch, exhale as you curl.

Common faults
Collapsing in the shoulders, overextending the neck, hips sagging.

Progression / Regression
Easier: reduce the arch. Harder: lift the legs slightly in the arch.


Cue
“Open your chest and stay long through the spine.”

Adaptation
Avoid with low back or shoulder pain; skip in pregnancy.

Twist

side plank

Intermediate | Reformer | V2-116



HOW TO DO IT

1. Start in a side plank, one hand on the footbar and feet against the blocks.
2. Lift the hips high.
3. Reach the top arm under the body to rotate.
4. Return to the side plank.

Focus
Develops lateral trunk strength and shoulder stability with a controlled rotation.

Target muscles
Obliques, shoulders, glutes, transversus abdominis

Springs
1–2 springs

Dosage
4–5 each side · about 3 min

Breathing
Exhale as you twist, inhale as you return.

Common faults
Sagging hips, collapsing shoulders, rushing the movement.

Progression / Regression
Easier: lower the knees to the carriage. Harder: add a lift of the top leg.


Cue
“Press tall and rotate from your core.”

Adaptation
Avoid with shoulder or wrist pain; skip in pregnancy after the first trimester.

Semi-Circle

bridge

Intermediate | Reformer | V2-117



HOW TO DO IT

1. Lie supine on the carriage with feet on the footbar.
2. Peel the spine up into a bridge.
3. Press the carriage slowly away with the legs.
4. Return the pelvis to the mat.

Focus
Strengthens the glutes and hamstrings while articulating the spine through an arc.

Target muscles
Gluteals, hamstrings, spinal extensors, abdominals

Springs
2 springs

Dosage
5–6 reps · about 3 min

Breathing
Inhale as you lift, exhale as you lower.

Common faults
Over-arching the lumbar spine, shifting weight to the neck, jerky transitions.

Progression / Regression
Easier: keep the range small. Harder: add a hover with the heels lifted.


Cue
“Peel up smoothly and lower slowly.”

Adaptation
Avoid prolonged supine work later in pregnancy. With neck issues, support the head.

Mermaid

side stretch

Intermediate | Reformer | V2-118



HOW TO DO IT

1. Sit sideways on the carriage with one hand on the footbar.
2. Lift the top arm overhead.
3. Bend the spine sideways, pressing the carriage slightly.
4. Return to center.

Focus
Lengthens the side body and improves lateral flexion with a seated stretch.

Target muscles
Obliques, quadratus lumborum, latissimus dorsi, shoulders

Springs
1 light spring

Dosage
4–5 each side · about 3 min

Breathing
Inhale to lengthen, exhale to bend sideways.

Common faults
Rolling forward or back, collapsing the supporting shoulder, letting the hip lift.

Progression / Regression
Easier: place the hand on the footbar. Harder: add a rotation with a reach.


Cue
“Stretch up and over without twisting.”

Adaptation
Safe in pregnancy; widen the legs. Reduce the range with shoulder pain.

Pulling Straps

long box

Intermediate | Reformer | V2-119



HOW TO DO IT

1. Lie prone on the long box with hands in the straps.
2. Lift the chest and arms.
3. Pull the straps back toward the hips.
4. Lower with control.

Focus
Strengthens the back extensors and shoulders while building a long, tall back extension.

Target muscles
Erector spinae, rhomboids, rear deltoids, glutes

Springs
1–2 springs

Dosage
5–6 reps · about 3 min

Breathing
Inhale to lift, exhale to pull.

Common faults
Cranking the neck, arching the lumbar spine, letting the legs separate.

Progression / Regression
Easier: reduce the lift. Harder: hold the lift for a breath.


Cue
“Lengthen your spine and lift your chest.”

Adaptation
Avoid with low back pain; skip prone work in pregnancy.

T-Pull

long box

Intermediate | Reformer | V2-120



HOW TO DO IT

1. Lie prone on the long box, hands in the straps with arms forward.
2. Lift the chest.
3. Sweep the arms out in a T.
4. Return the arms and lower.

Focus
Opens the chest and strengthens the upper back as the arms sweep wide.

Target muscles
Rhomboids, rear deltoids, back extensors

Springs
1–2 springs

Dosage
5–6 reps · about 3 min

Breathing
Inhale to lift, exhale to open the arms.

Common faults
Lifting the head too high, shrugging, bending the elbows.

Progression / Regression
Easier: reduce the lift. Harder: hold for 2 breaths.


Cue
“Lift your chest and open the arms wide.”

Adaptation
Avoid with shoulder or low back pain; skip prone work in pregnancy.

Swan

long box

Intermediate | Reformer | V2-121



HOW TO DO IT

1. Lie prone on the long box with hands on the footbar.
2. Press the carriage away.
3. Lift the chest and extend the spine.
4. Return slowly.

Focus
Develops back extension strength and spinal mobility on the long box.

Target muscles
Back extensors, glutes, shoulders

Springs
1–2 springs

Dosage
5–6 reps · about 3 min

Breathing
Inhale as you lift, exhale as you lower.

Common faults
Over-arching, lifting the legs too high, shoulders shrugging.

Progression / Regression
Easier: shorten the range. Harder: add a hold in the lift.


Cue
“Lift long and reach through the crown.”

Adaptation
Avoid with low back pain; skip prone work in pregnancy.

Horseback

long box

Intermediate | Reformer | V2-122



HOW TO DO IT

1. Sit astride the box facing the footbar.
2. Place the feet on the footbar and hold the straps.
3. Push the carriage away with the legs.
4. Return with control.

Focus
Challenges balance and leg strength while sitting astride the long box.

Target muscles
Quadriceps, adductors, back extensors

Springs
1–2 springs

Dosage
6–8 reps · about 3 min

Breathing
Inhale to prepare, exhale to push.

Common faults
Collapsing the spine, gripping the legs hard, losing balance.

Progression / Regression
Easier: hold the straps lightly. Harder: lift the arms overhead.


Cue
“Stay tall and press through your legs.”

Adaptation
With knee pain, limit the range. Skip in pregnancy after the first trimester.

Short Box

round back

Intermediate | Reformer | V2-123



HOW TO DO IT

1. Sit on the box with feet in the strap and hands behind the head.
2. Round the spine and roll back.
3. Hold at a comfortable angle.
4. Roll up one vertebra at a time.

Focus
Builds abdominal control and spinal flexion with a long roll-back against the straps.

Target muscles
Rectus abdominis, hip flexors, spinal flexors

Springs
1 spring

Dosage
5–6 reps · about 3 min

Breathing
Exhale as you roll back, inhale as you return.

Common faults
Collapsing the chest, gripping with the legs, rolling too far.

Progression / Regression
Easier: reduce the roll-back. Harder: hold the lower position for a breath.


Cue
“Roll back like a ball and use your abs.”

Adaptation
Avoid with low back pain; skip in pregnancy after the first trimester.

Short Box

flat back

Intermediate | Reformer | V2-124



HOW TO DO IT

1. Sit on the box with the spine long.
2. Hold the pole or hands on the head.
3. Hinge back with a flat spine.
4. Return to upright.

Focus
Builds trunk strength while holding a flat back hinge against the straps.

Target muscles
Abdominals, back extensors, hip flexors

Springs
1 spring

Dosage
5–6 reps · about 3 min

Breathing
Exhale as you hinge back, inhale to return.

Common faults
Arching the lumbar spine, tipping the pelvis, dropping the chin.

Progression / Regression
Easier: hinge less. Harder: add a rotation.


Cue
“Hinge from your hips and keep your back long.”

Adaptation
Avoid with low back pain; skip in pregnancy after the first trimester.

Short Box

side-to-side twist

Intermediate | Reformer | V2-125



HOW TO DO IT

1. Sit tall on the box, hands behind the head.
2. Hinge back slightly.
3. Rotate to one side and return.
4. Repeat on the other side.

Focus
Strengthens the obliques with a controlled twist from a seated hinge.

Target muscles
Obliques, transversus abdominis, hip flexors

Springs
1 spring

Dosage
4–5 each side · about 3 min

Breathing
Exhale as you rotate, inhale as you return.

Common faults
Rotating from the arms, dropping a shoulder, lifting the hips.

Progression / Regression
Easier: smaller rotation. Harder: add a lateral reach.


Cue
“Twist from your waist and stay tall.”

Adaptation
Avoid with low back pain; skip in pregnancy after the first trimester.

Short Box

side reach

Intermediate | Reformer | V2-126



HOW TO DO IT

1. Sit tall on the box with feet in the strap.
2. Reach one arm overhead.
3. Bend sideways over the box.
4. Return to center.

Focus
Combines a side bend with a reach to lengthen the lateral line of the body.

Target muscles
Obliques, quadratus lumborum, shoulders

Springs
1 spring

Dosage
4–5 each side · about 3 min

Breathing
Inhale to reach, exhale to return.

Common faults
Collapsing sideways, rotating the torso, lifting the hips.

Progression / Regression
Easier: smaller side bend. Harder: reach farther with a rotation.


Cue
“Reach long and keep both hips down.”

Adaptation
Avoid with low back pain; skip in pregnancy after the first trimester.

Chest Expansion

kneeling

Intermediate | Reformer | V2-127



HOW TO DO IT

1. Kneel on the carriage facing the straps.
2. Hold the straps with arms long.
3. Pull the arms behind the body.
4. Return the arms forward.

Focus
Opens the chest and strengthens the upper back with a tall kneeling posture.

Target muscles
Rhomboids, rear deltoids, abdominals

Springs
1–2 springs

Dosage
6–8 reps · about 2 min

Breathing
Inhale to prepare, exhale to pull.

Common faults
Arching the back, shrugging, leaning forward.

Progression / Regression
Easier: reduce the pull. Harder: add a head turn.


Cue
“Pull your arms back and lift your chest.”

Adaptation
With shoulder pain, reduce the range. Safe in pregnancy with a neutral spine.

Kneeling Arm Circles

tall kneel

Intermediate | Reformer | V2-128



HOW TO DO IT

1. Kneel on the carriage facing the straps.
2. Hold the straps with arms forward.
3. Circle the arms down and around.
4. Reverse the direction.

Focus
Builds shoulder control and trunk stability with controlled arm circles.

Target muscles
Deltoids, shoulder stabilizers, abdominals

Springs
1–2 springs

Dosage
5 circles each direction · about 2 min

Breathing
Inhale on the up phase, exhale on the down phase.

Common faults
Shrugging, leaning backward, rushing the circles.

Progression / Regression
Easier: reduce the circle size. Harder: add a hinge.


Cue
“Circle your arms and keep your ribs down.”

Adaptation
With shoulder pain, keep the circles small. Safe in pregnancy with a neutral spine.

Side Splits

carriage glide

Intermediate | Reformer | V2-129



HOW TO DO IT

1. Stand sideways on the carriage with one foot on the platform.
2. Hold a bar for balance.
3. Press the legs apart.
4. Draw them back together.

Focus
Strengthens the inner and outer thighs while training balance in a standing position.

Target muscles
Adductors, abductors, gluteus medius, core

Springs
1–2 springs

Dosage
8–10 reps · about 3 min

Breathing
Exhale as you push, inhale as you return.

Common faults
Letting the knees bend, leaning sideways, jerky movement.

Progression / Regression
Easier: use support and reduce the range. Harder: add a hover.


Cue
“Slide your legs out and squeeze them back.”

Adaptation
With hip or knee pain, shorten the range. Use support for older clients.

Lunge

standing

Intermediate | Reformer | V2-130



HOW TO DO IT

1. Stand with one foot on the platform and the other on the carriage.
2. Hold the footbar.
3. Bend the front knee while the back leg extends.
4. Press up to return.

Focus
Develops single-leg strength and balance with a standing lunge on the platform.

Target muscles
Quadriceps, glutes, hamstrings, abdominals

Springs
1–2 springs

Dosage
6–8 reps each side · about 3 min

Breathing
Inhale to lower, exhale to rise.

Common faults
Letting the knee drift inward, leaning forward, losing balance.

Progression / Regression
Easier: smaller range. Harder: add a hover.


Cue
“Lower with control and drive through your heel.”

Adaptation
With knee pain, shorten the range. Use support for older clients.

Skiing

standing

Intermediate | Reformer | V2-131



HOW TO DO IT

1. Stand on the carriage facing the straps.
2. Hold the straps in front of the body.
3. Press the carriage away.
4. Return with control.

Focus
Builds coordination and leg strength with a sweeping arm and leg pattern.

Target muscles
Glutes, quadriceps, deltoids, abdominals

Springs
1–2 springs

Dosage
6–8 reps · about 3 min

Breathing
Inhale to prepare, exhale as you glide.

Common faults
Locking the knees, rotating the pelvis, shrugging.

Progression / Regression
Easier: reduce the range. Harder: add a pulse.


Cue
“Glide with control and keep your hips square.”

Adaptation
With balance concerns, use support. Safe in pregnancy with wide stance.

Footwork

single leg

Intermediate | Reformer | V2-132



HOW TO DO IT

1. Lie supine with one foot on the footbar.
2. Extend the other leg to tabletop.
3. Press the carriage away.
4. Return with control.

Focus
Strengthens each leg individually while keeping the pelvis stable.

Target muscles
Quadriceps, hamstrings, glutes, calves

Springs
3 springs

Dosage
8–10 reps each leg · about 3 min

Breathing
Exhale as you push, inhale as you return.

Common faults
Pelvis tilting, knee drifting inward, gripping the toes.

Progression / Regression
Easier: use both feet. Harder: add a hover.


Cue
“Press through your heel and keep your hips level.”

Adaptation
With knee pain, limit the bend. Safe in pregnancy with an incline.

Teaser

reformer prep

Intermediate | Reformer | V2-133



HOW TO DO IT

1. Lie supine on the carriage with feet in the straps.
2. Curl up into a V shape.
3. Hold for a breath.
4. Roll down slowly.

Focus
Builds abdominal strength and balance with a V-sitting posture.

Target muscles
Rectus abdominis, hip flexors, back extensors

Springs
1 light spring

Dosage
4–5 reps · about 3 min

Breathing
Exhale as you roll up, inhale to lower.

Common faults
Using momentum, dropping the chest, shoulders shrugging.

Progression / Regression
Easier: bend the knees. Harder: lift the legs higher.


Cue
“Roll up tall and balance on your sit bones.”

Adaptation
Avoid with low back pain; skip in pregnancy after the first trimester.

Rowing 3

shaving the head

Intermediate | Reformer | V2-134



HOW TO DO IT

1. Sit tall on the carriage facing the straps, holding the straps close to the chest.
2. Press the arms forward and up.
3. Open the arms wide and hinge the torso slightly.
4. Draw the arms back in and sit tall.

Focus
Strengthens the upper back and shoulders while the spine stays long over a hinged torso.

Target muscles
Rhomboids, rear deltoids, latissimus dorsi, back extensors

Springs
1–2 springs

Dosage
5–6 reps · about 3 min

Breathing
Inhale to prepare, exhale as you press, inhale to return.

Common faults
Rounding the back, lifting the shoulders, letting the elbows flare.

Progression / Regression
Easier: sit tall with less range. Harder: add a deeper hinge.

Cue
“Reach long and keep your chest open.”

Adaptation
With shoulder pain, keep the arms low. Safe in pregnancy with a wide seat.

VOLUME 2 · INTERMEDIATE


Cadillac

14 exercises

Roll-Down with Push-Through Bar

seated

Intermediate | Cadillac | V2-135



HOW TO DO IT

1. Sit facing the bar with legs extended.
2. Hold the bar with both hands.
3. Roll down vertebra by vertebra.
4. Roll back up.

Focus
Trains articulate spinal flexion with the bar providing gentle resistance and feedback.

Target muscles
Rectus abdominis, erector spinae, hamstrings

Springs
1–2 springs

Dosage
6 reps · about 3 min

Breathing
Inhale to prepare, exhale to roll down, inhale to return.

Common faults
Pulling with the arms, collapsing, losing leg length.

Progression / Regression
Easier: lighter spring. Harder: add a hold at the bottom.


Cue
“Roll down slowly and stack back up.”

Adaptation
Keep the range small with disc issues; skip deep rolls in pregnancy.

Leg Springs Frog

supine

Intermediate | Cadillac | V2-136



HOW TO DO IT

1. Lie on your back with the feet in the loops.
2. Bend the knees.
3. Press the legs out.
4. Return.

Focus
Works hip rotation and control in the springs.

Target muscles
Gluteals, adductors, hamstrings

Springs
1 light spring

Dosage
8 reps · about 3 min

Breathing
Exhale to press, inhale to return.

Common faults
Pelvis rocking, knees collapsing.

Progression / Regression
Easier: smaller range. Harder: pulse.


Cue
“Press out long and bring the heels together.”

Adaptation
Avoid prolonged supine in later pregnancy.

Leg Springs Circles

supine

Intermediate | Cadillac | V2-137



HOW TO DO IT

1. Lie on your back.
2. Place feet in the straps.
3. Circle the legs.
4. Reverse direction.

Focus
Mobilizes the hips with controlled circles.

Target muscles
Hip flexors, gluteals, adductors

Springs
1 light spring

Dosage
5 each direction · about 3 min

Breathing
Inhale up and out, exhale down and in.

Common faults
Pelvis moving, big circles.

Progression / Regression
Easier: smaller. Harder: add speed.


Cue
“Draw circles and keep your hips still.”

Adaptation
Avoid supine in later pregnancy.

Leg Springs Walking

supine

Intermediate | Cadillac | V2-138



HOW TO DO IT

1. Lie on your back.
2. Place feet in straps.
3. Extend one leg down.
4. Alternate.

Focus
Develops alternating leg control while stabilizing the pelvis.

Target muscles
Hip flexors, hamstrings, core

Springs
1 light spring

Dosage
10 reps · about 3 min

Breathing
Inhale to prepare, exhale to alternate.

Common faults
Back arching, pelvis tilting.

Progression / Regression
Easier: bent knees. Harder: speed.


Cue
“Walk your legs and keep your pelvis steady.”

Adaptation
Avoid supine in later pregnancy.

Arm Springs Chest Expansion

kneeling

Intermediate | Cadillac | V2-139



HOW TO DO IT

1. Kneel facing away from the springs.
2. Hold the handles.
3. Pull arms back.
4. Return.

Focus
Opens the chest and strengthens the back of the shoulders.

Target muscles
Posterior deltoids, rhomboids, triceps

Springs
1–2 springs

Dosage
6 reps · about 3 min

Breathing
Inhale to prepare, exhale to pull.

Common faults
Arching, shoulders shrugging.

Progression / Regression
Easier: lighter. Harder: add head turns.


Cue
“Pull back and open your chest.”

Adaptation
Light spring with shoulder issues.

Cadillac Shoulder Bridge

feet on the bar

Intermediate | Cadillac | V2-140



HOW TO DO IT

1. Lie on your back.
2. Place feet on the bar.
3. Curl up.
4. Roll down.

Focus
Strengthens glutes and mobilizes the spine.

Target muscles
Gluteals, hamstrings, abdominals

Springs
1 light spring

Dosage
6 reps · about 3 min

Breathing
Exhale to curl up, inhale to roll down.

Common faults
Ribs flaring, knees flaring.

Progression / Regression
Easier: smaller lift. Harder: leg lift.


Cue
“Roll up through your spine.”

Adaptation
Avoid supine in later pregnancy.

Side Leg Springs

sidelying

Intermediate | Cadillac | V2-141



HOW TO DO IT

1. Lie sideways.
2. Place foot in strap.
3. Press the leg.
4. Return.

Focus
Strengthens hip abductors with spring resistance.

Target muscles
Gluteus medius, adductors, obliques

Springs
1 light spring

Dosage
8 each side · about 3 min

Breathing
Exhale to press, inhale to return.

Common faults
Rolling back, hiking the hip.

Progression / Regression
Easier: smaller. Harder: circles.


Cue
“Press your leg and keep your torso still.”

Adaptation
Use a pillow for support.

Cat Stretch

with push-through bar

Intermediate | Cadillac | V2-142



HOW TO DO IT

1. Kneel facing the bar.
2. Hold the bar.
3. Round the spine.
4. Extend.

Focus
Mobilizes the spine into flexion and extension.

Target muscles
Erector spinae, abdominals, shoulders

Springs
1 spring

Dosage
6 reps · about 3 min

Breathing
Inhale to extend, exhale to round.

Common faults
Collapsing, shrugging.

Progression / Regression
Easier: smaller. Harder: longer.


Cue
“Round your spine and press forward.”

Adaptation
Light spring with wrist issues.

Breathing with Push-Through Bar

supine

Intermediate | Cadillac | V2-143



HOW TO DO IT

1. Lie on your back.
2. Hold the bar.
3. Lift the arms.
4. Lower.

Focus
Coordinates breath with movement.

Target muscles
Diaphragm, abdominals, shoulders

Springs
1 spring

Dosage
6 reps · about 3 min

Breathing
Inhale to lift, exhale to lower.

Common faults
Ribs flaring, neck tension.

Progression / Regression
Easier: lighter. Harder: slower.


Cue
“Breathe wide and lower slowly.”

Adaptation
Avoid supine in later pregnancy.

Sidelying Arm Springs

sidelying

Intermediate | Cadillac | V2-144



HOW TO DO IT

1. Lie sideways.
2. Hold the handle.
3. Press the arm.
4. Return.

Focus
Works shoulder stability and control.

Target muscles
Rotator cuff, deltoids, obliques

Springs
1 light spring

Dosage
8 each side · about 3 min

Breathing
Exhale to press, inhale to return.

Common faults
Shoulder shrugging, torso rolling.

Progression / Regression
Easier: lighter. Harder: add pause.


Cue
“Press your arm and keep your shoulders low.”

Adaptation
Light spring with shoulder issues.

Monkey

hanging

Intermediate | Cadillac | V2-145



HOW TO DO IT

1. Stand at the bar.
2. Hold the bar.
3. Lift the legs.
4. Lower.

Focus
Builds full body strength.

Target muscles
Latissimus dorsi, core, hamstrings

Springs
1 light spring

Dosage
5 reps · about 4 min

Breathing
Inhale to prepare, exhale to lift.

Common faults
Shoulders shrugging, swinging.

Progression / Regression
Easier: lighter. Harder: slower.


Cue
“Lift with control and stay long.”

Adaptation
Skip with shoulder issues.

Hamstring Stretch with Push-Through Bar

supine

Intermediate | Cadillac | V2-146



HOW TO DO IT

1. Lie on your back.
2. Place foot in the strap.
3. Straighten the leg.
4. Hold.

Focus
Lengthens the hamstrings with the bar assisting.

Target muscles
Hamstrings, calves, glutes

Springs
1 spring

Dosage
4 breaths each side · about 3 min

Breathing
Exhale to deepen.

Common faults
Pelvis tilting.

Progression / Regression
Easier: bend the knee. Harder: lift higher.


Cue
“Lengthen your leg and keep your hips still.”

Adaptation
Avoid supine in later pregnancy.

Bicep Curl

arm springs

Intermediate | Cadillac | V2-147



HOW TO DO IT

1. Lie on your back.
2. Hold the handles.
3. Curl the arms.
4. Lower.

Focus
Strengthens the biceps.

Target muscles
Biceps, brachialis, forearms

Springs
1 spring

Dosage
10 reps · about 3 min

Breathing
Exhale to curl, inhale to lower.

Common faults
Elbows drifting, shrugging.

Progression / Regression
Easier: lighter. Harder: slower.


Cue
“Curl up and keep your elbows still.”

Adaptation
Light spring with elbow issues.

Cadillac Teaser

with leg springs

Intermediate | Cadillac | V2-148



HOW TO DO IT

1. Lie on your back.
2. Place feet in straps.
3. Roll up.
4. Roll down.

Focus
Challenges core strength.

Target muscles
Rectus abdominis, hip flexors, obliques

Springs
1 light spring

Dosage
5 reps · about 3 min

Breathing
Inhale to prepare, exhale to roll up.

Common faults
Collapsing the chest, momentum.

Progression / Regression
Easier: bent knees. Harder: hold.

Cue
“Roll up tall and balance.”

Adaptation
Skip in later pregnancy.

VOLUME 2 · INTERMEDIATE


Wunda Chair

12 exercises

Footwork Parallel

heels together

Intermediate | Wunda Chair | V2-149



HOW TO DO IT

1. Sit tall on the edge of the chair, hands on the sides.
2. Place the balls of the feet on the pedal, heels together.
3. Press the pedal down with straight legs.
4. Return slowly with control, keeping the pelvis still.

Focus
Trains leg alignment and strength with the pedal as resistance, connecting the pelvis, knees and ankles.

Target muscles
Quadriceps, gluteals, calves, hamstrings

Springs
Heavier setting: 2 springs

Dosage
10 reps · about 3 min

Breathing
Exhale to press the pedal down, inhale to return.

Common faults
Slamming the pedal, pelvis tilting, knees collapsing, heels sinking forward.

Progression / Regression
Easier: lighter spring and a smaller range. Harder: single leg or add a calf raise.


Cue
“Press down smoothly and let the pedal rise back.”

Adaptation
Use a lighter spring with knee pain; sit on a wedge and keep the spine neutral during pregnancy.

Single Leg Press

seated

Intermediate | Wunda Chair | V2-150



HOW TO DO IT

1. Sit upright with one foot on the pedal and the other on the floor.
2. Square your pelvis and engage the abdominals.
3. Press the pedal down by extending the leg.
4. Return slowly and repeat on the other side.

Focus
Isolates each leg to even out strength and pelvic stability against a steady spring load.

Target muscles
Quadriceps, gluteals, hamstrings, core

Springs
2 springs

Dosage
8 reps each leg · about 3 min

Breathing
Inhale to prepare, exhale to press, inhale to return.

Common faults
Pelvis rocking, standing knee collapsing, pushing the pedal too fast, shoulders rising.

Progression / Regression
Easier: use both feet and a lighter spring. Harder: heavier spring or a slow tempo.


Cue
“Press with one leg and keep your hips level.”

Adaptation
Use a lighter spring with hip or knee issues; keep the range small if the knee clicks.

Seated Triceps Press

hands on the pedal

Intermediate | Wunda Chair | V2-151



HOW TO DO IT

1. Sit on the edge of the chair facing away from the pedal, hands on the pedal edge.
2. Draw the shoulders down and lengthen the spine.
3. Press the pedal down by straightening the elbows.
4. Return slowly, keeping the ribs lifted.

Focus
Strengthens the triceps and shoulder girdle while the spine holds an upright, supported posture.

Target muscles
Triceps, serratus anterior, latissimus dorsi, core

Springs
2–3 springs

Dosage
10 reps · about 3 min

Breathing
Exhale to press down, inhale to let the pedal rise.

Common faults
Shoulders hiking, elbows flaring, leaning back, wrists collapsing.

Progression / Regression
Easier: lighter spring and shorter range. Harder: heavier spring or a slow return.


Cue
“Press down and keep your elbows close to your ribs.”

Adaptation
Use a lighter spring with shoulder or wrist pain; keep the spine tall during pregnancy.

Pull-Up

pumping

Intermediate | Wunda Chair | V2-152



HOW TO DO IT

1. Stand facing the chair, hands on the pedal's raised edge.
2. Stand tall with a long neutral spine.
3. Pull the pedal up toward the chest line.
4. Lower slowly under control.

Focus
Builds back strength and shoulder control by pulling the pedal up with a stabilized trunk and open chest.

Target muscles
Latissimus dorsi, rhomboids, biceps, posterior deltoids, core

Springs
1–2 springs

Dosage
8 reps · about 3 min

Breathing
Inhale to prepare, exhale to pull up, inhale to lower.

Common faults
Rounding forward, shrugging, lifting the chin, letting the pedal drop.

Progression / Regression
Easier: lighter spring and a smaller range. Harder: slow the lowering to 4 counts.


Cue
“Draw the pedal up and keep your chest open.”

Adaptation
Use a light spring with shoulder issues; avoid forcing range if pinching appears.

Going Up Front

hands on the chair

Intermediate | Wunda Chair | V2-153



HOW TO DO IT

1. Stand facing the chair with the hands on the pedal.
2. Step back so the body forms a slight angle.
3. Bend the knees and hips, folding the torso gently.
4. Press the pedal down, extend the legs and rise to standing.

Focus
A classic chair flow that links the legs, core and arms while hinging down and lifting back up to standing.

Target muscles
Quadriceps, gluteals, abdominals, shoulders, triceps

Springs
2–3 springs

Dosage
6 reps · about 4 min

Breathing
Inhale to prepare, exhale to lift, inhale to lower.

Common faults
Dumping weight into the shoulders, slumping the chest, locking the knees, rushing the pedal.

Progression / Regression
Easier: lighter spring and a shorter range. Harder: lift from a deeper squat with a hold.


Cue
“Lift up through your legs and lengthen your spine.”

Adaptation
Use a conservative range with wrist or knee issues; get clearance for pregnancy before teaching it.

Mountain Climb

feet on the pedal

Intermediate | Wunda Chair | V2-154



HOW TO DO IT

1. Place the hands on the seat edge and the feet on the pedal.
2. Create a diagonal line from head to heels.
3. Press one leg down and bend the other knee.
4. Alternate smoothly while keeping the hips level.

Focus
Challenges the core and legs with an alternating pedaling action in a plank-like line, building strength and stability together.

Target muscles
Core, quadriceps, gluteals, shoulders, triceps

Springs
2–3 springs

Dosage
8 alternations · about 3 min

Breathing
Inhale for 2 presses, exhale for 2 presses.

Common faults
Hips sinking, shoulders collapsing, shifting the weight, pedaling too fast.

Progression / Regression
Easier: lighter spring and a higher hand position. Harder: slow tempo or heavier spring.


Cue
“Press the pedal and keep your body in one line.”

Adaptation
Skip with wrist or shoulder pain; avoid prone positions in pregnancy.

Tendon Stretch

standing fold

Intermediate | Wunda Chair | V2-155



HOW TO DO IT

1. Stand facing the chair with hands on the pedal.
2. Step back, hinging at the hips.
3. Press the pedal down while pushing the hips back.
4. Return and repeat with control.

Focus
Stretches the hamstrings and calves while the arms support, building control through the shoulder girdle.

Target muscles
Hamstrings, calves, back extensors, triceps

Springs
1–2 springs

Dosage
6 reps · about 3 min

Breathing
Inhale to prepare, exhale to fold, inhale to return.

Common faults
Rounding the neck, collapsing onto the wrists, lifting the heels, bouncing.

Progression / Regression
Easier: bend the knees slightly. Harder: lower the heels and extend the pedal further.


Cue
“Lengthen through your hamstrings and hips.”

Adaptation
Keep the knees soft with sensitive hamstrings; avoid deep forward folds late in pregnancy.

Swan Prep

chest lift

Intermediate | Wunda Chair | V2-156



HOW TO DO IT

1. Lie over the seat with the hands on the pedal.
2. Engage the abdominals and lengthen the legs.
3. Press the pedal slightly and lift the chest.
4. Lower the chest slowly.

Focus
Prepares back extension with the pedal assisting, strengthening the spinal extensors with an open chest.

Target muscles
Erector spinae, lower trapezius, gluteals, hamstrings

Springs
1–2 springs

Dosage
6 reps · about 3 min

Breathing
Inhale to lift the chest, exhale to lower.

Common faults
Overarching the lower back, lifting the head too far, lifting the legs, shoulders rising.

Progression / Regression
Easier: smaller lift with a lighter spring. Harder: lift higher with the arms reaching.


Cue
“Lengthen forward and lift through your upper back.”

Adaptation
Avoid in pregnancy because of the prone position; keep the lift small with lower back or disc issues.

Chair Frog

heels on the pedal

Intermediate | Wunda Chair | V2-157



HOW TO DO IT

1. Sit tall and place the heels together on the pedal in a turned-out position.
2. Open the knees slightly, keeping the pelvis level.
3. Press the pedal down by straightening the legs.
4. Return slowly and repeat.

Focus
Strengthens the inner thighs and glutes in a turned-out position, fostering hip rotation control.

Target muscles
Hip adductors, gluteals, deep external rotators

Springs
2 springs

Dosage
8–10 reps · about 3 min

Breathing
Exhale to press, inhale to bend the knees.

Common faults
Pelvic tilt, knees turning in, heels separating, jerky motion.

Progression / Regression
Easier: lighter spring or shorter range. Harder: pulse at the end or heavier spring.


Cue
“Press the pedal and squeeze your heels together.”

Adaptation
Reduce turnout with hip discomfort; keep the lower back neutral and the range small during pregnancy.

Chair Teaser

hands on the seat

Intermediate | Wunda Chair | V2-158



HOW TO DO IT

1. Sit on the chair seat and hold the edge.
2. Bring the legs to table top and lean slightly back.
3. Roll up into a V position.
4. Roll down slowly with control.

Focus
Builds abdominal strength with a controlled V-sit, using the chair for support and the spring for balance.

Target muscles
Rectus abdominis, hip flexors, obliques, quadriceps

Springs
1–2 springs

Dosage
5 reps · about 3 min

Breathing
Inhale to prepare, exhale to roll up, inhale to hold, exhale to roll down.

Common faults
Throwing the arms, collapsing the chest, tension in the neck, legs dropping.

Progression / Regression
Easier: knees bent. Harder: extend the legs fully and hold the top.


Cue
“Roll up long and balance on your sit bones.”

Adaptation
Skip in later pregnancy; keep the range small with lower back pain.

Seated Spine Stretch Forward

chair edge

Intermediate | Wunda Chair | V2-159



HOW TO DO IT

1. Sit tall on the chair edge with feet on the floor.
2. Reach the arms forward.
3. Curve the spine forward one segment at a time.
4. Stack the spine back up slowly.

Focus
Lengthens the spine and hamstrings with a deep forward articulation, supported by the chair.

Target muscles
Erector spinae, hamstrings, abdominals

Springs
1 spring

Dosage
6 reps · about 2 min

Breathing
Inhale to sit tall, exhale to round forward, inhale to stack up.

Common faults
Slouching, rounding the shoulders, pelvis rocking back, bouncing.

Progression / Regression
Easier: sit on a cushion. Harder: deepen the curve with the arms reaching.


Cue
“Reach forward and curve over your center.”

Adaptation
Use a cushion with tight hamstrings; keep the range small during pregnancy.

Standing Leg Pump

single leg

Intermediate | Wunda Chair | V2-160



HOW TO DO IT

1. Stand beside the chair with one foot on the pedal.
2. Hold the chair edge for balance.
3. Press the pedal down with the working leg.
4. Return slowly and switch sides.

Focus
Strengthens each leg while building balance as the pedal moves and the standing leg stabilizes.

Target muscles
Gluteals, quadriceps, hamstrings, ankle stabilizers

Springs
1–2 springs

Dosage
8 reps each leg · about 3 min

Breathing
Exhale to press down, inhale to return.

Common faults
Torso shifting, locking the standing knee, leaning on the arms, jerky pedal.

Progression / Regression
Easier: hold the chair for support. Harder: slow the lowering or add a heel lift.

Cue
“Press down and stay tall over your standing leg.”

Adaptation
Use a light spring and stable support for balance concerns or lower leg injuries.

VOLUME 2 · INTERMEDIATE


Barrel

10 exercises

Swan on the Barrel

back extension

Intermediate | Barrel | V2-161



HOW TO DO IT

1. Lie over the barrel with the hips on the curve and hands on the floor.
2. Engage the abdominals and lengthen the legs.
3. Lift the chest and lengthen the spine.
4. Lower slowly.

Focus
Strengthens the back extensors while the barrel supports the chest, promoting a long, mobile spine.

Target muscles
Erector spinae, gluteals, lower trapezius

Springs
None (body weight on the barrel)

Dosage
6 reps · about 3 min

Breathing
Inhale to lift the chest, exhale to lower.

Common faults
Overarching the lower back, tilting the head back, pushing from the arms, lifting the ribs.

Progression / Regression
Easier: smaller lift with hands on the barrel. Harder: lift with the arms reaching forward.


Cue
“Lengthen forward and lift through your upper back.”

Adaptation
Avoid in pregnancy because of the prone position; reduce range with lower back issues.

Ab Curl over the Barrel

supported flexion

Intermediate | Barrel | V2-162



HOW TO DO IT

1. Sit on the barrel with knees bent and feet on the floor.
2. Lean back slightly over the curve.
3. Curl the head and shoulders up.
4. Roll down slowly.

Focus
Trains deep abdominal strength with a supported spinal curl over the curve of the barrel.

Target muscles
Rectus abdominis, obliques, hip flexors

Springs
None (body weight on the barrel)

Dosage
8 reps · about 3 min

Breathing
Inhale to prepare, exhale to curl up, inhale to return.

Common faults
Neck strain, pulling on the head, lifting from the hips, rushing.

Progression / Regression
Easier: hands behind the thighs. Harder: arms overhead.


Cue
“Curl up from your belly and reach forward.”

Adaptation
Skip in later pregnancy; keep the range small with lower back pain.

Hip Flexor Stretch

kneeling lunge

Intermediate | Barrel | V2-163



HOW TO DO IT

1. Kneel with one knee near the barrel and the other foot forward.
2. Place the hands on the front thigh.
3. Tuck the pelvis and lunge forward gently.
4. Hold, then switch.

Focus
Opens the front of the hips and thighs, easing a tendency toward anterior pelvic tilt.

Target muscles
Hip flexors, quadriceps, psoas

Springs
None (body weight on the barrel)

Dosage
30 sec hold each side · about 3 min

Breathing
Breathe deeply and slowly throughout the hold.

Common faults
Overarching the lower back, tipping the pelvis forward, knee misaligned.

Progression / Regression
Easier: reduce the range. Harder: reach the arms overhead.


Cue
“Tuck your tailbone and lengthen the front of your hip.”

Adaptation
Pad the knee with a towel; keep a gentle range with knee pain.

Side Stretch over the Barrel

side body

Intermediate | Barrel | V2-164



HOW TO DO IT

1. Lie sideways over the barrel with the hip on the curve.
2. Place the bottom hand on the barrel.
3. Reach the top arm over the head.
4. Breathe into the lengthened side.

Focus
Lengthens the side body and ribs, improving lateral breathing and mobility.

Target muscles
Obliques, quadratus lumborum, intercostals, latissimus dorsi

Springs
None (body weight on the barrel)

Dosage
4 breaths each side · about 3 min

Breathing
Inhale to expand the side ribs, exhale to deepen.

Common faults
Rolling forward, hips shifting, shoulders hunching, collapsing the waist.

Progression / Regression
Easier: bend the top knee. Harder: reach the arm further overhead.


Cue
“Reach long and open the side of your ribs.”

Adaptation
Reduce range with shoulder or lower back pain; avoid deep side bends late in pregnancy.

Barrel Spine Stretch

seated forward curve

Intermediate | Barrel | V2-165



HOW TO DO IT

1. Sit on the barrel with legs extended or on the floor.
2. Reach the arms forward.
3. Curve forward one segment at a time.
4. Stack back up.

Focus
Articulates the spine forward with a long reach over the curve, lengthening the back and hamstrings.

Target muscles
Erector spinae, hamstrings, abdominals

Springs
None (body weight on the barrel)

Dosage
6 reps · about 3 min

Breathing
Inhale to sit tall, exhale to curve forward.

Common faults
Slouching, shoulders rounding, rushing the return.

Progression / Regression
Easier: bend the knees. Harder: reach farther.


Cue
“Curve forward and keep your belly scooped.”

Adaptation
Keep the range gentle with disc problems or in pregnancy.

Barrel Teaser

legs bent

Intermediate | Barrel | V2-166



HOW TO DO IT

1. Sit on the barrel with legs bent.
2. Lean back slightly and lift the legs.
3. Reach the arms forward.
4. Roll down with control.

Focus
Challenges core strength and balance on a curved surface.

Target muscles
Rectus abdominis, hip flexors, obliques

Springs
None (body weight on the barrel)

Dosage
5 reps · about 3 min

Breathing
Inhale to prepare, exhale to roll up, inhale to hold.

Common faults
Collapsing the chest, gripping the neck, losing balance, legs dropping.

Progression / Regression
Easier: hold the thighs. Harder: extend the legs.


Cue
“Roll up tall and balance on your sit bones.”

Adaptation
Skip in later pregnancy; reduce range with lower back pain.

Barrel Spine Twist

seated on the barrel

Intermediate | Barrel | V2-167



HOW TO DO IT

1. Sit on the barrel with legs crossed or knees bent.
2. Lift the arms in a T.
3. Twist to one side.
4. Return and switch.

Focus
Mobilizes the thoracic spine with rotation while the barrel supports the pelvis.

Target muscles
Obliques, multifidus, erector spinae

Springs
None (body weight on the barrel)

Dosage
5 each side · about 2 min

Breathing
Inhale to lengthen, exhale to twist.

Common faults
Hips shifting, shoulders lifting, forcing the twist.

Progression / Regression
Easier: arms crossed. Harder: arms in a T.


Cue
“Sit tall and twist around your center.”

Adaptation
Keep the range gentle with disc issues and in later pregnancy.

Climb a Tree

hamstring stretch

Intermediate | Barrel | V2-168



HOW TO DO IT

1. Lie back over the barrel with one leg lifted.
2. Hold the leg with both hands.
3. Climb the hands toward the ankle.
4. Lower with control.

Focus
Stretches the hamstrings and calves by climbing the hands up the leg.

Target muscles
Hamstrings, calves, glutes

Springs
None (body weight on the barrel)

Dosage
3 reps each side · about 3 min

Breathing
Inhale to prepare, exhale to climb.

Common faults
Bending the standing knee, rounding the neck, lifting the hips.

Progression / Regression
Easier: bend the knee slightly. Harder: lift the leg higher.


Cue
“Climb your hands and stay long.”

Adaptation
Keep the knee soft with hamstring issues.

Barrel Side Leg Lift

sidelying

Intermediate | Barrel | V2-169



HOW TO DO IT

1. Lie sideways over the barrel.
2. Stack the hips.
3. Lift the top leg to hip height.
4. Lower slowly.

Focus
Strengthens the hip abductors with the barrel supporting the torso.

Target muscles
Gluteus medius, obliques, tensor fasciae latae

Springs
None (body weight on the barrel)

Dosage
10 reps each side · about 3 min

Breathing
Exhale to lift, inhale to lower.

Common faults
Rolling back, hiking the hip, swinging the leg.

Progression / Regression
Easier: smaller range. Harder: add small circles.


Cue
“Lift your leg and keep your hips stacked.”

Adaptation
Keep the range small with hip pain; use a pillow for support in pregnancy.

Barrel Hundred

legs on the floor

Intermediate | Barrel | V2-170



HOW TO DO IT

1. Sit on the barrel with feet flat on the floor.
2. Lean back slightly and nod the chin.
3. Pump the arms.
4. Lower slowly.

Focus
Coordinates breath with arm pulses while the barrel supports the curl.

Target muscles
Rectus abdominis, transversus abdominis, shoulder stabilizers

Springs
None (body weight on the barrel)

Dosage
50–100 pulses · about 3 min

Breathing
Inhale for 5 pumps, exhale for 5 pumps.

Common faults
Neck gripping, ribs flaring, rushing the pulses.

Progression / Regression
Easier: head down. Harder: hold the curl longer.

Cue
“Pump the arms and breathe steadily.”

Adaptation
Skip in later pregnancy; head down for neck strain.

Exercise index

- **V2-001** Roll Up (articulating up and over) · Mat
- **V2-002** Rolling Like a Ball (balanced on the sit bones) · Mat
- **V2-003** Single Leg Stretch (alternating knee pulls) · Mat
- **V2-004** Double Leg Stretch (reaching out and circling in) · Mat
- **V2-005** Criss-Cross (oblique rotation) · Mat
- **V2-006** Spine Stretch Forward (seated spinal articulation) · Mat
- **V2-007** Open Leg Rocker (balance and rock) · Mat
- **V2-008** Corkscrew Prep (small pelvic circles) · Mat
- **V2-009** Saw (rotational reach) · Mat
- **V2-010** Swan Prep (upper back extension) · Mat
- **V2-011** Swimming (prone alternating limbs) · Mat
- **V2-012** Side Kick Front and Back (side-lying leg swings) · Mat
- **V2-013** Side-Lying Leg Circles (small controlled rotations) · Mat
- **V2-014** Inner Thigh Lift (side-lying adductor lift) · Mat
- **V2-015** Side-Lying Bicycle (pedaling the top leg) · Mat
- **V2-016** Teaser Prep (one leg at a time) · Mat
- **V2-017** Seal (clapping the feet) · Mat
- **V2-018** The Hundred (legs at tabletop) · Mat
- **V2-019** Single Leg Circles (stable pelvis) · Mat
- **V2-020** Shoulder Bridge (hip lift with control) · Mat
- **V2-021** Spine Twist (seated rotation) · Mat
- **V2-022** Mermaid (side bend stretch) · Mat
- **V2-023** Neck Pull Prep (roll up with hands behind head) · Mat
- **V2-024** Single Straight Leg Stretch (scissor pulses) · Mat
- **V2-025** Double Straight Leg Stretch (legs lowering with arms overhead) · Mat
- **V2-026** Single Leg Kick (prone hamstring work) · Mat
- **V2-027** Double Leg Kick (prone back extension) · Mat
- **V2-028** Child's Pose (rest and stretch) · Mat
- **V2-029** Cat Stretch (spinal flexion and extension) · Mat
- **V2-030** Pelvic Curl (articulating bridge) · Mat
- **V2-031** Chest Lift with Rotation (diagonal curl) · Mat
- **V2-032** Lateral Thoracic Breathing (ribs widen) · Mat
- **V2-033** Standing Roll Down (spine articulation) · Mat
- **V2-034** Leg Pull Front (plank with leg lift) · Mat
- **V2-035** Pilates Push-Up (standing to plank) · Mat
- **V2-036** Rollover Prep (legs over head) · Mat
- **V2-037** Single Leg Balance with Relevé (standing foot and ankle work) · Mat
- **V2-038** Supine Hamstring Stretch (leg to the ceiling) · Mat
- **V2-039** Banded Roll Down (standing with band behind the back) · Band
- **V2-040** Banded Chest Expansion (standing) · Band
- **V2-041** Seated Row (with a band around the feet) · Band
- **V2-042** Banded Bicep Curl (single leg stance) · Band
- **V2-043** Banded Clamshell (side-lying, band above the knees) · Band
- **V2-044** Side-Lying Leg Lift (with a band at the ankles) · Band
- **V2-045** Bridge with Abduction (band above the knees) · Band
- **V2-046** Banded Dead Bug (band under the feet) · Band
- **V2-047** Spine Stretch Forward (with a band around the feet) · Band
- **V2-048** Shoulder External Rotation (side-lying with a band) · Band
- **V2-049** Standing Lateral Walk (band above the knees) · Band
- **V2-050** Banded Hamstring Stretch (supine with a band around the foot) · Band
- **V2-051** Banded Roll Up (lying on the mat) · Band
- **V2-052** Standing Row (single leg stance) · Band
- **V2-053** Bridge with Circle (inner thigh squeeze) · Magic Circle
- **V2-054** Standing Chest Squeeze (ring in front of the chest) · Magic Circle
- **V2-055** Hundred (with the circle between the ankles) · Magic Circle
- **V2-056** Roll Up (with a circle between the hands) · Magic Circle
- **V2-057** Inner Thigh Press (side-lying with the circle between the ankles) · Magic Circle

V2-058 Outer Thigh Press (side-lying) · Magic Circle
V2-059 Single Leg Stretch (ring on the knee) · Magic Circle
V2-060 Seated Spine Twist (with the circle at chest level) · Magic Circle
V2-061 Overhead Press (standing) · Magic Circle
V2-062 Teaser Prep (with the ring between the ankles) · Magic Circle
V2-063 Relevé with Circle (standing balance) · Magic Circle
V2-064 Seated Side Bend (with the circle overhead) · Magic Circle
V2-065 Prone Chest Lift (with the circle behind the back) · Magic Circle
V2-066 Standing Squat with Circle (ring between the knees) · Magic Circle
V2-067 Single Leg Bridge (on the ball) · Stability Ball
V2-068 Hamstring Curl (bridge on the ball) · Stability Ball
V2-069 Seated Pelvic Tilts (on the ball) · Stability Ball
V2-070 Seated Marching (on the ball) · Stability Ball
V2-071 Rib Breathing (supine over the ball) · Stability Ball
V2-072 Ball Crunch (on the ball) · Stability Ball
V2-073 Ball Pass (supine with the ball between hands and feet) · Stability Ball
V2-074 Roll Out (kneeling with the ball) · Stability Ball
V2-075 Ball Hundred (feet on the ball) · Stability Ball
V2-076 Wall Squat (with the ball behind the back) · Stability Ball
V2-077 Back Extension (prone over the ball) · Stability Ball
V2-078 Seated Spine Twist (on the ball) · Stability Ball
V2-079 Side Bend (over the ball) · Stability Ball
V2-080 Plank on the Ball (forearms on the ball) · Stability Ball
V2-081 Prone Walkout (on the ball) · Stability Ball
V2-082 Child's Pose (over the ball) · Stability Ball
V2-083 Wall Roll-Down (back to the wall) · Wall
V2-084 Wall Squat (with arm press) · Wall
V2-085 Wall Bridge (feet on the wall) · Wall
V2-086 Standing Wall Push-Up (slow tempo) · Wall
V2-087 Wall Hundred (feet on the wall) · Wall
V2-088 Wall Angels (back on the wall) · Wall
V2-089 Standing Side Leg Lift (hand on the wall) · Wall
V2-090 Single Leg Heel Raise (balance at the wall) · Wall
V2-091 Wall Seated Spine Twist (back on the wall) · Wall
V2-092 Legs Up the Wall (restorative stretch) · Wall
V2-093 Wall Sit Leg Extension (one leg at a time) · Wall
V2-094 Wall Curl-Up (teaser preparation) · Wall
V2-095 Hundred (legs at tabletop) · Reformer
V2-096 Coordination (legs and arms combined) · Reformer
V2-097 Rowing 1 (into the sternum) · Reformer
V2-098 Overhead (rolling back with straps) · Reformer
V2-099 Short Spine Massage (spinal mobility) · Reformer
V2-100 Frog (feet in straps) · Reformer
V2-101 Leg Circles (feet in straps) · Reformer
V2-102 Single Leg Skating (hip stability) · Reformer
V2-103 Knee Stretches (round back) · Reformer
V2-104 Knee Stretches (flat back) · Reformer
V2-105 Knee Stretches (knees off) · Reformer
V2-106 Long Stretch (plank on the reformer) · Reformer
V2-107 Down Stretch (with a back extension) · Reformer
V2-108 Up Stretch (pike on the carriage) · Reformer
V2-109 Elephant (hamstring stretch) · Reformer
V2-110 Stomach Massage (round back) · Reformer
V2-111 Stomach Massage (reach) · Reformer
V2-112 Stomach Massage (twist) · Reformer
V2-113 Tendon Stretch (pike and extend) · Reformer
V2-114 Running (heels on the bar) · Reformer
V2-115 Snake (on the reformer) · Reformer
V2-116 Twist (side plank) · Reformer
V2-117 Semi-Circle (bridge) · Reformer
V2-118 Mermaid (side stretch) · Reformer
V2-119 Pulling Straps (long box) · Reformer
V2-120 T-Pull (long box) · Reformer
V2-121 Swan (long box) · Reformer
V2-122 Horseback (long box) · Reformer
V2-123 Short Box (round back) · Reformer
V2-124 Short Box (flat back) · Reformer

V2-125 Short Box (side-to-side twist) · Reformer
V2-126 Short Box (side reach) · Reformer
V2-127 Chest Expansion (kneeling) · Reformer
V2-128 Kneeling Arm Circles (tall kneel) · Reformer
V2-129 Side Splits (carriage glide) · Reformer
V2-130 Lunge (standing) · Reformer
V2-131 Skiing (standing) · Reformer
V2-132 Footwork (single leg) · Reformer
V2-133 Teaser (reformer prep) · Reformer
V2-134 Rowing 3 (shaving the head) · Reformer
V2-135 Roll-Down with Push-Through Bar (seated) · Cadillac
V2-136 Leg Springs Frog (supine) · Cadillac
V2-137 Leg Springs Circles (supine) · Cadillac
V2-138 Leg Springs Walking (supine) · Cadillac
V2-139 Arm Springs Chest Expansion (kneeling) · Cadillac
V2-140 Cadillac Shoulder Bridge (feet on the bar) · Cadillac
V2-141 Side Leg Springs (sidelying) · Cadillac
V2-142 Cat Stretch (with push-through bar) · Cadillac
V2-143 Breathing with Push-Through Bar (supine) · Cadillac
V2-144 Sidelying Arm Springs (sidelying) · Cadillac
V2-145 Monkey (hanging) · Cadillac
V2-146 Hamstring Stretch with Push-Through Bar (supine) · Cadillac
V2-147 Bicep Curl (arm springs) · Cadillac
V2-148 Cadillac Teaser (with leg springs) · Cadillac
V2-149 Footwork Parallel (heels together) · Wunda Chair
V2-150 Single Leg Press (seated) · Wunda Chair
V2-151 Seated Triceps Press (hands on the pedal) · Wunda Chair
V2-152 Pull-Up (pumping) · Wunda Chair
V2-153 Going Up Front (hands on the chair) · Wunda Chair
V2-154 Mountain Climb (feet on the pedal) · Wunda Chair
V2-155 Tendon Stretch (standing fold) · Wunda Chair
V2-156 Swan Prep (chest lift) · Wunda Chair
V2-157 Chair Frog (heels on the pedal) · Wunda Chair
V2-158 Chair Teaser (hands on the seat) · Wunda Chair
V2-159 Seated Spine Stretch Forward (chair edge) · Wunda Chair
V2-160 Standing Leg Pump (single leg) · Wunda Chair
V2-161 Swan on the Barrel (back extension) · Barrel
V2-162 Ab Curl over the Barrel (supported flexion) · Barrel
V2-163 Hip Flexor Stretch (kneeling lunge) · Barrel
V2-164 Side Stretch over the Barrel (side body) · Barrel
V2-165 Barrel Spine Stretch (seated forward curve) · Barrel
V2-166 Barrel Teaser (legs bent) · Barrel
V2-167 Barrel Spine Twist (seated on the barrel) · Barrel
V2-168 Climb a Tree (hamstring stretch) · Barrel
V2-169 Barrel Side Leg Lift (sidelying) · Barrel
V2-170 Barrel Hundred (legs on the floor) · Barrel