
BONUS 6

Loom Knitting Checklists

Stay on track with every project



In this guide

How to Use These Checklists

Project Planning Sheet

General Pre-Project Checklist

Yarn and Loom Matching Checklist

Cast-On Checklist

In-Progress Checklist (Every 10 Rows)

Mistakes-Check Checklist

Bind-Off Checklist

Finishing and Blocking Checklist

Gift-Ready Checklist

Step-by-Step Project Checklists

Materials Inventory Checklist

Care and Storage Checklist

Monthly Project Log

Next Step

Loom knitting is relaxing, but it is easy to lose your place, forget a peg count or skip a finishing step. These printable checklists keep every project organized from the first wrap to the last stitch, so you can knit with confidence.

How to Use These Checklists

Print a fresh copy for every project, or keep one sheet in a project folder and copy it as needed. Tick each box with a pencil so you can erase and reuse a page. Work through the general lists first, then pick the step-by-step list for your project.

GETTING THE MOST FROM THIS BONUS

- ☐ Print the pages you need and keep them with your yarn and loom.
- ☐ Fill in the planning sheet before you wrap a single peg.
- ☐ Tick a box only when the step is truly done, not almost done.
- ☐ Write small notes in the margins: yarn lot, tension, changes you made.
- ☐ Keep finished sheets in a binder as a record for next time.
- ☐ Remember that every row and peg count is a range. Adjust it to your own gauge.

About the numbers

Rows per inch changes with yarn, wrapping method, loom gauge and your tension. The checkpoints below are typical starting ranges for worsted weight yarn at roughly 3 to 4 rows per inch. Always measure your own swatch and recalculate.

Project Planning Sheet

Fill this in before you begin. Having the numbers on paper prevents surprises halfway through.

ITEM	YOUR NOTES
Project name	
Loom (type, peg count, gauge)	
Gauge (rows and pegs per 4 in / 10 cm)	
Yarn (weight, fiber, color)	
Yardage needed (plus 15 percent extra)	
Yardage in stash	
Start date	
Deadline	

ITEM	YOUR NOTES
Recipient or purpose	
Care needs (washing, drying)	

PLANNING SHEET CHECK

☐ Every line of the sheet is filled in.

☐ Yardage in stash is at least the yardage needed.

☐ Deadline leaves at least two days for blocking and drying.

☐ The care needs suit the person who will use the piece.

General Pre-Project Checklist

Run through this list each time you start something new.

BEFORE YOU START

☐ Read the whole pattern or plan once from start to finish.

☐ Clear a clean, well lit work space.

☐ Wash and dry your hands, especially with light colored yarn.

☐ Check that the loom is not cracked, rough or sticky.

☐ Find your hook, stitch markers, scissors and tape measure.

☐ Wind the yarn into a center-pull ball or cake.

☐ Make a gauge swatch and measure it.

☐ Write down the gauge on your planning sheet.

☐ Decide how you will mark the first peg.

SAFETY QUICK CHECK

☐ Hooks and tapestry needles are put away after each session.

☐ Scissors are closed and stored safely.

☐ Small markers and loose pegs are kept away from young children and pets, as they are a choking risk.

☐ Yarn tails are never left where pets can chew them.

Yarn and Loom Matching Checklist

The right pairing of yarn and loom gives even stitches. Too thick and the loom jams; too thin and the fabric looks loose and holey.

LOOM GAUGE	TYPICAL YARN	BEST FOR
Large gauge (wide spacing)	Bulky or super bulky	Fast cowls, blankets, scarves
Medium gauge	Worsted or light worsted	Hats, mitts, bags, dishcloths
Fine gauge	Fingering or sport	Socks, baby items, lighter fabric

MATCHING CHECK

- ☐ The loom gauge suits the yarn weight on the label.
- ☐ The yarn is smooth enough to slide over the pegs without splitting.
- ☐ The yarn is not heavily textured if you are a beginner.
- ☐ The fiber suits the project (soft for baby items, washable for dishcloths).
- ☐ You have enough of one dye lot for the whole project.
- ☐ You tried holding two strands together if the yarn is thin for a large loom.

Cast-On Checklist

BEFORE THE FIRST ROW

- ☐ The loom is on a stable surface or held firmly.
- ☐ The working yarn is attached to the anchor peg or a loom hook.
- ☐ You chose a cast-on: e-wrap, knit cast-on or cable cast-on.
- ☐ The first wrap is snug but not tight.
- ☐ You wrapped the right number of pegs for your size.
- ☐ The count was checked twice, peg by peg.
- ☐ A stitch marker is on the first peg of a round project.
- ☐ The yarn tail is long enough to weave in (at least 6 in / 15 cm).

> **Count twice**
> One missing peg at the start can throw off a whole pattern. Count before you work the first row, not after.

In-Progress Checklist (Every 10 Rows)

Pause every ten rows for two minutes. Small checks save hours of unraveling.

EVERY 10 ROWS

- ☐ Count the rows on your tally sheet or counter.
- ☐ Count the loops on the pegs. Do they match your starting number?
- ☐ Look for any peg that skipped a loop.
- ☐ Check that the tension is the same as in the first rows.
- ☐ Pull the fabric gently down the loom so it does not bunch.
- ☐ Measure the work against your gauge swatch.
- ☐ Make sure you have enough yarn for the rest of the project.
- ☐ Note your row number on the sheet.

Mistakes-Check Checklist

Mistakes happen to every knitter. Catch them early and fix them calmly.

SPOT THE PROBLEM

- ☐ Dropped loop: is there a visible ladder or a loose stitch?
- ☐ Twisted stitch: is a loop crossed on the peg?
- ☐ Uneven edges: did you tighten or loosen at the end of rows?
- ☐ Holes: did a wrap slip off the peg?
- ☐ Extra stitch: is there an unplanned increase?
- ☐ Yarn change: is the join tidy and secure?

FIX IT STEP BY STEP

- ☐ Stop knitting and do not pull the work.
- ☐ Pick the problem loop back onto its peg with the hook.
- ☐ Rework only the rows needed to correct it.
- ☐ Tug gently to even out the tension.
- ☐ Note the fix in your margin so you remember the spot.

Bind-Off Checklist

BEFORE YOU BIND OFF

☐ The piece reaches the planned length.

☐ You have at least three times the width of the piece in yarn for the bind-off.

☐ You chose a stretchy bind-off if the edge needs to stretch (hats, socks, cuffs).

☐ You are working loosely so the edge is not tighter than the body.

☐ The last loop is secured and the yarn is cut with a tail for weaving in.

☐ You removed the piece gently from the pegs without pulling.

Finishing and Blocking Checklist

FINISHING STEPS

☐ Weave in all yarn tails with a tapestry needle, working in at least two directions.

☐ Trim the ends close, taking care not to cut the knitted stitches.

☐ Sew seams with a flat stitch if the piece has panels.

☐ Attach any trim, tassels or cord.

☐ Check the piece for dropped loops one last time.

BLOCKING STEPS

☐ Check the yarn label to learn whether the fiber can get wet.

☐ Soak the piece in lukewarm water with a gentle wash for about 15 minutes.

☐ Press out the water in a towel without twisting or wringing.

☐ Lay flat and shape to the measurements on your planning sheet.

☐ Let dry completely away from direct heat or sun.

☐ Record the final measurements on your project log.

Gift-Ready Checklist

BEFORE YOU GIVE IT

- ☐ The piece is clean and smells fresh.
- ☐ All ends are woven in and secure.
- ☐ There are no small parts that could come loose, especially on items for babies and pets.
- ☐ The size suits the person who will use it.
- ☐ A care note explains how to wash it.
- ☐ The piece is wrapped or boxed with a handwritten card.
- ☐ You wrote down the plan in case they ask for another.

If you sell your work

If you sell finished pieces, check the rules of the market or craft fair where you sell, including any safety labeling for children's items.

Step-by-Step Project Checklists

Each checklist below follows a project from start to finish. Row and peg numbers are typical ranges for worsted weight yarn on a medium gauge loom. Always adjust them to your own gauge swatch.

Hat

An adult hat is a great first round project. Use a round loom with about 40 to 48 pegs. A finished hat is usually 8 to 9 in (20 to 23 cm) tall.

HAT: SETUP

- ☐ Measure the head circumference and subtract about 2 in (5 cm) for a snug fit.
- ☐ Choose a loom with 40 to 48 pegs and cast on every peg.
- ☐ Place a marker on the first peg.
- ☐ Work 6 to 8 rows for the brim, a rolled or ribbed edge.

HAT: WHILE KNITTING

- ☐ Reach the body: about 18 to 24 rows after the brim, or about 6 in (15 cm) total.
- ☐ Measure at row 12 to 14 and again at row 20. Compare with your target.
- ☐ Start the crown at about 7 in (18 cm) total height.
- ☐ Decrease evenly over the last 5 to 8 rows by moving loops to neighboring pegs.

HAT: FINISHING

- ☐ Gather the last loops with a drawstring pull-through and secure.
- ☐ Weave in the yarn tail.
- ☐ Try the hat on or measure it against a head.
- ☐ Block gently.

Cowl

A cowl is quick and uses a large round loom with 48 to 60 pegs. Aim for 9 to 11 in (23 to 28 cm) tall.

COWL: SETUP

- ☐ Pick bulky yarn or two strands of worsted held together.
- ☐ Cast on 48 to 60 pegs.
- ☐ Mark the first peg.

COWL: WHILE KNITTING

- ☐ Checkpoint 1: about 10 to 14 rows (roughly 3 to 4 in).
- ☐ Checkpoint 2: about 20 to 28 rows (roughly 6 to 8 in).
- ☐ Final checkpoint: about 30 to 38 rows (roughly 9 to 11 in).
- ☐ Check that the fabric is not bunching on the pegs.

COWL: FINISHING

- ☐ Bind off loosely so the cowl slides over the head.
- ☐ Weave in the tails.
- ☐ Block flat on a towel.

Scarf

A flat scarf is knit on a long loom or rake with 20 to 24 pegs. Adult length is about 55 to 65 in (140 to 165 cm).

SCARF: SETUP

- ☐ Choose a stretchy, soft yarn.
- ☐ Cast on 20 to 24 pegs for a width of about 6 to 8 in (15 to 20 cm).
- ☐ Plan an edge stitch to keep the sides neat.

SCARF: WHILE KNITTING

☐ Checkpoint at 20 in (50 cm): about 70 to 80 rows.

☐ Checkpoint at 40 in (100 cm): about 140 to 160 rows.

☐ Final length: about 190 to 230 rows for 55 to 65 in.

☐ Every 10 rows check that the width has not narrowed.

SCARF: FINISHING

☐ Bind off loosely.

☐ Add fringe or tassels if you like.

☐ Weave in the ends.

☐ Block to the final width and length.

Headband

A headband is a short, stretchy project on a round loom with 36 to 40 pegs. Width is usually 3 to 4 in (8 to 10 cm).

HEADBAND: SETUP

☐ Measure the head circumference and subtract 2 in (5 cm).

☐ Cast on 36 to 40 pegs.

☐ Mark the first peg.

HEADBAND: WHILE KNITTING

☐ Work about 12 to 16 rows for a width of 3 to 4 in.

☐ Check the stretch against a head at row 10.

☐ Keep the tension relaxed so the band is stretchy.

HEADBAND: FINISHING

☐ Bind off with a stretchy method.

☐ Optional: twist the band once and sew the ends for style.

☐ Weave in the tails and block.

Ear Warmers

Ear warmers cover the ears and are wider than a headband. Use a round loom with 36 to 40 pegs and aim for 5 to 6 in (13 to 15 cm) wide.

EAR WARMERS: SETUP

- ☐ Choose soft, non-itchy yarn.
- ☐ Cast on 36 to 40 pegs.
- ☐ Decide whether to add a lining or a button.

EAR WARMERS: WHILE KNITTING

- ☐ Work about 18 to 22 rows for 5 to 6 in.
- ☐ Try it on at row 14 to check how it sits over the ears.
- ☐ Keep the tension even for a smooth band.

EAR WARMERS: FINISHING

- ☐ Bind off loosely.
- ☐ Weave in the ends.
- ☐ Block and let dry completely.

Mitts

Simple mitts cover the whole hand, with a thumb opening. Use a round loom with 30 to 36 pegs for an average adult hand. A mitt is about 7 to 8 in (18 to 20 cm) long.

MITTS: SETUP

- ☐ Measure the hand circumference at the knuckles.
- ☐ Cast on 30 to 36 pegs.
- ☐ Mark the first peg.

MITTS: WHILE KNITTING

- ☐ Cuff: about 8 to 10 rows.
- ☐ Hand: about 14 to 18 rows. Make the thumb opening at about row 16 to 20 overall.
- ☐ Finish the top: about 6 to 8 rows past the thumb opening.

MITTS: FINISHING

☐ Bind off loosely.

☐ Weave in the tails.

☐ Knit the second mitt with the same row counts.

☐ Compare the two mitts side by side.

Fingerless Mitts

Fingerless mitts end at the knuckles for easy use of the fingers. Use 30 to 36 pegs for an average hand.

FINGERLESS MITTS: SETUP

☐ Measure the wrist and knuckle circumference.

☐ Cast on 30 to 36 pegs.

☐ Mark the first peg.

FINGERLESS MITTS: WHILE KNITTING

☐ Cuff: about 8 to 10 rows.

☐ Main hand: about 12 to 16 rows to the thumb opening.

☐ Thumb gap: work flat on the pegs for about 6 to 8 rows, leaving a gap at the side.

☐ Finish: about 4 to 6 rows after the thumb gap.

FINGERLESS MITTS: FINISHING

☐ Bind off loosely.

☐ Weave in the ends.

☐ Make a matching mitt with the same counts.

Socks (Loom)

Loom socks need a sock loom with 40 to 60 pegs and fingering or sport weight yarn. Adjust counts to your gauge.

SOCKS (LOOM): SETUP

☐ Measure your foot length and ankle circumference.

☐ Cast on 40 to 60 pegs with a stretchy cast-on.

☐ Mark the first peg.

SOCKS (LOOM): WHILE KNITTING

☐ Cuff: about 10 to 14 rows of ribbing.

☐ Leg: about 30 to 50 rows, or 5 to 7 in (13 to 18 cm).

☐ Heel: work the heel on about half the pegs, usually 20 to 30 pegs.

☐ Foot: knit until the sock is about 2 in (5 cm) short of the toe.

☐ Toe: decrease over about 8 to 10 rows.

SOCKS (LOOM): FINISHING

☐ Close the toe with a grafted join or draw-up.

☐ Weave in the tails.

☐ Make the second sock with the same counts.

☐ Block both socks.

Blanket Panel

A blanket panel is one long strip. Panels are joined side by side, so matching sizes matter.

BLANKET PANEL: SETUP

☐ Pick a long loom or large round loom used flat.

☐ Cast on 24 to 30 pegs for a panel about 8 to 10 in (20 to 25 cm) wide.

☐ Plan the number of panels for the final width.

BLANKET PANEL: WHILE KNITTING

☐ Checkpoint every 10 in (25 cm): about 35 to 45 rows.

☐ For a 36 in (90 cm) panel, expect about 125 to 160 rows.

☐ Compare each panel with the first one by measuring.

BLANKET PANEL: FINISHING

☐ Bind off loosely.

☐ Weave in ends.

☐ Block each panel to the same size before joining.

Baby Blanket

A baby blanket is usually about 30 x 30 in (75 x 75 cm). Choose soft, washable yarn.

BABY BLANKET: SETUP

☐ Check that the yarn is soft and machine washable.

☐ Plan 4 panels, each 7.5 in (19 cm) wide, about 24 pegs each.

☐ Work out the yardage and add 15 percent.

BABY BLANKET: WHILE KNITTING

☐ Each panel: about 105 to 135 rows for 30 in.

☐ Check that the panels are identical in length.

☐ Keep all ends woven in and secure.

BABY BLANKET: FINISHING

☐ Sew panels together with a flat seam.

☐ Add a border if you like.

☐ Wash gently and block flat.

☐ Check there are no loose strands or small parts. Never leave a baby unattended with a blanket.

Bag

A bag is a round tube with a base and handles. Use a loom with 40 to 48 pegs and a sturdy cotton or wool yarn.

BAG: SETUP

☐ Choose a strong yarn that does not stretch too much.

☐ Cast on 40 to 48 pegs.

☐ Close the base by sewing it or working a flat base.

BAG: WHILE KNITTING

☐ Body: about 36 to 44 rows for a height of 10 to 12 in (25 to 30 cm).

☐ Check the bag stands upright.

☐ Make two handles of cord, each about 20 to 24 in (50 to 60 cm).

BAG: FINISHING

- ☐ Sew the handles to the top with strong stitches.
- ☐ Line the bag with fabric if you like.
- ☐ Test that the handles are secure before loading it.

Dishcloth

A dishcloth is a small, quick, cotton project. Use cotton yarn on a loom with 24 to 28 pegs.

DISHCLOTH: SETUP

- ☐ Choose cotton yarn that washes well.
- ☐ Cast on 24 to 28 pegs.
- ☐ Mark the first peg.

DISHCLOTH: WHILE KNITTING

- ☐ Work about 26 to 32 rows for a square of 7 to 8 in (18 to 20 cm).
- ☐ Measure the square every 10 rows.
- ☐ Add a hanging loop at the corner if you like.

DISHCLOTH: FINISHING

- ☐ Bind off loosely.
- ☐ Weave in the ends.
- ☐ Wash before first use.

Pillow Cover

A pillow cover fits a 16 x 16 in (40 x 40 cm) cushion. Make two panels or one long strip folded.

PILLOW COVER: SETUP

- ☐ Measure the cushion and subtract 1 in (2.5 cm) for a snug fit.
- ☐ Cast on 40 to 48 pegs for about 15 in (38 cm) wide.
- ☐ Choose a washable yarn.

PILLOW COVER: WHILE KNITTING

☐ Each panel: about 50 to 60 rows for 15 in.

☐ Compare the first panel with the second.

☐ Plan an opening with buttons or an overlap.

PILLOW COVER: FINISHING

☐ Sew three sides of the cover.

☐ Insert the cushion.

☐ Close the opening with buttons or an overlap, sewn on firmly.

Cord Trim

Cord trim, also called i-cord, is a thin tube worked on 3 to 4 pegs. It is used for ties, handles and edging.

CORD TRIM: SETUP

☐ Use a small loom or a spool with 3 to 4 pegs.

☐ Cast on all pegs.

☐ Decide how long you need the cord.

CORD TRIM: WHILE KNITTING

☐ Work about 4 to 5 rows per inch.

☐ For a 12 in (30 cm) cord, expect about 48 to 60 rows.

☐ Keep the tension even so the cord is round and smooth.

CORD TRIM: FINISHING

☐ Bind off.

☐ Weave in the tails.

☐ Attach to the project, leaving about 10 percent extra length.

Materials Inventory Checklist

Keep a list of what you own. It helps you avoid buying duplicates and shows what you can use up.

TOOLS

- ☐ Looms in different sizes: small, medium, large.
- ☐ A knitting hook or two.
- ☐ Tapestry needles.
- ☐ Stitch markers.
- ☐ Tape measure.
- ☐ Scissors.
- ☐ Row counter or paper tally sheet.
- ☐ Blocking mats or towels.

YARN

- ☐ Yarn by weight: fingering, sport, worsted, bulky.
- ☐ Cotton for dishcloths.
- ☐ Wool for hats and mitts.
- ☐ Soft yarn for baby items.
- ☐ Leftovers sorted by color.
- ☐ Labels with yardage and dye lot.

Care and Storage Checklist

CARING FOR FINISHED PIECES

- ☐ Check the yarn label for washing instructions.
- ☐ Wash cold or lukewarm with a gentle wash.
- ☐ Lay flat to dry.
- ☐ Do not hang heavy pieces, as they will stretch.
- ☐ Fold items instead of hanging them.
- ☐ Keep wool away from moths using clean, dry storage.

STORING YOUR LOOM AND YARN

- ☐ Wipe the loom pegs clean.
- ☐ Store looms flat or hanging so they do not warp.
- ☐ Keep yarn in a dry place, away from sunlight.
- ☐ Use breathable bags for wool.
- ☐ Keep tools and small items out of reach of children and pets.

Monthly Project Log

Use this table to keep track of what you make each month. It helps you see your progress and decide what to make next.

MONTH	PROJECT	LOOM	YARN	START	FINISH	NOTES

END OF MONTH REVIEW

- ☐ List what you finished.
- ☐ Note what went well.
- ☐ Note what to do differently.
- ☐ Choose next month's project.
- ☐ Check your yarn and tool inventory.

Next Step

Pick one project from this bonus, print its checklist and fill in the planning sheet today. Start with a small gauge swatch, then work through the list one box at a time. Every ticked box is a step closer to a finished piece you can be proud of.