
VOLUME 7 · 256 PATTERNS

Sweaters

The Knitting Bible: +2,000 patterns



Volume 7: Sweaters

> *256 patterns. Every pattern page lists its sizes, yarn amounts, gauge, stitch pattern with chart and step-by-step instructions.*

Before you begin any pattern: knit a gauge swatch in the stitch pattern, wash and block it like the finished piece, then measure. If you have more stitches than the pattern gauge, use a larger needle; if you have fewer, use a smaller one. The stitch counts in each pattern are designed to fit the stitch pattern repeat, so match the gauge first and the sizes will follow. The abbreviations and special techniques are explained in the Start Here guide.

Patterns in this volume: Pullover, Raglan Pullover, Tunic Sweater.

Pattern index

ID	PATTERN	YARN	STITCH	LEVEL
KB-1537	Foxglove Pullover	Aran	2x2 Rib	Intermediate
KB-1538	Harbor Pullover	DK	3x2 Rib	Intermediate
KB-1539	Dune Pullover	Aran	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1540	Timber Pullover	Aran	3x3 Rib	Intermediate
KB-1541	Raven Pullover	DK	Twin Cables	Advanced
KB-1542	Tundra Pullover	Worsted	Checkerboard 3x3	Intermediate
KB-1543	Reed Pullover	Worsted	Double Seed Stitch	Intermediate
KB-1544	Kestrel Pullover	DK	Stockinette Stitch	Intermediate
KB-1545	Quartz Pullover	DK	2x2 Rib	Intermediate
KB-1546	Meadow Pullover	Worsted	Stockinette Stitch	Intermediate
KB-1547	Sparrow Pullover	DK	Diagonal Rib	Intermediate
KB-1548	Lark Pullover	Worsted	Basketweave 5x5	Intermediate
KB-1549	Upland Pullover	Aran	Double Seed Stitch	Intermediate
KB-1550	Echo Pullover	DK	Horizontal Ridges	Intermediate
KB-1551	Tulip Pullover	DK	Chevron Ripple with Purl Rows	Intermediate
KB-1552	Hollow Pullover	DK	Checkerboard 3x3	Intermediate
KB-1553	Lagoon Pullover	DK	Garter Stitch	Intermediate
KB-1554	Dusk Pullover	Aran	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1555	Garnet Pullover	Aran	Chevron Ripple Lace	Intermediate
KB-1556	Aurora Pullover	Worsted	Reverse Stockinette	Intermediate
KB-1557	Gold Pullover	Worsted	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1558	Mocha Pullover	Worsted	Chevron Ripple Lace	Intermediate
KB-1559	Moss Pullover	DK	Double Seed Stitch	Intermediate
KB-1560	Pebble Pullover	Worsted	Eyelet Rows	Intermediate
KB-1561	Mulberry Pullover	Worsted	Diagonal Rib	Intermediate
KB-1562	Gentian Pullover	Aran	Seed Stitch	Intermediate
KB-1563	Dove Pullover	Worsted	2x2 Rib	Intermediate
KB-1564	Vine Pullover	DK	1x1 Rib	Intermediate
KB-1565	Taupe Pullover	Aran	Checkerboard 3x3	Intermediate
KB-1566	Valley Pullover	Worsted	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1567	Russet Pullover	Worsted	Feather and Fan	Intermediate
KB-1568	Alder Pullover	Aran	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1569	Kindle Pullover	Worsted	Basketweave 4x4	Intermediate
KB-1570	Horizon Pullover	Worsted	Ladder Lace	Intermediate
KB-1571	Thistle Pullover	Aran	Twin Cables	Advanced

ID	PATTERN	YARN	STITCH	LEVEL
KB-1572	Summit Pullover	Worsted	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1573	Glacier Pullover	Worsted	Mirrored Cables	Advanced
KB-1574	Haven Pullover	DK	Basketweave 3x3	Intermediate
KB-1575	Bluebell Pullover	Worsted	Basketweave 3x3	Intermediate
KB-1576	Pearl Pullover	Aran	Chevron Ripple with Purl Rows	Intermediate
KB-1577	Mist Pullover	Worsted	Garter Stitch	Intermediate
KB-1578	Oatmeal Pullover	DK	Mirrored Cables	Advanced
KB-1579	Delta Pullover	Worsted	2x1 Rib	Intermediate
KB-1580	Willow Pullover	DK	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1581	Daisy Pullover	Aran	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1582	Jewel Pullover	Aran	Checkerboard 4x4	Intermediate
KB-1583	Aspen Pullover	Worsted	3x2 Rib	Intermediate
KB-1584	Olive Pullover	DK	Basketweave 5x5	Intermediate
KB-1585	Sienna Pullover	Aran	Ladder Lace	Intermediate
KB-1586	Kale Pullover	Aran	Basketweave 4x4	Intermediate
KB-1587	Dahlia Pullover	Worsted	Seed Stitch	Intermediate
KB-1588	Wren Pullover	DK	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1589	Fawn Pullover	Worsted	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1590	Iris Pullover	Worsted	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1591	Violet Pullover	Worsted	1x1 Rib	Intermediate
KB-1592	Hazel Pullover	Aran	Diagonal Rib	Intermediate
KB-1593	Umbra Pullover	DK	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1594	Rain Pullover	Aran	Basketweave 5x5	Intermediate
KB-1595	Fern Pullover	Aran	Feather and Fan	Intermediate
KB-1596	Indigo Pullover	DK	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1597	Ridge Pullover	Aran	Garter Stitch	Intermediate
KB-1598	Oasis Pullover	Worsted	Horizontal Ridges	Intermediate
KB-1599	Walnut Pullover	Aran	Basketweave 3x3	Intermediate
KB-1600	Westerly Pullover	DK	Eyelet Rows	Intermediate
KB-1601	Jade Pullover	DK	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1602	Frost Pullover	DK	Ladder Lace	Intermediate
KB-1603	Prairie Pullover	Worsted	Zigzag Texture	Intermediate
KB-1604	Cinder Pullover	Aran	1x1 Rib	Intermediate
KB-1605	Rowan Pullover	Worsted	Chevron Ripple with Purl Rows	Intermediate
KB-1606	Quarry Pullover	DK	2x1 Rib	Intermediate
KB-1607	Heather Pullover	Aran	3x2 Rib	Intermediate
KB-1608	Jonquil Pullover	Aran	4-Stitch Left Cable on a Purl Ground	Intermediate

ID	PATTERN	YARN	STITCH	LEVEL
KB-1609	Fennel Pullover	Worsted	Checkerboard 4x4	Intermediate
KB-1610	Hearth Pullover	Worsted	Twin Cables	Advanced
KB-1611	Velvet Pullover	Worsted	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1612	Umber Pullover	Aran	Zigzag Texture	Intermediate
KB-1613	Canyon Pullover	Aran	Eyelet Rows	Intermediate
KB-1614	Almond Pullover	Aran	Reverse Stockinette	Intermediate
KB-1615	Quill Pullover	DK	Seed Stitch	Intermediate
KB-1616	Poppy Pullover	Worsted	Broken Rib	Intermediate
KB-1617	Lilac Pullover	Aran	Broken Rib	Intermediate
KB-1618	Jasper Pullover	Worsted	3x3 Rib	Intermediate
KB-1619	Tansy Pullover	DK	Checkerboard 4x4	Intermediate
KB-1620	Plum Pullover	DK	Reverse Stockinette	Intermediate
KB-1621	Bronze Pullover	Aran	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1622	Zenith Pullover	DK	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1623	Marigold Tunic Sweater	Aran	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1624	Rain Tunic Sweater	DK	Reverse Stockinette	Intermediate
KB-1625	Gold Tunic Sweater	Aran	Diagonal Rib	Intermediate
KB-1626	Lantern Tunic Sweater	Aran	Chevron Ripple Lace	Intermediate
KB-1627	Poppy Tunic Sweater	Aran	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1628	Ivory Tunic Sweater	Worsted	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1629	Kindle Tunic Sweater	Worsted	Seed Stitch	Intermediate
KB-1630	Bluebell Tunic Sweater	Worsted	Double Seed Stitch	Intermediate
KB-1631	Upland Tunic Sweater	DK	Chevron Ripple Lace	Intermediate
KB-1632	Cypress Tunic Sweater	Aran	Basketweave 5x5	Intermediate
KB-1633	Bronze Tunic Sweater	Worsted	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1634	Lagom Tunic Sweater	DK	Basketweave 4x4	Intermediate
KB-1635	Basil Tunic Sweater	Aran	1x1 Rib	Intermediate
KB-1636	Kestrel Tunic Sweater	Aran	Feather and Fan	Intermediate
KB-1637	Indigo Tunic Sweater	Aran	Garter Stitch	Intermediate
KB-1638	Briar Tunic Sweater	Worsted	3x2 Rib	Intermediate
KB-1639	Aurora Tunic Sweater	Aran	Horizontal Ridges	Intermediate
KB-1640	Oak Tunic Sweater	DK	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1641	Canyon Tunic Sweater	Aran	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1642	Walnut Tunic Sweater	DK	Twin Cables	Advanced
KB-1643	Oasis Tunic Sweater	Aran	Reverse Stockinette	Intermediate
KB-1644	Glacier Tunic Sweater	DK	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1645	Mulberry Tunic Sweater	Worsted	Horizontal Ridges	Intermediate

ID	PATTERN	YARN	STITCH	LEVEL
KB-1646	Alder Tunic Sweater	Worsted	2x1 Rib	Intermediate
KB-1647	Spruce Tunic Sweater	Aran	Checkerboard 4x4	Intermediate
KB-1648	Tundra Tunic Sweater	DK	Garter Stitch	Intermediate
KB-1649	Velvet Tunic Sweater	Aran	Basketweave 3x3	Intermediate
KB-1650	Cobble Tunic Sweater	DK	Double Seed Stitch	Intermediate
KB-1651	Moss Tunic Sweater	Worsted	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1652	Acorn Tunic Sweater	Aran	Chevron Ripple with Purl Rows	Intermediate
KB-1653	Willow Tunic Sweater	Aran	Zigzag Texture	Intermediate
KB-1654	Jonquil Tunic Sweater	Aran	3x2 Rib	Intermediate
KB-1655	Dove Tunic Sweater	Aran	Twin Cables	Advanced
KB-1656	Sienna Tunic Sweater	Worsted	Twin Cables	Advanced
KB-1657	Birch Tunic Sweater	Aran	Double Seed Stitch	Intermediate
KB-1658	Opal Tunic Sweater	DK	Eyelet Rows	Intermediate
KB-1659	Umber Tunic Sweater	Aran	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1660	Heather Tunic Sweater	Aran	Broken Rib	Intermediate
KB-1661	Quartz Tunic Sweater	DK	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1662	Orchard Tunic Sweater	Worsted	2x2 Rib	Intermediate
KB-1663	Meadow Tunic Sweater	Aran	Eyelet Rows	Intermediate
KB-1664	Vine Tunic Sweater	Aran	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1665	Horizon Tunic Sweater	Aran	2x1 Rib	Intermediate
KB-1666	Jewel Tunic Sweater	Worsted	Chevron Ripple Lace	Intermediate
KB-1667	Daisy Tunic Sweater	DK	2x2 Rib	Intermediate
KB-1668	Wheat Tunic Sweater	Worsted	1x1 Rib	Intermediate
KB-1669	Sparrow Tunic Sweater	Worsted	Ladder Lace	Intermediate
KB-1670	Zenith Tunic Sweater	Aran	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1671	Summit Tunic Sweater	DK	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1672	Hearth Tunic Sweater	Worsted	Broken Rib	Intermediate
KB-1673	Cinder Tunic Sweater	DK	3x3 Rib	Intermediate
KB-1674	Amber Tunic Sweater	Aran	Mirrored Cables	Advanced
KB-1675	Nettle Tunic Sweater	Aran	3x3 Rib	Intermediate
KB-1676	Hazel Tunic Sweater	Worsted	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1677	Dusk Tunic Sweater	DK	Checkerboard 3x3	Intermediate
KB-1678	Plum Tunic Sweater	Aran	2x2 Rib	Intermediate
KB-1679	Elm Tunic Sweater	DK	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1680	Pearl Tunic Sweater	Aran	Seed Stitch	Intermediate
KB-1681	Pewter Tunic Sweater	Worsted	Stockinette Stitch	Intermediate
KB-1682	Quill Tunic Sweater	Aran	Stockinette Stitch	Intermediate

ID	PATTERN	YARN	STITCH	LEVEL
KB-1683	Lilac Tunic Sweater	Worsted	Eyelet Rows	Intermediate
KB-1684	Clover Tunic Sweater	DK	Checkerboard 4x4	Intermediate
KB-1685	Lagoon Tunic Sweater	Worsted	Chevron Ripple with Purl Rows	Intermediate
KB-1686	Foxglove Tunic Sweater	DK	Basketweave 5x5	Intermediate
KB-1687	Primrose Tunic Sweater	DK	Chevron Ripple with Purl Rows	Intermediate
KB-1688	Delta Tunic Sweater	Worsted	Checkerboard 3x3	Intermediate
KB-1689	Raven Tunic Sweater	Worsted	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1690	Frost Tunic Sweater	DK	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1691	Mist Tunic Sweater	Worsted	Diagonal Rib	Intermediate
KB-1692	Jasper Tunic Sweater	DK	Basketweave 3x3	Intermediate
KB-1693	Fable Tunic Sweater	Aran	Checkerboard 3x3	Intermediate
KB-1694	Tulip Tunic Sweater	Worsted	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1695	Gable Tunic Sweater	Worsted	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1696	Iris Tunic Sweater	DK	Horizontal Ridges	Intermediate
KB-1697	Yarrow Tunic Sweater	DK	Stockinette Stitch	Intermediate
KB-1698	Kale Tunic Sweater	Worsted	Basketweave 4x4	Intermediate
KB-1699	Valley Tunic Sweater	DK	Broken Rib	Intermediate
KB-1700	Linden Tunic Sweater	DK	Zigzag Texture	Intermediate
KB-1701	Pebble Tunic Sweater	Worsted	Garter Stitch	Intermediate
KB-1702	Kettle Tunic Sweater	Worsted	Zigzag Texture	Intermediate
KB-1703	Wisp Tunic Sweater	Worsted	3x3 Rib	Intermediate
KB-1704	Rowan Tunic Sweater	Aran	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1705	Pine Tunic Sweater	DK	Mirrored Cables	Advanced
KB-1706	Marsh Tunic Sweater	DK	Seed Stitch	Intermediate
KB-1707	Jetty Tunic Sweater	DK	Diagonal Rib	Intermediate
KB-1708	Fawn Raglan Pullover	DK	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1709	Kestrel Raglan Pullover	DK	1x1 Rib	Intermediate
KB-1710	Willow Raglan Pullover	DK	Double Seed Stitch	Intermediate
KB-1711	Cedar Raglan Pullover	DK	Garter Stitch	Intermediate
KB-1712	Nook Raglan Pullover	Worsted	Diagonal Rib	Intermediate
KB-1713	Nettle Raglan Pullover	Aran	Garter Stitch	Intermediate
KB-1714	Dune Raglan Pullover	DK	3x2 Rib	Intermediate
KB-1715	Mulberry Raglan Pullover	Worsted	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1716	Mocha Raglan Pullover	DK	Basketweave 3x3	Intermediate
KB-1717	Pewter Raglan Pullover	Worsted	Stockinette Stitch	Intermediate
KB-1718	Dusk Raglan Pullover	Aran	Broken Rib	Intermediate
KB-1719	Cypress Raglan Pullover	DK	Twin Cables	Advanced

ID	PATTERN	YARN	STITCH	LEVEL
KB-1720	Ivory Raglan Pullover	Worsted	Double Seed Stitch	Intermediate
KB-1721	Nutmeg Raglan Pullover	Aran	Chevron Ripple with Purl Rows	Intermediate
KB-1722	Kale Raglan Pullover	Worsted	Eyelet Rows	Intermediate
KB-1723	Nectar Raglan Pullover	Worsted	Feather and Fan	Intermediate
KB-1724	Alder Raglan Pullover	Aran	Chevron Ripple Lace	Intermediate
KB-1725	Opal Raglan Pullover	Aran	Zigzag Texture	Intermediate
KB-1726	Tansy Raglan Pullover	Aran	Mirrored Cables	Advanced
KB-1727	Wisp Raglan Pullover	Worsted	Zigzag Texture	Intermediate
KB-1728	Cobble Raglan Pullover	DK	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1729	Juniper Raglan Pullover	DK	Checkerboard 4x4	Intermediate
KB-1730	Chestnut Raglan Pullover	DK	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1731	Jasper Raglan Pullover	Worsted	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1732	Umber Raglan Pullover	Worsted	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1733	Harbor Raglan Pullover	Worsted	Basketweave 5x5	Intermediate
KB-1734	Echo Raglan Pullover	Aran	Basketweave 3x3	Intermediate
KB-1735	Pine Raglan Pullover	Worsted	Ladder Lace	Intermediate
KB-1736	Horizon Raglan Pullover	Worsted	Basketweave 4x4	Intermediate
KB-1737	Beacon Raglan Pullover	Worsted	Mirrored Cables	Advanced
KB-1738	Olive Raglan Pullover	Aran	Checkerboard 3x3	Intermediate
KB-1739	Acorn Raglan Pullover	Worsted	3x3 Rib	Intermediate
KB-1740	Gentian Raglan Pullover	Worsted	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1741	Ridge Raglan Pullover	DK	Mirrored Cables	Advanced
KB-1742	Clover Raglan Pullover	Aran	3x3 Rib	Intermediate
KB-1743	Plum Raglan Pullover	Aran	2x1 Rib	Intermediate
KB-1744	Reed Raglan Pullover	DK	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1745	Aspen Raglan Pullover	Aran	Ladder Lace	Intermediate
KB-1746	Velvet Raglan Pullover	DK	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1747	Quartz Raglan Pullover	DK	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1748	Jade Raglan Pullover	Worsted	Reverse Stockinette	Intermediate
KB-1749	Westerly Raglan Pullover	DK	Seed Stitch	Intermediate
KB-1750	Lavender Raglan Pullover	DK	Ladder Lace	Intermediate
KB-1751	Prairie Raglan Pullover	Aran	Diagonal Rib	Intermediate
KB-1752	Upland Raglan Pullover	Aran	Eyelet Rows	Intermediate
KB-1753	Wren Raglan Pullover	DK	Stockinette Stitch	Intermediate
KB-1754	Moss Raglan Pullover	Worsted	1x1 Rib	Intermediate
KB-1755	Mist Raglan Pullover	Aran	2x2 Rib	Intermediate
KB-1756	Jewel Raglan Pullover	Aran	Double Seed Stitch	Intermediate


ID	PATTERN	YARN	STITCH	LEVEL
KB-1757	Haven Raglan Pullover	DK	2x2 Rib	Intermediate
KB-1758	Elm Raglan Pullover	Aran	1x1 Rib	Intermediate
KB-1759	Lagom Raglan Pullover	Worsted	Horizontal Ridges	Intermediate
KB-1760	Summit Raglan Pullover	Worsted	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1761	Glacier Raglan Pullover	Worsted	Basketweave 3x3	Intermediate
KB-1762	Spruce Raglan Pullover	DK	Broken Rib	Intermediate
KB-1763	Ember Raglan Pullover	Worsted	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1764	Violet Raglan Pullover	DK	Diagonal Rib	Intermediate
KB-1765	Bramble Raglan Pullover	Aran	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1766	Valley Raglan Pullover	Worsted	2x2 Rib	Intermediate
KB-1767	Rowan Raglan Pullover	DK	Feather and Fan	Intermediate
KB-1768	Orchard Raglan Pullover	Aran	Twin Cables	Advanced
KB-1769	Ember Raglan Pullover	Worsted	3x2 Rib	Intermediate
KB-1770	Taupe Raglan Pullover	DK	Horizontal Ridges	Intermediate
KB-1771	Fable Raglan Pullover	Worsted	Chevron Ripple with Purl Rows	Intermediate
KB-1772	Thistle Raglan Pullover	Aran	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1773	Crimson Raglan Pullover	Aran	Seed Stitch	Intermediate
KB-1774	Hollow Raglan Pullover	Worsted	Chevron Ripple Lace	Intermediate
KB-1775	Oatmeal Raglan Pullover	DK	Chevron Ripple Lace	Intermediate
KB-1776	Fennel Raglan Pullover	Worsted	Broken Rib	Intermediate
KB-1777	Aurora Raglan Pullover	Aran	3x2 Rib	Intermediate
KB-1778	Walnut Raglan Pullover	DK	2x1 Rib	Intermediate
KB-1779	Dahlia Raglan Pullover	Worsted	2x1 Rib	Intermediate
KB-1780	Heather Raglan Pullover	Worsted	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1781	Pearl Raglan Pullover	DK	Basketweave 5x5	Intermediate
KB-1782	Flint Raglan Pullover	Worsted	Checkerboard 3x3	Intermediate
KB-1783	Isle Raglan Pullover	Aran	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1784	Dove Raglan Pullover	Worsted	Checkerboard 4x4	Intermediate
KB-1785	Almond Raglan Pullover	Aran	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1786	Cinder Raglan Pullover	Aran	Reverse Stockinette	Intermediate
KB-1787	Garnet Raglan Pullover	DK	Eyelet Rows	Intermediate
KB-1788	Kettle Raglan Pullover	Worsted	Garter Stitch	Intermediate
KB-1789	Raven Raglan Pullover	Aran	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1790	Jonquil Raglan Pullover	DK	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1791	Vine Raglan Pullover	DK	Reverse Stockinette	Intermediate
KB-1792	Lantern Raglan Pullover	Worsted	Seed Stitch	Intermediate

KB-1537 Intermediate Sweaters · Aran weight

Foxglove Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 2x2 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1000	1150	1275	1400
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (106, 114, 126, 138, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 37, 43, 48, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 35 (40, 42, 48, 53, 56) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (35, 37, 43, 48, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1538 Intermediate Sweaters · DK weight

Harbor Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 3x2 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1225	1375	1550	1725	1900
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 133 (143, 158, 173, 188, 203) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 5 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 43 (46, 52, 59, 65, 71) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 54, 55, 58, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 48 (51, 57, 64, 70, 76) sts, bind off the center 37 (41, 44, 45, 48, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (43 (46, 52, 59, 65, 71) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 123 (131, 137, 139, 145, 151) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1539 Intermediate Sweaters · Aran weight

Dune Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 4-Stitch Cable on a Seeded Ground with aran weight (#4/5) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	925	1125	1250	1425	1550	1750
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (108, 115, 129, 136, 150) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (36, 38, 45, 47, 53) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 39, 39, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 35 (41, 43, 50, 52, 58) sts, bind off the center 24 (26, 29, 29, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (36, 38, 45, 47, 53) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 97, 97, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1540 Intermediate Sweaters · Aran weight

Timber Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 3x3 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	750	900	1025	1125	1250	1400
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 93 (105, 117, 123, 135, 147) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 29 (34, 39, 42, 46, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (37, 39, 39, 43, 45) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 34 (39, 44, 47, 51, 56) sts, bind off the center 25 (27, 29, 29, 33, 35) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (29 (34, 39, 42, 46, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 89 (93, 97, 97, 105, 109) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1541 Advanced Sweaters · DK weight

Raven Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Twin Cables with dk weight (#3) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1400	1625	1800	2000	2325	2525
Skeins (approx.)	7	8	8	9	11	11



chest 44 in (finished)

MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (146, 158, 170, 194, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 43 (48, 52, 58, 68, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 48 (53, 57, 63, 73, 77) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (43 (48, 52, 58, 68, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1542 Intermediate Sweaters · Worsted weight

Tundra Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Checkerboard 3x3 with worsted weight (#4) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	875	1000	1150	1275	1425	1600
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 87 (93, 105, 111, 123, 135) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (30, 35, 38, 42, 47) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 39, 41) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 33 (35, 40, 43, 47, 52) sts, bind off the center 21 (23, 25, 25, 29, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (28 (30, 35, 38, 42, 47) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 85 (89, 93, 93, 101, 105) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1543 Intermediate Sweaters · Worsted weight

Reed Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Double Seed Stitch with worsted weight (#4) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	975	1100	1250	1375	1500
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 25 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (89, 99, 109, 117, 125) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 38, 40, 43) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (31, 33, 33, 37, 39) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 31 (34, 38, 43, 45, 48) sts, bind off the center 19 (21, 23, 23, 27, 29) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (29, 33, 38, 40, 43) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 81 (85, 89, 89, 97, 101) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1544 Intermediate Sweaters · DK weight

Kestrel Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Stockinette Stitch with dk weight (#3) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	950	1125	1250	1400	1575	1725
Skeins (approx.)	5	5	6	7	7	8



MATERIALS

- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 30 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 40, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (38, 41, 42, 43, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (41, 45, 50, 55, 59) sts, bind off the center 25 (28, 31, 32, 33, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (36, 40, 45, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 99 (105, 111, 113, 115, 121) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1545 Intermediate Sweaters · DK weight

Quartz Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 2x2 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1225	1375	1550	1725	1900
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 158, 174, 190, 202) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 52, 60, 66, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 46 (53, 57, 65, 71, 75) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (41 (48, 52, 60, 66, 70) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1546 Intermediate Sweaters · Worsted weight

Meadow Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Stockinette Stitch with worsted weight (#4) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1000	1125	1250	1400
Skeins (approx.)	4	5	5	6	7	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 24 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (32, 33, 34, 37, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 31 (34, 38, 42, 45, 49) sts, bind off the center 19 (22, 23, 24, 27, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (29, 33, 37, 40, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 80 (86, 88, 90, 96, 98) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1547 Intermediate Sweaters · DK weight

Sparrow Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Diagonal Rib with dk weight (#3) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1225	1375	1550	1725	1900
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 30 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 3 (RS):** *K2, P2*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (120, 132, 144, 156, 168) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (39, 44, 50, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 40 (42, 44, 44, 48, 52) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 39 (44, 49, 55, 59, 63) sts, bind off the center 30 (32, 34, 34, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (39, 44, 50, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 43 (45, 49, 51, 55, 57) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 91 (97, 103, 109, 115, 121) sts (24 (26, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 109 (113, 117, 117, 125, 133) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1548 Intermediate Sweaters · Worsted weight

Lark Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Basketweave 5x5 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	875	1025	1150	1300	1450	1600
Skeins (approx.)	5	6	6	7	8	8



chest 44 in (finished)

MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 85 (95, 105, 115, 125, 135) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 10 plus 5) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (31, 35, 40, 44, 47) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 37, 41) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 32 (36, 40, 45, 49, 52) sts, bind off the center 21 (23, 25, 25, 27, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (31, 35, 40, 44, 47) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 85 (89, 93, 93, 97, 105) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1549 Intermediate Sweaters · Aran weight

Upland Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Double Seed Stitch with aran weight (#4/5) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1025	1150	1275	1400
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 23 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 73 (81, 89, 97, 105, 113) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (26, 30, 34, 36, 40) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 25 (29, 29, 29, 33, 33) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 29 (31, 35, 39, 41, 45) sts, bind off the center 15 (19, 19, 19, 23, 23) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (26, 30, 34, 36, 40) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 61 (65, 69, 73, 77, 81) sts (16 (17, 18, 19, 20, 21) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 70 (78, 78, 78, 86, 86) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1550 Intermediate Sweaters · DK weight

Echo Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Horizontal Ridges with dk weight (#3) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1150	1325	1500	1675	1875	2075
Skeins (approx.)	5	6	7	8	9	10



MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 36 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 40, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (38, 41, 42, 43, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (41, 45, 50, 55, 59) sts, bind off the center 25 (28, 31, 32, 33, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (36, 40, 45, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 6 (4, 4, 4, 4, 4) rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 107 (113, 119, 121, 123, 129) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1551 Intermediate Sweaters · DK weight

Tulip Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Chevron Ripple with Purl Rows with dk weight (#3) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	875	1025	1100	1225	1375	1525
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 110, 121, 132, 143) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 35, 41, 45, 49) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (36, 40, 39, 42, 45) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (42, 40, 46, 50, 54) sts, bind off the center 25 (26, 30, 29, 32, 35) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 35, 41, 45, 49) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 99 (101, 109, 107, 113, 119) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1552 Intermediate Sweaters · DK weight

Hollow Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Checkerboard 3x3 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1125	1325	1500	1625	1825	2000
Skeins (approx.)	5	6	7	8	8	9



chest 44 in (finished)

MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (38, 43, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 39 (43, 48, 51, 55, 60) sts, bind off the center 27 (31, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (38, 43, 46, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (114, 118, 118, 126, 130) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1553 Intermediate Sweaters · DK weight

Lagoon Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Garter Stitch with dk weight (#3) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1850	2175	2450	2750	3050	3375
Skeins (approx.)	9	10	11	12	14	15



chest 44 in (finished)

MATERIALS

- 12 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 51 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 40, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (38, 41, 42, 43, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (41, 45, 50, 55, 59) sts, bind off the center 25 (28, 31, 32, 33, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (36, 40, 45, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 8 (8, 8, 8, 8, 6) rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 127 (133, 139, 141, 143, 149) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1554 Intermediate Sweaters · Aran weight

Dusk Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 6-Stitch Left Cable on a Purl Ground with aran weight (#4/5) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	975	1100	1225	1425	1575	1700
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (106, 114, 130, 138, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (35, 37, 45, 48, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (40, 42, 50, 53, 56) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (35, 37, 45, 48, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1555 Intermediate Sweaters · Aran weight

Garnet Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Chevron Ripple Lace with aran weight (#4/5) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	750	875	925	1050	1200
Skeins (approx.)	4	5	5	6	6	7



MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 66 (77, 88, 88, 99, 110) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 21 (25, 30, 30, 34, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (27, 28, 28, 31, 32) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 26 (30, 35, 35, 39, 44) sts, bind off the center 14 (17, 18, 18, 21, 22) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (21 (25, 30, 30, 34, 39) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 57 (61, 65, 69, 71, 75) sts (15 (16, 17, 18, 18, 19) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 67 (73, 75, 75, 81, 83) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1556 Intermediate Sweaters · Worsted weight

Aurora Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Reverse Stockinette with worsted weight (#4) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1000	1125	1250	1400
Skeins (approx.)	4	5	5	6	7	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 24 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (32, 33, 34, 37, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 31 (34, 38, 42, 45, 49) sts, bind off the center 19 (22, 23, 24, 27, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (29, 33, 37, 40, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 80 (86, 88, 90, 96, 98) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1557 Intermediate Sweaters · Worsted weight

Gold Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 6-Stitch Right Cable on a Purl Ground with worsted weight (#4) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1200	1400	1525	1675	1875
Skeins (approx.)	6	6	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 106 (114, 130, 138, 146, 162) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (37, 43, 47, 50, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 39 (42, 48, 52, 55, 62) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (37, 43, 47, 50, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1558 Intermediate Sweaters · Worsted weight

Mocha Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Chevron Ripple Lace with worsted weight (#4) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	825	875	1000	1125	1275
Skeins (approx.)	4	5	5	5	6	7



chest 44 in (finished)

MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (88, 88, 99, 110, 121) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (29, 28, 34, 38, 42) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (30, 32, 31, 34, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 30 (34, 33, 39, 43, 47) sts, bind off the center 17 (20, 22, 21, 24, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (29, 28, 34, 38, 42) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 76 (82, 86, 84, 90, 96) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1559 Intermediate Sweaters · DK weight

Moss Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Double Seed Stitch with dk weight (#3) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1075	1250	1400	1575	1750	1925
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 32 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (109, 121, 133, 143, 153) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (35, 40, 46, 50, 53) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (39, 41, 41, 43, 47) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (40, 45, 51, 55, 58) sts, bind off the center 25 (29, 31, 31, 33, 37) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (35, 40, 46, 50, 53) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 102 (110, 114, 114, 118, 126) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1560 Intermediate Sweaters · Worsted weight

Pebble Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Eyelet Rows with worsted weight (#4) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	825	925	1025	1125	1250
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 24 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (86, 94, 102, 110, 118) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (28, 31, 35, 38, 41) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 29 (33, 36, 40, 43, 46) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (28, 31, 35, 38, 41) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 78 (82, 86, 86, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1561 Intermediate Sweaters · Worsted weight

Mulberry Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Diagonal Rib with worsted weight (#4) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	975	1125	1250	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

20 sts and 24 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 3 (RS):** *K2, P2*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 88 (100, 112, 120, 128, 140) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (32, 37, 41, 44, 49) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 32 (36, 38, 38, 40, 42) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 33 (37, 42, 46, 49, 54) sts, bind off the center 22 (26, 28, 28, 30, 32) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (28 (32, 37, 41, 44, 49) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 35 (39, 41, 43, 45, 49) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 75 (81, 85, 91, 95, 101) sts (20 (21, 22, 24, 25, 26) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 86 (94, 98, 98, 102, 106) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1562 Intermediate Sweaters · Aran weight

Gentian Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Seed Stitch with aran weight (#4/5) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	750	875	975	1100	1225	1350
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 23 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 73 (81, 89, 97, 105, 113) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (26, 30, 34, 36, 40) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 25 (29, 29, 29, 33, 33) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 29 (31, 35, 39, 41, 45) sts, bind off the center 15 (19, 19, 19, 23, 23) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (26, 30, 34, 36, 40) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 61 (65, 69, 73, 77, 81) sts (16 (17, 18, 19, 20, 21) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 70 (78, 78, 78, 86, 86) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1563 Intermediate Sweaters · Worsted weight

Dove Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 2x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	975	1100	1250	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (114, 126, 138, 150, 162) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 47, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 52, 57, 62) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 47, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1564 Intermediate Sweaters · DK weight

Vine Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 1x1 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1225	1375	1550	1725	1900
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 131 (145, 159, 173, 189, 203) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 42 (47, 52, 59, 66, 71) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 55, 55, 57, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 47 (52, 57, 64, 71, 76) sts, bind off the center 37 (41, 45, 45, 47, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (42 (47, 52, 59, 66, 71) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 123 (131, 139, 139, 143, 151) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1565 Intermediate Sweaters · Aran weight

Taupe Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Checkerboard 3x3 with aran weight (#4/5) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1050	1175	1325	1450
Skeins (approx.)	5	6	6	7	8	9



chest 44 in (finished)

MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 75 (87, 93, 99, 111, 117) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (29, 31, 34, 38, 40) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 35, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 29 (34, 36, 39, 43, 45) sts, bind off the center 17 (19, 21, 21, 25, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (29, 31, 34, 38, 40) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 74 (78, 82, 82, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1566 Intermediate Sweaters · Worsted weight

Valley Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 4-Stitch Cable on a Seeded Ground with worsted weight (#4) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1000	1200	1375	1500	1700	1900
Skeins (approx.)	5	6	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 101 (115, 129, 136, 150, 164) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 43, 46, 52, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (42, 48, 51, 57, 63) sts, bind off the center 27 (31, 33, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 43, 46, 52, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 96 (104, 108, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1567 Intermediate Sweaters · Worsted weight

Russet Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Feather and Fan with worsted weight (#4) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	675	850	900	1050	1125	1300
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Feather and Fan, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (90, 90, 108, 108, 126) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 18) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 22 (30, 29, 38, 37, 45) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 27 (35, 34, 43, 42, 50) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (30, 29, 38, 37, 45) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 78 (82, 86, 86, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1568 Intermediate Sweaters · Aran weight

Alder Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 6-Stitch Right Cable on a Purl Ground with aran weight (#4/5) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	975	1100	1225	1425	1575	1700
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (106, 114, 130, 138, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (35, 37, 45, 48, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (40, 42, 50, 53, 56) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (35, 37, 45, 48, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1569 Intermediate Sweaters · Worsted weight

Kindle Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Basketweave 4x4 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1000	1175	1325	1450	1575
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (92, 108, 116, 124, 132) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (29, 36, 40, 43, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (34, 36, 36, 38, 40) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 32 (34, 41, 45, 48, 51) sts, bind off the center 20 (24, 26, 26, 28, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (29, 36, 40, 43, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 83 (91, 95, 95, 99, 103) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1570 Intermediate Sweaters · Worsted weight

Horizon Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Ladder Lace with worsted weight (#4) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	825	925	1025	1125	1250
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (86, 94, 102, 110, 118) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (28, 31, 35, 38, 41) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 29 (33, 36, 40, 43, 46) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (28, 31, 35, 38, 41) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 78 (82, 86, 86, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1571 Advanced Sweaters · Aran weight

Thistle Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Twin Cables with aran weight (#4/5) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1025	1225	1300	1475	1650	1825
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 110, 122, 134, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 35, 41, 46, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (42, 40, 46, 51, 56) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 35, 41, 46, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1572 Intermediate Sweaters · Worsted weight

Summit Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 4-Stitch Left Cable on a Purl Ground with worsted weight (#4) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1025	1200	1375	1550	1725	1850
Skeins (approx.)	6	6	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 128, 140, 152, 158) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (38, 42, 48, 53, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 38 (43, 47, 53, 58, 60) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (38, 42, 48, 53, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1573 Advanced Sweaters · Worsted weight

Glacier Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Mirrored Cables with worsted weight (#4) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1250	1425	1600	1775	1975
Skeins (approx.)	6	7	8	8	9	10



MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 39, 45, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 35 (40, 44, 50, 55, 60) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (35, 39, 45, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1574 Intermediate Sweaters · DK weight

Haven Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Basketweave 3x3 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1125	1325	1500	1625	1825	2000
Skeins (approx.)	5	6	7	8	8	9



MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (38, 43, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 39 (43, 48, 51, 55, 60) sts, bind off the center 27 (31, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (38, 43, 46, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (114, 118, 118, 126, 130) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1575 Intermediate Sweaters · Worsted weight

Bluebell Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Basketweave 3x3 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	875	1000	1150	1275	1425	1600
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 87 (93, 105, 111, 123, 135) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (30, 35, 38, 42, 47) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 39, 41) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 33 (35, 40, 43, 47, 52) sts, bind off the center 21 (23, 25, 25, 29, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (28 (30, 35, 38, 42, 47) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 85 (89, 93, 93, 101, 105) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1576 Intermediate Sweaters · Aran weight

Pearl Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Chevron Ripple with Purl Rows with aran weight (#4/5) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	750	875	925	1050	1200
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 66 (77, 88, 88, 99, 110) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 21 (25, 30, 30, 34, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (27, 28, 28, 31, 32) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 26 (30, 35, 35, 39, 44) sts, bind off the center 14 (17, 18, 18, 21, 22) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (21 (25, 30, 30, 34, 39) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 57 (61, 65, 69, 71, 75) sts (15 (16, 17, 18, 18, 19) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 67 (73, 75, 75, 81, 83) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1577 Intermediate Sweaters · Worsted weight

Mist Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Garter Stitch with worsted weight (#4) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1500	1750	1975	2200	2475	2725
Skeins (approx.)	8	9	10	11	13	14



chest 44 in (finished)

MATERIALS

- 11 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 41 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (32, 33, 34, 37, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 31 (34, 38, 42, 45, 49) sts, bind off the center 19 (22, 23, 24, 27, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (29, 33, 37, 40, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 8 (8, 8, 8, 6, 6) rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 102 (108, 110, 112, 118, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1578 Advanced Sweaters · DK weight

Oatmeal Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Mirrored Cables with dk weight (#3) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1400	1625	1800	2000	2325	2525
Skeins (approx.)	7	8	8	9	11	11



MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (146, 158, 170, 194, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 43 (48, 52, 58, 68, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 48 (53, 57, 63, 73, 77) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (43 (48, 52, 58, 68, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1579 Intermediate Sweaters · Worsted weight

Delta Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 2x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1000	1125	1225	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 128, 137, 149, 161) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 3 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (38, 42, 47, 52, 56) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 43, 45, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 38 (43, 47, 52, 57, 61) sts, bind off the center 28 (30, 34, 33, 35, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (38, 42, 47, 52, 56) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 108, 112, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1580 Intermediate Sweaters · DK weight

Willow Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 4-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1250	1500	1675	1925	2100	2350
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 128 (146, 158, 176, 188, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 40 (48, 52, 61, 65, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 45 (53, 57, 66, 70, 77) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (40 (48, 52, 61, 65, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1581 Intermediate Sweaters · Aran weight

Daisy Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 4-Stitch Right Cable on a Purl Ground with aran weight (#4/5) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	925	1100	1250	1400	1525	1700
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 92 (104, 116, 128, 134, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 29 (34, 38, 44, 46, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 34 (39, 43, 49, 51, 56) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (29 (34, 38, 44, 46, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1582 Intermediate Sweaters · Aran weight

Jewel Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Checkerboard 4x4 with aran weight (#4/5) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1050	1175	1300	1425
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (84, 92, 100, 108, 116) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (27, 30, 34, 37, 40) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 29 (32, 35, 39, 42, 45) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (27, 30, 34, 37, 40) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 76 (80, 84, 84, 88, 92) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1583 Intermediate Sweaters · Worsted weight

Aspen Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 3x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	975	1125	1250	1375	1550
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 103 (113, 128, 138, 148, 163) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 5 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (36, 42, 47, 51, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 44, 44, 46, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 38 (41, 47, 52, 56, 62) sts, bind off the center 27 (31, 34, 34, 36, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (36, 42, 47, 51, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 96 (104, 110, 110, 114, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1584 Intermediate Sweaters · DK weight

Olive Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Basketweave 5x5 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1125	1300	1475	1625	1800	2075
Skeins (approx.)	5	6	7	8	8	10



chest 44 in (finished)

MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (115, 125, 135, 145, 165) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 10 plus 5) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (37, 41, 46, 50, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 45, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 39 (42, 46, 51, 55, 63) sts, bind off the center 27 (31, 33, 33, 35, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (37, 41, 46, 50, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (114, 118, 118, 122, 130) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1585 Intermediate Sweaters · Aran weight

Sienna Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Ladder Lace with aran weight (#4/5) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	725	825	950	1050	1150
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 68 (74, 82, 90, 98, 106) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 22 (24, 27, 31, 34, 37) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (26, 28, 28, 30, 32) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 27 (29, 32, 36, 39, 42) sts, bind off the center 14 (16, 18, 18, 20, 22) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (24, 27, 31, 34, 37) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 57 (61, 65, 69, 71, 75) sts (15 (16, 17, 18, 18, 19) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 67 (71, 75, 75, 79, 83) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1586 Intermediate Sweaters · Aran weight

Kale Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Basketweave 4x4 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1050	1175	1300	1425
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (84, 92, 100, 108, 116) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (27, 30, 34, 37, 40) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 29 (32, 35, 39, 42, 45) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (27, 30, 34, 37, 40) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 76 (80, 84, 84, 88, 92) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1587 Intermediate Sweaters · Worsted weight

Dahlia Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Seed Stitch with worsted weight (#4) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	925	1050	1175	1300	1450
Skeins (approx.)	4	5	6	6	7	8



chest 44 in (finished)

MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 25 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (89, 99, 109, 117, 125) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 38, 40, 43) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (31, 33, 33, 37, 39) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 31 (34, 38, 43, 45, 48) sts, bind off the center 19 (21, 23, 23, 27, 29) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (29, 33, 38, 40, 43) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 81 (85, 89, 89, 97, 101) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1588 Intermediate Sweaters · DK weight

Wren Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 6-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1275	1500	1700	1925	2100	2325
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 162, 178, 186, 202) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 54, 62, 64, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 46 (53, 59, 67, 69, 75) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (41 (48, 54, 62, 64, 70) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1589 Intermediate Sweaters · Worsted weight

Fawn Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 4-Stitch Right Cable on a Purl Ground with worsted weight (#4) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1025	1200	1375	1550	1725	1850
Skeins (approx.)	6	6	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 128, 140, 152, 158) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (38, 42, 48, 53, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 38 (43, 47, 53, 58, 60) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (38, 42, 48, 53, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1590 Intermediate Sweaters · Worsted weight

Iris Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 6-Stitch Left Cable on a Purl Ground with worsted weight (#4) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1200	1400	1525	1675	1875
Skeins (approx.)	6	6	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 106 (114, 130, 138, 146, 162) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (37, 43, 47, 50, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 39 (42, 48, 52, 55, 62) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (37, 43, 47, 50, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1591 Intermediate Sweaters · Worsted weight

Violet Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 1x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	975	1125	1225	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 103 (115, 127, 137, 149, 161) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (37, 42, 47, 52, 56) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 45, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 38 (42, 47, 52, 57, 61) sts, bind off the center 27 (31, 33, 33, 35, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (37, 42, 47, 52, 56) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 96 (104, 108, 108, 112, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1592 Intermediate Sweaters · Aran weight

Hazel Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Diagonal Rib with aran weight (#4/5) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1025	1150	1275	1425
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 22 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 3 (RS):** *K2, P2*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 80 (88, 100, 108, 116, 128) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (28, 33, 37, 40, 45) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (32, 34, 34, 36, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 30 (33, 38, 42, 45, 50) sts, bind off the center 20 (22, 24, 24, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (28, 33, 37, 40, 45) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 79 (83, 87, 87, 91, 95) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1593 Intermediate Sweaters · DK weight

Umbra Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 4-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1275	1475	1675	1875	2075	2350
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (143, 157, 171, 185, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (46, 51, 58, 64, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 55, 55, 57, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 46 (51, 56, 63, 69, 77) sts, bind off the center 37 (41, 45, 45, 47, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (41 (46, 51, 58, 64, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 123 (131, 139, 139, 143, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1594 Intermediate Sweaters · Aran weight

Rain Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Basketweave 5x5 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1075	1225	1375	1425
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 75 (85, 95, 105, 115, 115) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 10 plus 5) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (28, 32, 37, 40, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 35, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 29 (33, 37, 42, 45, 44) sts, bind off the center 17 (19, 21, 21, 25, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (28, 32, 37, 40, 39) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 74 (78, 82, 82, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1595 Intermediate Sweaters · Aran weight

Fern Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Feather and Fan with aran weight (#4/5) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	650	725	900	950	975	1175
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Feather and Fan, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (72, 90, 90, 90, 108) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 18) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (23, 31, 31, 30, 38) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (26, 28, 28, 30, 32) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 29 (28, 36, 36, 35, 43) sts, bind off the center 14 (16, 18, 18, 20, 22) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (23, 31, 31, 30, 38) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 57 (61, 65, 69, 71, 75) sts (15 (16, 17, 18, 18, 19) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 67 (71, 75, 75, 79, 83) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1596 Intermediate Sweaters · DK weight

Indigo Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 6-Stitch Right Cable on a Purl Ground with dk weight (#3) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1275	1500	1700	1925	2100	2325
Skeins (approx.)	6	7	8	9	10	11



chest 44 in (finished)

MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 162, 178, 186, 202) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 54, 62, 64, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 46 (53, 59, 67, 69, 75) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (41 (48, 54, 62, 64, 70) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1597 Intermediate Sweaters · Aran weight

Ridge Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Garter Stitch with aran weight (#4/5) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1350	1575	1775	2000	2225	2450
Skeins (approx.)	8	9	10	12	13	14



MATERIALS

- 12 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 37 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (80, 88, 96, 104, 112) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 23 (26, 29, 33, 36, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 26 (28, 30, 30, 32, 34) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 28 (31, 34, 38, 41, 44) sts, bind off the center 16 (18, 20, 20, 22, 24) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (26, 29, 33, 36, 39) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 8 (8, 8, 8, 6, 6) rows until you have 61 (65, 69, 73, 77, 81) sts (16 (17, 18, 19, 20, 21) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 91 (95, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1598 Intermediate Sweaters · Worsted weight

Oasis Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Horizontal Ridges with worsted weight (#4) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	925	1075	1225	1375	1525	1675
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 29 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (32, 33, 34, 37, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 31 (34, 38, 42, 45, 49) sts, bind off the center 19 (22, 23, 24, 27, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (29, 33, 37, 40, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 6 (4, 4, 4, 4, 4) rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 86 (92, 94, 96, 102, 104) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1599 Intermediate Sweaters · Aran weight

Walnut Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Basketweave 3x3 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1050	1175	1325	1450
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 75 (87, 93, 99, 111, 117) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (29, 31, 34, 38, 40) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 35, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 29 (34, 36, 39, 43, 45) sts, bind off the center 17 (19, 21, 21, 25, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (29, 31, 34, 38, 40) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 74 (78, 82, 82, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1600 Intermediate Sweaters · DK weight

Westerly Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Eyelet Rows with dk weight (#3) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1000	1125	1275	1400	1550
Skeins (approx.)	4	5	5	6	7	7



chest 44 in (finished)

MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 30 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (106, 116, 126, 136, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 38, 43, 47, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 35 (40, 43, 48, 52, 56) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (35, 38, 43, 47, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 97 (101, 109, 109, 113, 117) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1601 Intermediate Sweaters · DK weight

Jade Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 4-Stitch Right Cable on a Purl Ground with dk weight (#3) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1250	1500	1675	1925	2100	2350
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 128 (146, 158, 176, 188, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 40 (48, 52, 61, 65, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 45 (53, 57, 66, 70, 77) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (40 (48, 52, 61, 65, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1602 Intermediate Sweaters · DK weight

Frost Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Ladder Lace with dk weight (#3) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1000	1125	1275	1400	1550
Skeins (approx.)	4	5	5	6	7	7



chest 44 in (finished)

MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (106, 116, 126, 136, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 38, 43, 47, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 35 (40, 43, 48, 52, 56) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (35, 38, 43, 47, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 97 (101, 109, 109, 113, 117) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1603 Intermediate Sweaters · Worsted weight

Prairie Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Zigzag Texture with worsted weight (#4) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	1000	1100	1250	1400	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 24 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (96, 102, 114, 126, 132) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (31, 33, 39, 44, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (34, 36, 36, 38, 40) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 32 (36, 38, 44, 49, 51) sts, bind off the center 20 (24, 26, 26, 28, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (31, 33, 39, 44, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 82 (90, 94, 94, 98, 102) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1604 Intermediate Sweaters · Aran weight

Cinder Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 1x1 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1025	1125	1275	1400
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 95 (105, 115, 125, 137, 147) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (34, 38, 43, 48, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (37, 39, 39, 41, 45) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 35 (39, 43, 48, 53, 56) sts, bind off the center 25 (27, 29, 29, 31, 35) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (34, 38, 43, 48, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 89 (93, 97, 97, 101, 109) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1605 Intermediate Sweaters · Worsted weight

Rowan Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Chevron Ripple with Purl Rows with worsted weight (#4) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	825	875	1000	1125	1275
Skeins (approx.)	4	5	5	5	6	7



MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (88, 88, 99, 110, 121) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (29, 28, 34, 38, 42) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (30, 32, 31, 34, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 30 (34, 33, 39, 43, 47) sts, bind off the center 17 (20, 22, 21, 24, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (29, 28, 34, 38, 42) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 76 (82, 86, 84, 90, 96) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1606 Intermediate Sweaters · DK weight

Quarry Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 2x1 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1225	1375	1550	1725	1900
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 131 (146, 158, 173, 188, 203) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 3 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 42 (48, 52, 59, 65, 71) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (50, 54, 55, 58, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 47 (53, 57, 64, 70, 76) sts, bind off the center 37 (40, 44, 45, 48, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (42 (48, 52, 59, 65, 71) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 123 (129, 137, 139, 145, 151) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1607 Intermediate Sweaters · Aran weight

Heather Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 3x2 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	750	900	1000	1150	1275	1400
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 93 (103, 113, 128, 138, 148) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 5 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 29 (33, 37, 44, 48, 52) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (37, 39, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 34 (38, 42, 49, 53, 57) sts, bind off the center 25 (27, 29, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (29 (33, 37, 44, 48, 52) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 89 (93, 97, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1608 Intermediate Sweaters · Aran weight

Jonquil Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 4-Stitch Left Cable on a Purl Ground with aran weight (#4/5) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	925	1100	1250	1400	1525	1700
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 92 (104, 116, 128, 134, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 29 (34, 38, 44, 46, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 34 (39, 43, 49, 51, 56) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (29 (34, 38, 44, 46, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1609 Intermediate Sweaters · Worsted weight

Fennel Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Checkerboard 4x4 with worsted weight (#4) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1000	1175	1325	1450	1575
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (92, 108, 116, 124, 132) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (29, 36, 40, 43, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (34, 36, 36, 38, 40) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 32 (34, 41, 45, 48, 51) sts, bind off the center 20 (24, 26, 26, 28, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (29, 36, 40, 43, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 83 (91, 95, 95, 99, 103) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1610 Advanced Sweaters · Worsted weight

Hearth Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Twin Cables with worsted weight (#4) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1250	1425	1600	1775	1975
Skeins (approx.)	6	7	8	8	9	10



MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 39, 45, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 35 (40, 44, 50, 55, 60) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (35, 39, 45, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1611 Intermediate Sweaters · Worsted weight

Velvet Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 6-Stitch Cable on a Seeded Ground with worsted weight (#4) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1025	1175	1375	1525	1675	1900
Skeins (approx.)	6	6	7	8	9	10



MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (111, 129, 138, 147, 165) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 9 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (35, 43, 47, 50, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (41, 43, 44, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (40, 48, 52, 55, 63) sts, bind off the center 28 (31, 33, 34, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (35, 43, 47, 50, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (104, 108, 110, 116, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1612 Intermediate Sweaters · Aran weight

Umber Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Zigzag Texture with aran weight (#4/5) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1050	1150	1250	1400
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 22 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 78 (84, 96, 102, 108, 120) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (27, 32, 35, 37, 42) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 30 (32, 37, 40, 42, 47) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (27, 32, 35, 37, 42) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 75 (79, 83, 83, 87, 91) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1613 Intermediate Sweaters · Aran weight

Canyon Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Eyelet Rows with aran weight (#4/5) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	725	825	950	1050	1150
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

15 sts and 22 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 68 (74, 82, 90, 98, 106) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 22 (24, 27, 31, 34, 37) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (26, 28, 28, 30, 32) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 27 (29, 32, 36, 39, 42) sts, bind off the center 14 (16, 18, 18, 20, 22) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (24, 27, 31, 34, 37) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 57 (61, 65, 69, 71, 75) sts (15 (16, 17, 18, 18, 19) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 67 (71, 75, 75, 79, 83) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1614 Intermediate Sweaters · Aran weight

Almond Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Reverse Stockinette with aran weight (#4/5) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	825	925	1050	1150	1275
Skeins (approx.)	4	5	6	6	7	8



MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 22 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (80, 88, 96, 104, 112) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 23 (26, 29, 33, 36, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 26 (28, 30, 30, 32, 34) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 28 (31, 34, 38, 41, 44) sts, bind off the center 16 (18, 20, 20, 22, 24) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (26, 29, 33, 36, 39) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 61 (65, 69, 73, 77, 81) sts (16 (17, 18, 19, 20, 21) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 71 (75, 79, 79, 83, 87) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1615 Intermediate Sweaters · DK weight

Quill Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Seed Stitch with dk weight (#3) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1025	1175	1350	1500	1675	1850
Skeins (approx.)	5	6	6	7	8	9



chest 44 in (finished)

MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 32 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (109, 121, 133, 143, 153) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (35, 40, 46, 50, 53) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (39, 41, 41, 43, 47) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (40, 45, 51, 55, 58) sts, bind off the center 25 (29, 31, 31, 33, 37) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (35, 40, 46, 50, 53) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 102 (110, 114, 114, 118, 126) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1616 Intermediate Sweaters · Worsted weight

Poppy Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Broken Rib with worsted weight (#4) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	925	1050	1175	1300	1450
Skeins (approx.)	4	5	6	6	7	8



chest 44 in (finished)

MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 85 (95, 105, 113, 123, 133) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (31, 35, 39, 42, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 39, 41) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 32 (36, 40, 44, 47, 51) sts, bind off the center 21 (23, 25, 25, 29, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (31, 35, 39, 42, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 85 (89, 93, 93, 101, 105) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1617 Intermediate Sweaters · Aran weight

Lilac Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Broken Rib with aran weight (#4/5) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	750	850	975	1075	1200	1325
Skeins (approx.)	5	5	6	6	7	8



MATERIALS


- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (85, 93, 101, 111, 119) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (28, 31, 35, 38, 41) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 35, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 30 (33, 36, 40, 43, 46) sts, bind off the center 17 (19, 21, 21, 25, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (28, 31, 35, 38, 41) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 74 (78, 82, 82, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1618 Intermediate Sweaters · Worsted weight

Jasper Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 3x3 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1000	1125	1225	1375	1500
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (38, 43, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 39 (43, 48, 51, 55, 60) sts, bind off the center 27 (31, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (38, 43, 46, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 96 (104, 108, 108, 116, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1619 Intermediate Sweaters · DK weight

Tansy Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Checkerboard 4x4 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1100	1325	1450	1675	1825	2050
Skeins (approx.)	5	6	7	8	8	9



MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 100 (116, 124, 140, 148, 164) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 31 (38, 40, 48, 51, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 36 (43, 45, 53, 56, 63) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (31 (38, 40, 48, 51, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 108 (112, 120, 120, 124, 128) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1620 Intermediate Sweaters · DK weight

Plum Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in Reverse Stockinette with dk weight (#3) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	950	1125	1250	1400	1575	1725
Skeins (approx.)	5	5	6	7	7	8



chest 44 in (finished)

MATERIALS

- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 30 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 40, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (38, 41, 42, 43, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 37 (41, 45, 50, 55, 59) sts, bind off the center 25 (28, 31, 32, 33, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (36, 40, 45, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 99 (105, 111, 113, 115, 121) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1621 Intermediate Sweaters · Aran weight

Bronze Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 6-Stitch Cable on a Seeded Ground with aran weight (#4/5) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	925	1075	1200	1425	1575	1725
Skeins (approx.)	6	6	7	8	9	10



MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 93 (102, 111, 129, 138, 147) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 9 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 29 (33, 36, 45, 48, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (36, 39, 39, 42, 45) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 34 (38, 41, 50, 53, 56) sts, bind off the center 25 (26, 29, 29, 32, 35) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (29 (33, 36, 45, 48, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 89 (91, 97, 97, 103, 109) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1622 Intermediate Sweaters · DK weight

Zenith Pullover

A drop-shoulder pullover sewn from simple pieces. Worked in 6-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1275	1525	1675	1900	2150	2325
Skeins (approx.)	6	7	8	9	10	11



MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (147, 156, 174, 192, 201) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 9 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 51, 60, 67, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 54, 54, 58, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 18.5 in (20.5 in, 21.5 in, 22.5 in, 23.5 in, 24.5 in), ending after a WS row.
2. Neck: Work 46 (53, 56, 65, 72, 75) sts, bind off the center 37 (41, 44, 44, 48, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (41 (48, 51, 60, 67, 70) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 123 (131, 137, 137, 145, 151) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1623 Intermediate Sweaters · Aran weight

Marigold Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Cable, Wide Purl Ground with aran weight (#4/5) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1175	1325	1525	1675	1875	2025
Skeins (approx.)	7	8	9	10	11	12



chest 46 in (finished)

MATERIALS

- 10 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3. **Row 3 (RS):** P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 101 (108, 122, 129, 143, 150) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (36, 41, 45, 50, 53) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (36, 40, 39, 43, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 38 (41, 46, 50, 55, 58) sts, bind off the center 25 (26, 30, 29, 33, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (36, 41, 45, 50, 53) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 89 (91, 99, 97, 105, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1624 Intermediate Sweaters · DK weight

Rain Tunic Sweater

A longer sweater with a relaxed fit. Worked in Reverse Stockinette with dk weight (#3) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1175	1375	1525	1700	1875	2075
Skeins (approx.)	6	6	7	8	9	10



chest 46 in (finished)

MATERIALS

- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 30 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.

2 

INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 126, 138, 148, 160) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (39, 42, 48, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 36 (38, 42, 42, 44, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 39 (44, 47, 53, 57, 62) sts, bind off the center 26 (28, 32, 32, 34, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (39, 42, 48, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 89 (95, 99, 105, 111, 117) sts (25 (27, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 101 (105, 113, 113, 117, 121) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1625 Intermediate Sweaters · Aran weight

Gold Tunic Sweater

A longer sweater with a relaxed fit. Worked in Diagonal Rib with aran weight (#4/5) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	950	1125	1250	1375	1500	1700
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 22 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (96, 104, 112, 120, 132) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (32, 35, 39, 42, 47) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (32, 34, 34, 36, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 32 (37, 40, 44, 47, 52) sts, bind off the center 20 (22, 24, 24, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (32, 35, 39, 42, 47) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 73 (77, 81, 87, 91, 95) sts (20 (21, 22, 24, 25, 26) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 79 (83, 87, 87, 91, 95) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1626 Intermediate Sweaters · Aran weight

Lantern Tunic Sweater

A longer sweater with a relaxed fit. Worked in Chevron Ripple Lace with aran weight (#4/5) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	750	900	1025	1175	1225	1400
Skeins (approx.)	5	5	6	7	7	8



chest 46 in (finished)

MATERIALS

- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 66 (77, 88, 99, 99, 110) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 21 (25, 30, 35, 34, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (27, 28, 29, 31, 32) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 26 (30, 35, 40, 39, 44) sts, bind off the center 14 (17, 18, 19, 21, 22) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (21 (25, 30, 35, 34, 39) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 61 (65, 69, 71, 75, 79) sts (17 (18, 19, 19, 20, 21) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 67 (73, 75, 77, 81, 83) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1627 Intermediate Sweaters · Aran weight

Poppy Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Right Cable on a Purl Ground with aran weight (#4/5) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1150	1350	1525	1725	1850	2050
Skeins (approx.)	7	8	9	10	11	12



chest 46 in (finished)

MATERIALS

- 10 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 140, 152) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 47, 49, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 52, 54, 59) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 47, 49, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1628 Intermediate Sweaters · Worsted weight

Ivory Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Cable on a Seeded Ground with worsted weight (#4) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1275	1500	1625	1825	2050	2200
Skeins (approx.)	7	8	9	10	11	11



chest 46 in (finished)

MATERIALS

- 10 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (122, 129, 143, 157, 164) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (41, 43, 50, 56, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 43, 43, 45, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 40 (46, 48, 55, 61, 63) sts, bind off the center 28 (30, 33, 33, 35, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (41, 43, 50, 56, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 108, 108, 112, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1629 Intermediate Sweaters · Worsted weight

Kindle Tunic Sweater

A longer sweater with a relaxed fit. Worked in Seed Stitch with worsted weight (#4) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	975	1150	1275	1425	1575	1725
Skeins (approx.)	5	6	7	8	8	9



chest 46 in (finished)

MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 25 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 85 (95, 103, 113, 121, 131) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (32, 35, 40, 42, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (31, 33, 33, 37, 39) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 33 (37, 40, 45, 47, 51) sts, bind off the center 19 (21, 23, 23, 27, 29) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (28 (32, 35, 40, 42, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 73 (77, 81, 87, 91, 95) sts (20 (21, 22, 24, 25, 26) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 81 (85, 89, 89, 97, 101) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1630 Intermediate Sweaters · Worsted weight

Bluebell Tunic Sweater

A longer sweater with a relaxed fit. Worked in Double Seed Stitch with worsted weight (#4) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1025	1200	1350	1500	1650	1825
Skeins (approx.)	6	6	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 25 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 85 (95, 103, 113, 121, 131) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (32, 35, 40, 42, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (31, 33, 33, 37, 39) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 33 (37, 40, 45, 47, 51) sts, bind off the center 19 (21, 23, 23, 27, 29) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (28 (32, 35, 40, 42, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 73 (77, 81, 87, 91, 95) sts (20 (21, 22, 24, 25, 26) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 81 (85, 89, 89, 97, 101) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1631 Intermediate Sweaters · DK weight

Upland Tunic Sweater

A longer sweater with a relaxed fit. Worked in Chevron Ripple Lace with dk weight (#3) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1050	1225	1375	1550	1700	1875
Skeins (approx.)	5	6	6	7	8	9



chest 46 in (finished)

MATERIALS

- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (36, 39, 40, 43, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 51, 55, 60) sts, bind off the center 25 (26, 29, 30, 33, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 46, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 99 (101, 107, 109, 115, 117) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1632 Intermediate Sweaters · Aran weight

Cypress Tunic Sweater

A longer sweater with a relaxed fit. Worked in Basketweave 5x5 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1050	1125	1275	1425	1600	1775
Skeins (approx.)	6	7	8	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 85 (85, 95, 105, 115, 125) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 10 plus 5) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 29 (28, 32, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 35, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 34 (33, 37, 42, 45, 49) sts, bind off the center 17 (19, 21, 21, 25, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (29 (28, 32, 37, 40, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 85, 89) sts (19 (20, 21, 22, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 74 (78, 82, 82, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1633 Intermediate Sweaters · Worsted weight

Bronze Tunic Sweater

A longer sweater with a relaxed fit. Worked in 6-Stitch Cable on a Seeded Ground with worsted weight (#4) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1300	1475	1625	1875	2050	2225
Skeins (approx.)	7	8	9	10	11	12



MATERIALS


- 10 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 111 (120, 129, 147, 156, 165) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 9 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 37 (40, 43, 52, 55, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (40, 43, 43, 46, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 42 (45, 48, 57, 60, 63) sts, bind off the center 27 (30, 33, 33, 36, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (37 (40, 43, 52, 55, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 96 (102, 108, 108, 114, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1634 Intermediate Sweaters · DK weight

Lagom Tunic Sweater

A longer sweater with a relaxed fit. Worked in Basketweave 4x4 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1375	1625	1800	1950	2225	2400
Skeins (approx.)	6	8	8	9	10	11



MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (124, 132, 140, 156, 164) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (42, 44, 48, 55, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 40 (47, 49, 53, 60, 63) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (42, 44, 48, 55, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 108 (112, 120, 120, 124, 128) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1635 Intermediate Sweaters · Aran weight

Basil Tunic Sweater

A longer sweater with a relaxed fit. Worked in 1x1 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	950	1100	1250	1375	1525	1675
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (111, 121, 131, 141, 153) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 46, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (37, 39, 39, 41, 45) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 51, 55, 59) sts, bind off the center 25 (27, 29, 29, 31, 35) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 46, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 89 (93, 97, 97, 101, 109) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1636 Intermediate Sweaters · Aran weight

Kestrel Tunic Sweater

A longer sweater with a relaxed fit. Worked in Feather and Fan with aran weight (#4/5) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	800	850	1050	1100	1325	1375
Skeins (approx.)	5	5	6	7	8	8



chest 46 in (finished)

MATERIALS

- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Feather and Fan, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (72, 90, 90, 108, 108) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 18) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (23, 31, 31, 39, 38) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (26, 28, 28, 30, 32) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 29 (28, 36, 36, 44, 43) sts, bind off the center 14 (16, 18, 18, 20, 22) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (23, 31, 31, 39, 38) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 61 (65, 69, 71, 75, 79) sts (17 (18, 19, 19, 20, 21) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 67 (71, 75, 75, 79, 83) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1637 Intermediate Sweaters · Aran weight

Indigo Tunic Sweater

A longer sweater with a relaxed fit. Worked in Garter Stitch with aran weight (#4/5) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1675	1950	2175	2425	2675	2950
Skeins (approx.)	10	11	13	14	15	17



chest 46 in (finished)

MATERIALS

- 14 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 37 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (84, 92, 100, 108, 116) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (28, 31, 35, 38, 41) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 26 (28, 30, 30, 32, 34) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 30 (33, 36, 40, 43, 46) sts, bind off the center 16 (18, 20, 20, 22, 24) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (28, 31, 35, 38, 41) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 6 rows until you have 65 (69, 73, 77, 81, 85) sts (18 (19, 20, 21, 22, 23) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 91 (95, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1638 Intermediate Sweaters · Worsted weight

Briar Tunic Sweater

A longer sweater with a relaxed fit. Worked in 3x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1025	1225	1350	1500	1650	1825
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (123, 133, 143, 153, 168) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 5 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (41, 45, 50, 54, 60) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (41, 43, 43, 45, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 40 (46, 50, 55, 59, 65) sts, bind off the center 28 (31, 33, 33, 35, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (41, 45, 50, 54, 60) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (104, 108, 108, 112, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1639 Intermediate Sweaters · Aran weight

Aurora Tunic Sweater

A longer sweater with a relaxed fit. Worked in Horizontal Ridges with aran weight (#4/5) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1025	1200	1325	1475	1650	1800
Skeins (approx.)	6	7	8	9	10	10



MATERIALS


- 9 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 26 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (84, 92, 100, 108, 116) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (28, 31, 35, 38, 41) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 26 (28, 30, 30, 32, 34) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 30 (33, 36, 40, 43, 46) sts, bind off the center 16 (18, 20, 20, 22, 24) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (28, 31, 35, 38, 41) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (18 (19, 20, 21, 22, 23) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 76 (80, 84, 84, 88, 92) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1640 Intermediate Sweaters · DK weight

Oak Tunic Sweater

A longer sweater with a relaxed fit. Worked in 6-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1600	1850	2100	2275	2525	2800
Skeins (approx.)	7	9	10	10	11	13



chest 46 in (finished)

MATERIALS

- 10 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 138 (154, 170, 178, 194, 210) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 45 (52, 58, 62, 68, 74) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 50 (57, 63, 67, 73, 79) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (45 (52, 58, 62, 68, 74) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (123, 131, 139, 145, 153) sts (33 (34, 36, 38, 40, 42) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1641 Intermediate Sweaters · Aran weight

Canyon Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Cable on a Seeded Ground with aran weight (#4/5) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1175	1325	1525	1675	1875	2025
Skeins (approx.)	7	8	9	10	11	12



chest 46 in (finished)

MATERIALS

- 10 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 101 (108, 122, 129, 143, 150) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (36, 41, 45, 50, 53) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (36, 40, 39, 43, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 38 (41, 46, 50, 55, 58) sts, bind off the center 25 (26, 30, 29, 33, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (36, 41, 45, 50, 53) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 89 (91, 99, 97, 105, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1642 **Advanced** Sweaters · DK weight

Walnut Tunic Sweater

A longer sweater with a relaxed fit. Worked in Twin Cables with dk weight (#3) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1675	2025	2250	2475	2700	2950
Skeins (approx.)	8	9	10	11	12	13



MATERIALS


- 11 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (158, 170, 182, 194, 206) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 43 (54, 58, 64, 68, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 48 (59, 63, 69, 73, 77) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (43 (54, 58, 64, 68, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (123, 131, 139, 145, 153) sts (33 (34, 36, 38, 40, 42) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1643 Intermediate Sweaters · Aran weight

Oasis Tunic Sweater

A longer sweater with a relaxed fit. Worked in Reverse Stockinette with aran weight (#4/5) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	875	1000	1125	1250	1400	1525
Skeins (approx.)	5	6	7	7	8	9



chest 46 in (finished)

MATERIALS

- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 22 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (84, 92, 100, 108, 116) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (28, 31, 35, 38, 41) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 26 (28, 30, 30, 32, 34) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 30 (33, 36, 40, 43, 46) sts, bind off the center 16 (18, 20, 20, 22, 24) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (28, 31, 35, 38, 41) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (18 (19, 20, 21, 22, 23) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 71 (75, 79, 79, 83, 87) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1644 Intermediate Sweaters · DK weight

Glacier Tunic Sweater

A longer sweater with a relaxed fit. Worked in 6-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1600	1875	2050	2325	2500	2800
Skeins (approx.)	7	9	9	11	11	13



chest 46 in (finished)

MATERIALS


- 11 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 138 (156, 165, 183, 192, 210) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 9 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 45 (53, 55, 64, 67, 74) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 55, 55, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 50 (58, 60, 69, 72, 79) sts, bind off the center 38 (40, 45, 45, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (45 (53, 55, 64, 67, 74) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (123, 131, 139, 145, 153) sts (33 (34, 36, 38, 40, 42) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 139, 139, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1645 Intermediate Sweaters · Worsted weight

Mulberry Tunic Sweater

A longer sweater with a relaxed fit. Worked in Horizontal Ridges with worsted weight (#4) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1150	1325	1500	1650	1825	2000
Skeins (approx.)	6	7	8	9	10	10



chest 46 in (finished)

MATERIALS


- 9 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 29 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 86 (94, 104, 112, 122, 130) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (31, 35, 39, 43, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (32, 34, 34, 36, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 33 (36, 40, 44, 48, 51) sts, bind off the center 20 (22, 24, 24, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (28 (31, 35, 39, 43, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 73 (77, 81, 87, 91, 95) sts (20 (21, 22, 24, 25, 26) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 88 (92, 96, 96, 100, 104) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1646 Intermediate Sweaters · Worsted weight

Alder Tunic Sweater

A longer sweater with a relaxed fit. Worked in 2x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1050	1225	1350	1500	1650	1825
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 110 (122, 131, 143, 155, 167) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 3 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 36 (41, 44, 50, 54, 59) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 43, 43, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 41 (46, 49, 55, 59, 64) sts, bind off the center 28 (30, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (36 (41, 44, 50, 54, 59) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 108, 108, 116, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1647 Intermediate Sweaters · Aran weight

Spruce Tunic Sweater

A longer sweater with a relaxed fit. Worked in Checkerboard 4x4 with aran weight (#4/5) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1025	1175	1325	1450	1600	1750
Skeins (approx.)	6	7	8	9	9	10



chest 46 in (finished)

MATERIALS


- 9 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (92, 100, 108, 116, 124) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (31, 34, 38, 41, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 33 (36, 39, 43, 46, 49) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (28 (31, 34, 38, 41, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 85, 89) sts (19 (20, 21, 22, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 76 (80, 84, 84, 88, 92) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1648 Intermediate Sweaters · DK weight

Tundra Tunic Sweater

A longer sweater with a relaxed fit. Worked in Garter Stitch with dk weight (#3) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	2300	2675	2975	3325	3675	4050
Skeins (approx.)	10	12	13	15	16	18



chest 46 in (finished)

MATERIALS

- 15 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 51 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 126, 138, 148, 160) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (39, 42, 48, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 36 (38, 42, 42, 44, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 39 (44, 47, 53, 57, 62) sts, bind off the center 26 (28, 32, 32, 34, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (39, 42, 48, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 6 rows until you have 89 (95, 99, 105, 111, 117) sts (25 (27, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 129 (133, 141, 141, 145, 149) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1649 Intermediate Sweaters · Aran weight

Velvet Tunic Sweater

A longer sweater with a relaxed fit. Worked in Basketweave 3x3 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1000	1150	1300	1425	1625	1750
Skeins (approx.)	6	7	8	8	10	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (87, 99, 105, 117, 123) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (29, 34, 37, 42, 43) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 33, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 32 (34, 39, 42, 47, 48) sts, bind off the center 17 (19, 21, 21, 23, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (29, 34, 37, 42, 43) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 85, 89) sts (19 (20, 21, 22, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 74 (78, 82, 82, 86, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1650 Intermediate Sweaters · DK weight

Cobble Tunic Sweater

A longer sweater with a relaxed fit. Worked in Double Seed Stitch with dk weight (#3) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1325	1525	1725	1900	2125	2325
Skeins (approx.)	6	7	8	9	10	11



chest 46 in (finished)

MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 32 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (115, 127, 137, 149, 159) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (38, 43, 48, 52, 56) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (39, 41, 41, 45, 47) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 40 (43, 48, 53, 57, 61) sts, bind off the center 25 (29, 31, 31, 35, 37) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (38, 43, 48, 52, 56) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 89 (95, 99, 105, 111, 117) sts (25 (27, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 102 (110, 114, 114, 122, 126) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1651 Intermediate Sweaters · Worsted weight

Moss Tunic Sweater

A longer sweater with a relaxed fit. Worked in 6-Stitch Right Cable on a Purl Ground with worsted weight (#4) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1250	1500	1650	1850	2025	2275
Skeins (approx.)	7	8	9	10	11	12



chest 46 in (finished)

MATERIALS

- 10 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 106 (122, 130, 146, 154, 170) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (41, 43, 51, 54, 61) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 39 (46, 48, 56, 59, 66) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (41, 43, 51, 54, 61) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1652 Intermediate Sweaters · Aran weight

Acorn Tunic Sweater

A longer sweater with a relaxed fit. Worked in Chevron Ripple with Purl Rows with aran weight (#4/5) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	750	900	1025	1175	1225	1400
Skeins (approx.)	5	5	6	7	7	8



chest 46 in (finished)

MATERIALS

- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 66 (77, 88, 99, 99, 110) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 21 (25, 30, 35, 34, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (27, 28, 29, 31, 32) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 26 (30, 35, 40, 39, 44) sts, bind off the center 14 (17, 18, 19, 21, 22) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (21 (25, 30, 35, 34, 39) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 61 (65, 69, 71, 75, 79) sts (17 (18, 19, 19, 20, 21) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 67 (73, 75, 77, 81, 83) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1653 Intermediate Sweaters · Aran weight

Willow Tunic Sweater

A longer sweater with a relaxed fit. Worked in Zigzag Texture with aran weight (#4/5) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	925	1125	1225	1400	1525	1700
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 22 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 78 (90, 96, 108, 114, 126) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (30, 32, 38, 40, 45) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 30 (35, 37, 43, 45, 50) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (30, 32, 38, 40, 45) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 85, 89) sts (19 (20, 21, 22, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 75 (79, 83, 83, 87, 91) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1654 Intermediate Sweaters · Aran weight

Jonquil Tunic Sweater

A longer sweater with a relaxed fit. Worked in 3x2 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	950	1075	1250	1400	1525	1675
Skeins (approx.)	6	6	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (108, 123, 133, 143, 153) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 5 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 42, 47, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 39, 39, 43, 45) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (41, 47, 52, 55, 59) sts, bind off the center 24 (26, 29, 29, 33, 35) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (36, 42, 47, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 97, 97, 105, 109) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1655 Advanced Sweaters · Aran weight

Dove Tunic Sweater

A longer sweater with a relaxed fit. Worked in Twin Cables with aran weight (#4/5) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1250	1450	1650	1850	2050	2275
Skeins (approx.)	7	9	10	11	12	13



chest 46 in (finished)

MATERIALS


- 11 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 47, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 52, 57, 62) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 47, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1656 Advanced Sweaters · Worsted weight

Sienna Tunic Sweater

A longer sweater with a relaxed fit. Worked in Twin Cables with worsted weight (#4) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1375	1600	1800	2000	2225	2450
Skeins (approx.)	7	8	9	10	12	13



MATERIALS


- 10 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 110 (122, 134, 146, 158, 170) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 36 (41, 45, 51, 56, 61) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 41 (46, 50, 56, 61, 66) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (36 (41, 45, 51, 56, 61) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1657 Intermediate Sweaters · Aran weight

Birch Tunic Sweater

A longer sweater with a relaxed fit. Worked in Double Seed Stitch with aran weight (#4/5) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	975	1125	1250	1400	1525	1675
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 23 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (85, 93, 101, 109, 117) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (28, 32, 36, 38, 42) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 25 (29, 29, 29, 33, 33) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 31 (33, 37, 41, 43, 47) sts, bind off the center 15 (19, 19, 19, 23, 23) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (28, 32, 36, 38, 42) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (18 (19, 20, 21, 22, 23) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 70 (78, 78, 78, 86, 86) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1658 Intermediate Sweaters · DK weight

Opal Tunic Sweater

A longer sweater with a relaxed fit. Worked in Eyelet Rows with dk weight (#3) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1075	1225	1375	1550	1700	1875
Skeins (approx.)	5	6	6	7	8	9



chest 46 in (finished)

MATERIALS

- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 30 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 100 (110, 120, 132, 142, 152) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (37, 40, 46, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 38 (42, 45, 51, 55, 59) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (37, 40, 46, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 97 (101, 109, 109, 113, 117) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1659 Intermediate Sweaters · Aran weight

Umber Tunic Sweater

A longer sweater with a relaxed fit. Worked in 6-Stitch Right Cable on a Purl Ground with aran weight (#4/5) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1150	1375	1525	1675	1825	2075
Skeins (approx.)	7	8	9	10	11	12



chest 46 in (finished)

MATERIALS

- 10 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (114, 122, 130, 138, 154) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (39, 41, 45, 48, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (44, 46, 50, 53, 60) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (39, 41, 45, 48, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1660 Intermediate Sweaters · Aran weight

Heather Tunic Sweater

A longer sweater with a relaxed fit. Worked in Broken Rib with aran weight (#4/5) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	925	1050	1175	1325	1450	1600
Skeins (approx.)	6	6	7	8	9	9



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (89, 97, 107, 115, 123) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (30, 33, 38, 40, 43) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 35, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 32 (35, 38, 43, 45, 48) sts, bind off the center 17 (19, 21, 21, 25, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (30, 33, 38, 40, 43) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 85, 89) sts (19 (20, 21, 22, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 74 (78, 82, 82, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1661 Intermediate Sweaters · DK weight

Quartz Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1575	1825	2050	2275	2575	2825
Skeins (approx.)	7	8	9	10	12	13



chest 46 in (finished)

MATERIALS

- 10 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 136 (150, 164, 178, 199, 213) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 44 (50, 55, 62, 70, 76) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 59, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 49 (55, 60, 67, 75, 81) sts, bind off the center 38 (40, 44, 44, 49, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (44 (50, 55, 62, 70, 76) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (123, 131, 139, 145, 153) sts (33 (34, 36, 38, 40, 42) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 147, 151) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1662 Intermediate Sweaters · Worsted weight

Orchard Tunic Sweater

A longer sweater with a relaxed fit. Worked in 2x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1050	1225	1375	1475	1650	1825
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 110 (122, 134, 142, 154, 166) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 36 (41, 45, 49, 54, 59) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 41 (46, 50, 54, 59, 64) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (36 (41, 45, 49, 54, 59) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1663 Intermediate Sweaters · Aran weight

Meadow Tunic Sweater

A longer sweater with a relaxed fit. Worked in Eyelet Rows with aran weight (#4/5) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	800	900	1025	1125	1250	1375
Skeins (approx.)	5	5	6	7	7	8



chest 46 in (finished)

MATERIALS

- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

15 sts and 22 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (78, 86, 94, 102, 108) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (26, 29, 33, 36, 38) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (26, 28, 28, 30, 32) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 29 (31, 34, 38, 41, 43) sts, bind off the center 14 (16, 18, 18, 20, 22) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (26, 29, 33, 36, 38) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 61 (65, 69, 71, 75, 79) sts (17 (18, 19, 19, 20, 21) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 67 (71, 75, 75, 79, 83) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1664 Intermediate Sweaters · Aran weight

Vine Tunic Sweater

A longer sweater with a relaxed fit. Worked in 6-Stitch Left Cable on a Purl Ground with aran weight (#4/5) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1150	1375	1525	1675	1825	2075
Skeins (approx.)	7	8	9	10	11	12



MATERIALS

- 10 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (114, 122, 130, 138, 154) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (39, 41, 45, 48, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (44, 46, 50, 53, 60) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (39, 41, 45, 48, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1665 Intermediate Sweaters · Aran weight

Horizon Tunic Sweater

A longer sweater with a relaxed fit. Worked in 2x1 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	975	1100	1250	1375	1525	1675
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 101 (110, 122, 131, 143, 152) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 3 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (37, 41, 46, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (36, 40, 39, 43, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 38 (42, 46, 51, 55, 59) sts, bind off the center 25 (26, 30, 29, 33, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (37, 41, 46, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 89 (91, 99, 97, 105, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1666 Intermediate Sweaters · Worsted weight

Jewel Tunic Sweater

A longer sweater with a relaxed fit. Worked in Chevron Ripple Lace with worsted weight (#4) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	825	975	1125	1275	1325	1475
Skeins (approx.)	5	5	6	7	7	8



chest 46 in (finished)

MATERIALS

- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (88, 99, 110, 110, 121) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (29, 34, 39, 38, 42) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (30, 31, 32, 34, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 30 (34, 39, 44, 43, 47) sts, bind off the center 17 (20, 21, 22, 24, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (29, 34, 39, 38, 42) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 85, 89) sts (19 (20, 21, 22, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 76 (82, 84, 86, 90, 96) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1667 Intermediate Sweaters · DK weight

Daisy Tunic Sweater

A longer sweater with a relaxed fit. Worked in 2x2 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1300	1525	1675	1875	2050	2275
Skeins (approx.)	6	7	8	9	9	10



chest 46 in (finished)

MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 138 (154, 166, 182, 194, 210) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 45 (52, 56, 64, 68, 74) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 50 (57, 61, 69, 73, 79) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (45 (52, 56, 64, 68, 74) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (123, 131, 139, 145, 153) sts (33 (34, 36, 38, 40, 42) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1668 Intermediate Sweaters · Worsted weight

Wheat Tunic Sweater

A longer sweater with a relaxed fit. Worked in 1x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1050	1200	1350	1500	1650	1825
Skeins (approx.)	6	6	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 109 (121, 133, 143, 155, 167) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 36 (40, 45, 50, 54, 59) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 41 (45, 50, 55, 59, 64) sts, bind off the center 27 (31, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (36 (40, 45, 50, 54, 59) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 96 (104, 108, 108, 116, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1669 Intermediate Sweaters · Worsted weight

Sparrow Tunic Sweater

A longer sweater with a relaxed fit. Worked in Ladder Lace with worsted weight (#4) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	850	1000	1100	1225	1350	1500
Skeins (approx.)	5	5	6	7	7	8



chest 46 in (finished)

MATERIALS

- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 80 (90, 98, 106, 114, 124) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (30, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 31 (35, 38, 42, 45, 49) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (30, 33, 37, 40, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 85, 89) sts (19 (20, 21, 22, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 78 (82, 86, 86, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1670 Intermediate Sweaters · Aran weight

Zenith Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Left Cable on a Purl Ground with aran weight (#4/5) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1150	1350	1525	1725	1850	2050
Skeins (approx.)	7	8	9	10	11	12



chest 46 in (finished)

MATERIALS

- 10 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 140, 152) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 47, 49, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 52, 54, 59) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 47, 49, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1671 Intermediate Sweaters · DK weight

Summit Tunic Sweater

A longer sweater with a relaxed fit. Worked in 6-Stitch Right Cable on a Purl Ground with dk weight (#3) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1600	1850	2100	2275	2525	2800
Skeins (approx.)	7	9	10	10	11	13



MATERIALS

- 10 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 138 (154, 170, 178, 194, 210) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 45 (52, 58, 62, 68, 74) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 50 (57, 63, 67, 73, 79) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (45 (52, 58, 62, 68, 74) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (123, 131, 139, 145, 153) sts (33 (34, 36, 38, 40, 42) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1672 Intermediate Sweaters · Worsted weight

Hearth Tunic Sweater

A longer sweater with a relaxed fit. Worked in Broken Rib with worsted weight (#4) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1000	1150	1275	1425	1575	1725
Skeins (approx.)	5	6	7	8	8	9



MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 91 (99, 109, 119, 129, 137) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (33, 37, 42, 46, 48) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 37, 41) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 35 (38, 42, 47, 51, 53) sts, bind off the center 21 (23, 25, 25, 27, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (33, 37, 42, 46, 48) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 77 (81, 87, 91, 95, 101) sts (22 (22, 24, 25, 26, 28) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 85 (89, 93, 93, 97, 105) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1673 Intermediate Sweaters · DK weight

Cinder Tunic Sweater

A longer sweater with a relaxed fit. Worked in 3x3 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1275	1500	1675	1900	2075	2300
Skeins (approx.)	6	7	8	9	10	10



chest 46 in (finished)

MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 135 (153, 165, 183, 195, 213) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 44 (51, 55, 64, 68, 76) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 55, 55, 59, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 49 (56, 60, 69, 73, 81) sts, bind off the center 37 (41, 45, 45, 49, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (44 (51, 55, 64, 68, 76) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (123, 131, 139, 145, 153) sts (33 (34, 36, 38, 40, 42) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 123 (131, 139, 139, 147, 151) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1674 Advanced Sweaters · Aran weight

Amber Tunic Sweater

A longer sweater with a relaxed fit. Worked in Mirrored Cables with aran weight (#4/5) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1250	1450	1650	1850	2050	2275
Skeins (approx.)	7	9	10	11	12	13



chest 46 in (finished)

MATERIALS

- 11 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 47, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 52, 57, 62) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 47, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1675 Intermediate Sweaters · Aran weight

Nettle Tunic Sweater

A longer sweater with a relaxed fit. Worked in 3x3 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	950	1100	1250	1375	1525	1675
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (111, 123, 129, 141, 153) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 42, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (37, 39, 39, 41, 45) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (42, 47, 50, 55, 59) sts, bind off the center 25 (27, 29, 29, 31, 35) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 42, 45, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 89 (93, 97, 97, 101, 109) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1676 Intermediate Sweaters · Worsted weight

Hazel Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Right Cable on a Purl Ground with worsted weight (#4) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1275	1500	1675	1850	2075	2200
Skeins (approx.)	7	8	9	10	11	11



chest 46 in (finished)

MATERIALS

- 10 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 110 (122, 134, 146, 158, 164) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 36 (41, 45, 51, 56, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 41 (46, 50, 56, 61, 63) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (36 (41, 45, 51, 56, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1677 Intermediate Sweaters · DK weight

Dusk Tunic Sweater

A longer sweater with a relaxed fit. Worked in Checkerboard 3x3 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1400	1625	1825	1975	2200	2400
Skeins (approx.)	7	8	8	9	10	11



chest 46 in (finished)

MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 111 (123, 135, 141, 153, 165) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 37 (41, 46, 49, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 45, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 42 (46, 51, 54, 59, 63) sts, bind off the center 27 (31, 33, 33, 35, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (37 (41, 46, 49, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (114, 118, 118, 122, 130) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1678 Intermediate Sweaters · Aran weight

Plum Tunic Sweater

A longer sweater with a relaxed fit. Worked in 2x2 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	950	1100	1250	1375	1525	1700
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 130, 142, 154) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 45, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 50, 55, 60) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 45, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (91, 99, 99, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1679 Intermediate Sweaters · DK weight

Elm Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Right Cable on a Purl Ground with dk weight (#3) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1600	1850	2050	2300	2525	2800
Skeins (approx.)	7	9	9	10	11	13



MATERIALS

- 10 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 140 (152, 164, 182, 194, 212) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 46 (51, 55, 64, 68, 75) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 51 (56, 60, 69, 73, 80) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (46 (51, 55, 64, 68, 75) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (123, 131, 139, 145, 153) sts (33 (34, 36, 38, 40, 42) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1680 Intermediate Sweaters · Aran weight

Pearl Tunic Sweater

A longer sweater with a relaxed fit. Worked in Seed Stitch with aran weight (#4/5) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	925	1075	1200	1325	1475	1600
Skeins (approx.)	6	6	7	8	9	9



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 23 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (85, 93, 101, 109, 117) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (28, 32, 36, 38, 42) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 25 (29, 29, 29, 33, 33) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 31 (33, 37, 41, 43, 47) sts, bind off the center 15 (19, 19, 19, 23, 23) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (28, 32, 36, 38, 42) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (18 (19, 20, 21, 22, 23) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 70 (78, 78, 78, 86, 86) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1681 Intermediate Sweaters · Worsted weight

Pewter Tunic Sweater

A longer sweater with a relaxed fit. Worked in Stockinette Stitch with worsted weight (#4) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	950	1100	1225	1375	1525	1650
Skeins (approx.)	5	6	7	7	8	9



chest 46 in (finished)

MATERIALS

- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 24 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 86 (94, 104, 112, 122, 130) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (31, 35, 39, 43, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (32, 34, 34, 36, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 33 (36, 40, 44, 48, 51) sts, bind off the center 20 (22, 24, 24, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (28 (31, 35, 39, 43, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 73 (77, 81, 87, 91, 95) sts (20 (21, 22, 24, 25, 26) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 82 (86, 90, 90, 94, 98) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1682 Intermediate Sweaters · Aran weight

Quill Tunic Sweater

A longer sweater with a relaxed fit. Worked in Stockinette Stitch with aran weight (#4/5) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	875	1000	1125	1250	1400	1525
Skeins (approx.)	5	6	7	7	8	9



chest 46 in (finished)

MATERIALS

- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 22 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (84, 92, 100, 108, 116) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (28, 31, 35, 38, 41) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 26 (28, 30, 30, 32, 34) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 30 (33, 36, 40, 43, 46) sts, bind off the center 16 (18, 20, 20, 22, 24) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (28, 31, 35, 38, 41) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (18 (19, 20, 21, 22, 23) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 71 (75, 79, 79, 83, 87) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1683 Intermediate Sweaters · Worsted weight

Lilac Tunic Sweater

A longer sweater with a relaxed fit. Worked in Eyelet Rows with worsted weight (#4) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	850	1000	1100	1225	1350	1500
Skeins (approx.)	5	5	6	7	7	8



chest 46 in (finished)

MATERIALS

- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 24 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 80 (90, 98, 106, 114, 124) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (30, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 31 (35, 38, 42, 45, 49) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (30, 33, 37, 40, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 85, 89) sts (19 (20, 21, 22, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 78 (82, 86, 86, 90, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1684 Intermediate Sweaters · DK weight

Clover Tunic Sweater

A longer sweater with a relaxed fit. Worked in Checkerboard 4x4 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1375	1625	1800	1950	2225	2400
Skeins (approx.)	6	8	8	9	10	11



chest 46 in (finished)

MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (124, 132, 140, 156, 164) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (42, 44, 48, 55, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 40 (47, 49, 53, 60, 63) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (42, 44, 48, 55, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 108 (112, 120, 120, 124, 128) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1685 Intermediate Sweaters · Worsted weight

Lagoon Tunic Sweater

A longer sweater with a relaxed fit. Worked in Chevron Ripple with Purl Rows with worsted weight (#4) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	825	975	1125	1275	1325	1475
Skeins (approx.)	5	5	6	7	7	8



chest 46 in (finished)

MATERIALS

- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (88, 99, 110, 110, 121) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (29, 34, 39, 38, 42) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (30, 31, 32, 34, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 30 (34, 39, 44, 43, 47) sts, bind off the center 17 (20, 21, 22, 24, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (29, 34, 39, 38, 42) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 85, 89) sts (19 (20, 21, 22, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 76 (82, 84, 86, 90, 96) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1686 Intermediate Sweaters · DK weight

Foxglove Tunic Sweater

A longer sweater with a relaxed fit. Worked in Basketweave 5x5 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1350	1650	1825	2000	2200	2400
Skeins (approx.)	6	8	8	9	10	11



MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (125, 135, 145, 155, 165) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 10 plus 5) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (42, 46, 51, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 39 (47, 51, 56, 59, 63) sts, bind off the center 27 (31, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (42, 46, 51, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (114, 118, 118, 126, 130) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1687 Intermediate Sweaters · DK weight

Primrose Tunic Sweater

A longer sweater with a relaxed fit. Worked in Chevron Ripple with Purl Rows with dk weight (#3) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1050	1225	1375	1550	1700	1875
Skeins (approx.)	5	6	6	7	8	9



chest 46 in (finished)

MATERIALS

- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (36, 39, 40, 43, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 51, 55, 60) sts, bind off the center 25 (26, 29, 30, 33, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 46, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 99 (101, 107, 109, 115, 117) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1688 Intermediate Sweaters · Worsted weight

Delta Tunic Sweater

A longer sweater with a relaxed fit. Worked in Checkerboard 3x3 with worsted weight (#4) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1100	1250	1425	1550	1725	1875
Skeins (approx.)	6	7	8	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 93 (99, 111, 117, 129, 135) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 31 (33, 38, 41, 46, 47) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 37, 41) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 36 (38, 43, 46, 51, 52) sts, bind off the center 21 (23, 25, 25, 27, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (31 (33, 38, 41, 46, 47) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 77 (81, 87, 91, 95, 101) sts (22 (22, 24, 25, 26, 28) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 85 (89, 93, 93, 97, 105) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1689 Intermediate Sweaters · Worsted weight

Raven Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Cable, Wide Purl Ground with worsted weight (#4) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1275	1500	1625	1825	2050	2200
Skeins (approx.)	7	8	9	10	11	11



chest 46 in (finished)

MATERIALS

- 10 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3. **Row 3 (RS):** P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (122, 129, 143, 157, 164) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (41, 43, 50, 56, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 43, 43, 45, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 40 (46, 48, 55, 61, 63) sts, bind off the center 28 (30, 33, 33, 35, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (41, 43, 50, 56, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 108, 108, 112, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1690 Intermediate Sweaters · DK weight

Frost Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Cable, Wide Purl Ground with dk weight (#3) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1575	1825	2050	2275	2575	2825
Skeins (approx.)	7	8	9	10	12	13



chest 46 in (finished)

MATERIALS

- 10 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3. **Row 3 (RS):** P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 136 (150, 164, 178, 199, 213) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 44 (50, 55, 62, 70, 76) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 59, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 49 (55, 60, 67, 75, 81) sts, bind off the center 38 (40, 44, 44, 49, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (44 (50, 55, 62, 70, 76) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (123, 131, 139, 145, 153) sts (33 (34, 36, 38, 40, 42) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 147, 151) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1691 Intermediate Sweaters · Worsted weight

Mist Tunic Sweater

A longer sweater with a relaxed fit. Worked in Diagonal Rib with worsted weight (#4) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1050	1200	1375	1500	1675	1825
Skeins (approx.)	6	6	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

20 sts and 24 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 96 (104, 116, 124, 136, 144) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (34, 39, 43, 48, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 32 (36, 38, 38, 40, 42) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 37 (39, 44, 48, 53, 56) sts, bind off the center 22 (26, 28, 28, 30, 32) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (34, 39, 43, 48, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 35 (39, 41, 43, 45, 49) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 81 (85, 91, 95, 101, 105) sts (23 (23, 25, 26, 28, 28) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 86 (94, 98, 98, 102, 106) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1692 Intermediate Sweaters · DK weight

Jasper Tunic Sweater

A longer sweater with a relaxed fit. Worked in Basketweave 3x3 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1400	1625	1825	1975	2200	2400
Skeins (approx.)	7	8	8	9	10	11



chest 46 in (finished)

MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 111 (123, 135, 141, 153, 165) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 37 (41, 46, 49, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 45, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 42 (46, 51, 54, 59, 63) sts, bind off the center 27 (31, 33, 33, 35, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (37 (41, 46, 49, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (114, 118, 118, 122, 130) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1693 Intermediate Sweaters · Aran weight

Fable Tunic Sweater

A longer sweater with a relaxed fit. Worked in Checkerboard 3x3 with aran weight (#4/5) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1000	1150	1300	1425	1625	1750
Skeins (approx.)	6	7	8	8	10	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (87, 99, 105, 117, 123) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (29, 34, 37, 42, 43) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 33, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 32 (34, 39, 42, 47, 48) sts, bind off the center 17 (19, 21, 21, 23, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (29, 34, 37, 42, 43) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 85, 89) sts (19 (20, 21, 22, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 74 (78, 82, 82, 86, 94) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1694 Intermediate Sweaters · Worsted weight

Tulip Tunic Sweater

A longer sweater with a relaxed fit. Worked in 6-Stitch Left Cable on a Purl Ground with worsted weight (#4) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1250	1500	1650	1850	2025	2275
Skeins (approx.)	7	8	9	10	11	12



MATERIALS

- 10 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 106 (122, 130, 146, 154, 170) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (41, 43, 51, 54, 61) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 39 (46, 48, 56, 59, 66) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (41, 43, 51, 54, 61) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1695 Intermediate Sweaters · Worsted weight

Gable Tunic Sweater

A longer sweater with a relaxed fit. Worked in 4-Stitch Left Cable on a Purl Ground with worsted weight (#4) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1275	1500	1675	1850	2075	2200
Skeins (approx.)	7	8	9	10	11	11



chest 46 in (finished)

MATERIALS

- 10 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 110 (122, 134, 146, 158, 164) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 36 (41, 45, 51, 56, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 41 (46, 50, 56, 61, 63) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (36 (41, 45, 51, 56, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 98 (102, 110, 110, 114, 118) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1696 Intermediate Sweaters · DK weight

Iris Tunic Sweater

A longer sweater with a relaxed fit. Worked in Horizontal Ridges with dk weight (#3) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1425	1650	1825	2050	2250	2500
Skeins (approx.)	7	8	8	9	10	11



chest 46 in (finished)

MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 36 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 126, 138, 148, 160) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (39, 42, 48, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 36 (38, 42, 42, 44, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 39 (44, 47, 53, 57, 62) sts, bind off the center 26 (28, 32, 32, 34, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (39, 42, 48, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 89 (95, 99, 105, 111, 117) sts (25 (27, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 109 (113, 121, 121, 125, 129) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1697 Intermediate Sweaters · DK weight

Yarrow Tunic Sweater

A longer sweater with a relaxed fit. Worked in Stockinette Stitch with dk weight (#3) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1175	1375	1525	1700	1875	2075
Skeins (approx.)	6	6	7	8	9	10



chest 46 in (finished)

MATERIALS

- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 30 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 126, 138, 148, 160) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (39, 42, 48, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 36 (38, 42, 42, 44, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 39 (44, 47, 53, 57, 62) sts, bind off the center 26 (28, 32, 32, 34, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (39, 42, 48, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 89 (95, 99, 105, 111, 117) sts (25 (27, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 101 (105, 113, 113, 117, 121) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1698 Intermediate Sweaters · Worsted weight

Kale Tunic Sweater

A longer sweater with a relaxed fit. Worked in Basketweave 4x4 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1100	1250	1400	1550	1775	1925
Skeins (approx.)	6	7	7	8	9	10



MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 92 (100, 108, 116, 132, 140) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 31 (33, 36, 40, 47, 50) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (34, 36, 36, 38, 40) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 36 (38, 41, 45, 52, 55) sts, bind off the center 20 (24, 26, 26, 28, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (31 (33, 36, 40, 47, 50) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 77 (81, 87, 91, 95, 101) sts (22 (22, 24, 25, 26, 28) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 83 (91, 95, 95, 99, 103) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1699 Intermediate Sweaters · DK weight

Valley Tunic Sweater

A longer sweater with a relaxed fit. Worked in Broken Rib with dk weight (#3) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1250	1450	1650	1800	2000	2225
Skeins (approx.)	6	7	8	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 109 (121, 133, 143, 155, 167) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 36 (40, 45, 50, 54, 59) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 41 (45, 50, 55, 59, 64) sts, bind off the center 27 (31, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (36 (40, 45, 50, 54, 59) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (114, 118, 118, 126, 130) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1700 Intermediate Sweaters · DK weight

Linden Tunic Sweater

A longer sweater with a relaxed fit. Worked in Zigzag Texture with dk weight (#3) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1300	1500	1700	1875	2075	2300
Skeins (approx.)	6	7	8	9	10	10



chest 46 in (finished)

MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 30 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (120, 132, 144, 156, 168) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (40, 44, 50, 55, 60) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 40 (45, 49, 55, 60, 65) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (40, 44, 50, 55, 60) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 105 (109, 117, 117, 121, 125) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1701 Intermediate Sweaters · Worsted weight

Pebble Tunic Sweater

A longer sweater with a relaxed fit. Worked in Garter Stitch with worsted weight (#4) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1875	2150	2425	2675	2975	3250
Skeins (approx.)	10	11	13	14	15	17



chest 46 in (finished)

MATERIALS

- 14 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 41 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 86 (94, 104, 112, 122, 130) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (31, 35, 39, 43, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (32, 34, 34, 36, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 33 (36, 40, 44, 48, 51) sts, bind off the center 20 (22, 24, 24, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (28 (31, 35, 39, 43, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 6 rows until you have 73 (77, 81, 87, 91, 95) sts (20 (21, 22, 24, 25, 26) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 104 (108, 112, 112, 116, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1702 Intermediate Sweaters · Worsted weight

Kettle Tunic Sweater

A longer sweater with a relaxed fit. Worked in Zigzag Texture with worsted weight (#4) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1050	1225	1350	1525	1650	1825
Skeins (approx.)	6	7	7	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 24 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 90 (102, 108, 120, 126, 138) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (34, 36, 42, 44, 49) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (34, 36, 36, 38, 40) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 35 (39, 41, 47, 49, 54) sts, bind off the center 20 (24, 26, 26, 28, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (34, 36, 42, 44, 49) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 77 (81, 87, 91, 95, 101) sts (22 (22, 24, 25, 26, 28) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 82 (90, 94, 94, 98, 102) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1703 Intermediate Sweaters · Worsted weight

Wisp Tunic Sweater

A longer sweater with a relaxed fit. Worked in 3x3 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1050	1225	1375	1475	1650	1800
Skeins (approx.)	6	7	7	8	9	9



chest 46 in (finished)

MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 111 (123, 135, 141, 153, 165) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 37 (41, 46, 49, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 45, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 42 (46, 51, 54, 59, 63) sts, bind off the center 27 (31, 33, 33, 35, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (37 (41, 46, 49, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 93 (99, 105, 109, 115, 121) sts (26 (28, 29, 30, 31, 33) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 96 (104, 108, 108, 112, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1704 Intermediate Sweaters · Aran weight

Rowan Tunic Sweater

A longer sweater with a relaxed fit. Worked in 6-Stitch Cable on a Seeded Ground with aran weight (#4/5) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1200	1350	1525	1675	1825	2100
Skeins (approx.)	7	8	9	10	11	12



MATERIALS


- 10 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (111, 120, 129, 138, 156) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 9 plus 3) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (37, 40, 45, 48, 56) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (37, 40, 39, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 39 (42, 45, 50, 53, 61) sts, bind off the center 24 (27, 30, 29, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (37, 40, 45, 48, 56) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 85 (89, 95, 101, 105, 111) sts (24 (25, 26, 28, 29, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 87 (93, 99, 97, 103, 107) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1705 Advanced Sweaters · DK weight

Pine Tunic Sweater

A longer sweater with a relaxed fit. Worked in Mirrored Cables with dk weight (#3) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1675	2025	2250	2475	2700	2950
Skeins (approx.)	8	9	10	11	12	13



MATERIALS

- 11 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (158, 170, 182, 194, 206) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 43 (54, 58, 64, 68, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 48 (59, 63, 69, 73, 77) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (43 (54, 58, 64, 68, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (123, 131, 139, 145, 153) sts (33 (34, 36, 38, 40, 42) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 125 (129, 137, 137, 145, 153) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1706 Intermediate Sweaters · DK weight

Marsh Tunic Sweater

A longer sweater with a relaxed fit. Worked in Seed Stitch with dk weight (#3) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1275	1450	1650	1825	2025	2200
Skeins (approx.)	6	7	8	8	9	10



chest 46 in (finished)

MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 32 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (115, 127, 137, 149, 159) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (38, 43, 48, 52, 56) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (39, 41, 41, 45, 47) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 40 (43, 48, 53, 57, 61) sts, bind off the center 25 (29, 31, 31, 35, 37) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (38, 43, 48, 52, 56) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 89 (95, 99, 105, 111, 117) sts (25 (27, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 102 (110, 114, 114, 122, 126) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1707 Intermediate Sweaters · DK weight

Jetty Tunic Sweater

A longer sweater with a relaxed fit. Worked in Diagonal Rib with dk weight (#3) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	38	42	46	50	54	58
Body length	28	30	31	32	33	34
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	8	8.5	9	9.5	10	10.5
Yarn needed (yd)	1275	1525	1675	1900	2050	2300
Skeins (approx.)	6	7	8	9	9	10



chest 46 in (finished)

MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 30 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 112 (128, 136, 152, 160, 176) sts. Work 3 in / 7.6 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 4) until the piece measures 28 in (30 in, 31 in, 32 in, 33 in, 34 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 36 (43, 46, 54, 56, 62) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 40 (42, 44, 44, 48, 52) center back neck sts.

Front

1. Work as for the back until the piece measures 24.5 in (26.5 in, 27.5 in, 28.5 in, 29.5 in, 30.5 in), ending after a WS row.
2. Neck: Work 41 (48, 51, 59, 61, 67) sts, bind off the center 30 (32, 34, 34, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (36 (43, 46, 54, 56, 62) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 43 (45, 49, 51, 55, 57) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 97 (103, 109, 115, 121, 127) sts (27 (29, 30, 32, 33, 35) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 109 (113, 117, 117, 125, 133) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1708 Intermediate Sweaters · DK weight

Fawn Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 6-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1275	1450	1650	1850	2025	2225
Skeins (approx.)	6	7	8	9	9	10



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Rnd 1: *K6, P2*; rep from * around. **Rnd 2:** *K6, P2*; rep from * around. **Rnd 3:** *K6, P2*; rep from * around. **Rnd 4:** *K6, P2*; rep from * around. **Rnd 5:** *K6, P2*; rep from * around. **Rnd 6:** *K6, P2*; rep from * around. **Rnd 7:** *K6, P2*; rep from * around. **Rnd 8:** *K6, P2*; rep from * around. **Rnd 9:** *C6F, P2*; rep from * around. **Rnd 10:** *K6, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 112 (126, 132, 146, 144, 156) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 25 (28, 30, 33, 33, 36) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 50 (56, 60, 66, 66, 72) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 25 (28, 30, 33, 33, 36) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 408 (446, 500, 554, 600, 652) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 256 (280, 312, 344, 368, 400) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1709 Intermediate Sweaters · DK weight

Kestrel Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 1x1 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1050	1200	1350	1500	1650	1825
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 1x1 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Rnd 1: *P1, K1*; rep from * around. **Rnd 2:** *P1, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 110 (128, 132, 142, 146, 154) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 24 (28, 30, 32, 33, 35) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 49 (57, 60, 64, 67, 71) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 25 (29, 30, 32, 34, 36) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 406 (448, 500, 550, 602, 650) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 254 (282, 312, 340, 370, 398) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1710 Intermediate Sweaters · DK weight

Willow Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Double Seed Stitch with dk weight (#3) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.8	7.5	8.5	9.5	10.5	11.5
Yarn needed (yd)	1050	1225	1375	1525	1675	1850
Skeins (approx.)	5	6	6	7	8	9



chest 43 in (finished)

MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

22 sts and 32 rounds = 4 in (10 cm) in Double Seed Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Rnd 1: *P1, K1*; rep from * around. **Rnd 2:** *K1, P1*; rep from * around. **Rnd 3:** *K1, P1*; rep from * around. **Rnd 4:** *P1, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 88 (98, 104, 110, 118, 124) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 19 (21, 23, 24, 26, 27) sts, place marker, knit 6 (6, 6, 6, 7, 7) sts (sleeve), place marker, knit 38 (43, 46, 49, 52, 55) sts (front), place marker, knit 6 (6, 6, 6, 7, 7) sts (second sleeve), place marker, knit the remaining 19 (22, 23, 25, 26, 28) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 27 (30, 34, 38, 42, 46) times in total. You now have 304 (338, 376, 414, 454, 492) sts and the yoke measures about 6.8 in (7.5 in, 8.5 in, 9.5 in, 10.5 in, 11.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 192 (214, 236, 258, 280, 302) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.2 in (16.5 in, 16.5 in, 16.5 in, 16.5 in, 16.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 60 (66, 74, 82, 91, 99) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (64 (70, 78, 86, 95, 103) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (8, 6, 6, 6, 6) rounds, 13 (14, 17, 19, 22, 25) times in total (38 (41, 44, 47, 50, 52) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1711 Intermediate Sweaters · DK weight

Cedar Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Garter Stitch with dk weight (#3) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	4.2	4.7	5.3	6	6.6	7.2
Yarn needed (yd)	1825	2125	2375	2650	2925	3225
Skeins (approx.)	8	10	11	12	13	15



chest 43 in (finished)

MATERIALS

- 12 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

22 sts and 51 rounds = 4 in (10 cm) in Garter Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Rnd 1: Knit. **Rnd 2:** Purl.

2 

INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 88 (98, 104, 110, 118, 124) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 19 (21, 23, 24, 26, 27) sts, place marker, knit 6 (6, 6, 6, 7, 7) sts (sleeve), place marker, knit 38 (43, 46, 49, 52, 55) sts (front), place marker, knit 6 (6, 6, 6, 7, 7) sts (second sleeve), place marker, knit the remaining 19 (22, 23, 25, 26, 28) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 27 (30, 34, 38, 42, 46) times in total. You now have 304 (338, 376, 414, 454, 492) sts and the yoke measures about 4.2 in (4.7 in, 5.3 in, 6 in, 6.6 in, 7.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 192 (214, 236, 258, 280, 302) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 17.8 in (19.3 in, 19.7 in, 20 in, 20.4 in, 20.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 60 (66, 74, 82, 91, 99) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (64 (70, 78, 86, 95, 103) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 14 (13, 10, 9, 8, 7) rounds, 13 (14, 17, 19, 22, 25) times in total (38 (41, 44, 47, 50, 52) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1712 Intermediate Sweaters · Worsted weight

Nook Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Diagonal Rib with worsted weight (#4) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	8	9	10.3	11.3	12.7	14
Yarn needed (yd)	825	975	1075	1200	1325	1475
Skeins (approx.)	5	5	6	6	7	8



MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

20 sts and 24 rounds = 4 in (10 cm) in Diagonal Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Rnd 1: *P2, K2*; rep from * around. **Rnd 2:** *P1, K2, P1*; rep from * around. **Rnd 3:** *K2, P2*; rep from * around. **Rnd 4:** *K1, P2, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 86 (92, 96, 106, 108, 112) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 18 (20, 21, 23, 24, 25) sts, place marker, knit 7 (6, 6, 7, 6, 6) sts (sleeve), place marker, knit 36 (40, 42, 46, 48, 50) sts (front), place marker, knit 7 (6, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 18 (20, 21, 23, 24, 25) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 24 (27, 31, 34, 38, 42) times in total. You now have 278 (308, 344, 378, 412, 448) sts and the yoke measures about 8 in (9 in, 10.3 in, 11.3 in, 12.7 in, 14 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 55 (60, 68, 75, 82, 90) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 55 (60, 68, 75, 82, 90) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 176 (196, 216, 236, 256, 276) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14 in (15 in, 14.7 in, 14.7 in, 14.3 in, 14 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 55 (60, 68, 75, 82, 90) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (59 (64, 72, 79, 86, 94) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 7 (6, 6, 6, 6, 6) rounds, 12 (13, 16, 18, 20, 23) times in total (35 (38, 40, 42, 45, 48) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1713 Intermediate Sweaters · Aran weight

Nettle Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Garter Stitch with aran weight (#4/5) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	4.1	4.5	5.2	5.8	6.5	7.1
Yarn needed (yd)	1325	1550	1725	1925	2125	2350
Skeins (approx.)	8	9	10	11	12	14



chest 43 in (finished)

MATERIALS

- 11 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

16 sts and 37 rounds = 4 in (10 cm) in Garter Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Rnd 1: Knit. **Rnd 2:** Purl.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 68 (76, 80, 84, 88, 92) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 14 (16, 17, 18, 19, 20) sts, place marker, knit 6 sts (sleeve), place marker, knit 28 (32, 34, 36, 38, 40) sts (front), place marker, knit 6 sts (second sleeve), place marker, knit the remaining 14 (16, 17, 18, 19, 20) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 19 (21, 24, 27, 30, 33) times in total. You now have 220 (244, 272, 300, 328, 356) sts and the yoke measures about 4.1 in (4.5 in, 5.2 in, 5.8 in, 6.5 in, 7.1 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 44 (48, 54, 60, 66, 72) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 44 (48, 54, 60, 66, 72) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 140 (156, 172, 188, 204, 220) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 17.9 in (19.5 in, 19.8 in, 20.2 in, 20.5 in, 20.9 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 44 (48, 54, 60, 66, 72) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (48 (52, 58, 64, 70, 76) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 13 (12, 10, 8, 7, 7) rounds, 10 (11, 13, 15, 17, 19) times in total (28 (30, 32, 34, 36, 38) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1714 Intermediate Sweaters · DK weight

Dune Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 3x2 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1025	1200	1350	1500	1650	1825
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 3x2 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Rnd 1: *P2, K3*; rep from * around. **Rnd 2:** *P2, K3*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 106 (126, 130, 142, 146, 156) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 23 (28, 29, 32, 33, 36) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 47 (56, 59, 64, 67, 72) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 24 (28, 30, 32, 34, 36) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 402 (446, 498, 550, 602, 652) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 250 (280, 310, 340, 370, 400) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1715 Intermediate Sweaters · Worsted weight

Mulberry Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 4-Stitch Left Cable on a Purl Ground with worsted weight (#4) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	1025	1175	1325	1475	1625	1800
Skeins (approx.)	6	6	7	8	9	9



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Rnd 1: *K4, P2*; rep from * around. **Rnd 2:** *K4, P2*; rep from * around. **Rnd 3:** *K4, P2*; rep from * around. **Rnd 4:** *K4, P2*; rep from * around. **Rnd 5:** *K4, P2*; rep from * around. **Rnd 6:** *K4, P2*; rep from * around. **Rnd 7:** *C4F, P2*; rep from * around. **Rnd 8:** *K4, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 98 (104, 106, 114, 124, 126) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 21 (22, 23, 25, 27, 28) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 42 (45, 47, 51, 55, 57) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 21 (23, 24, 26, 28, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 322 (352, 394, 434, 476, 518) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 204 (222, 246, 270, 294, 318) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1716 Intermediate Sweaters · DK weight

Mocha Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Basketweave 3x3 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7	7.8	9	10	11	12.2
Yarn needed (yd)	1125	1275	1425	1600	1775	1950
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

23 sts and 32 rounds = 4 in (10 cm) in Basketweave 3x3, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Rnd 1: *P3, K3*; rep from * around. **Rnd 2:** *P3, K3*; rep from * around. **Rnd 3:** *P3, K3*; rep from * around. **Rnd 4:** *K3, P3*; rep from * around. **Rnd 5:** *K3, P3*; rep from * around. **Rnd 6:** *K3, P3*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 98 (104, 106, 114, 124, 126) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 21 (22, 23, 25, 27, 28) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 42 (45, 47, 51, 55, 57) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 21 (23, 24, 26, 28, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 322 (352, 394, 434, 476, 518) sts and the yoke measures about 7 in (7.8 in, 9 in, 10 in, 11 in, 12.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 204 (222, 246, 270, 294, 318) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15 in (16.2 in, 16 in, 16 in, 16 in, 15.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1717 Intermediate Sweaters · Worsted weight

Pewter Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Stockinette Stitch with worsted weight (#4) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.3	8	9	10.3	11.3	12.3
Yarn needed (yd)	750	875	975	1100	1200	1325
Skeins (approx.)	4	5	5	6	6	7



MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

18 sts and 24 rounds = 4 in (10 cm) in Stockinette Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Rnd 1: Knit. **Rnd 2:** Knit.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 74 (84, 92, 92, 98, 106) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (18, 19, 20, 21, 23) sts, place marker, knit 6 (6, 7, 6, 6, 7) sts (sleeve), place marker, knit 31 (36, 39, 40, 43, 46) sts (front), place marker, knit 6 (6, 7, 6, 6, 7) sts (second sleeve), place marker, knit the remaining 16 (18, 20, 20, 22, 23) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 22 (24, 27, 31, 34, 37) times in total. You now have 250 (276, 308, 340, 370, 402) sts and the yoke measures about 7.3 in (8 in, 9 in, 10.3 in, 11.3 in, 12.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 158 (176, 194, 212, 230, 248) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.7 in (16 in, 16 in, 15.7 in, 15.7 in, 15.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 50 (54, 61, 68, 74, 81) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (54 (58, 65, 72, 78, 85) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 7 (7, 6, 6, 6, 6) rounds, 11 (12, 14, 17, 19, 21) times in total (32 (34, 36, 38, 40, 43) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1718 Intermediate Sweaters · Aran weight

Dusk Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Broken Rib with aran weight (#4/5) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7	7.7	8.7	10.1	11.1	12.2
Yarn needed (yd)	725	850	925	1050	1150	1275
Skeins (approx.)	5	5	6	6	7	8



chest 43 in (finished)

MATERIALS


- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

17 sts and 23 rounds = 4 in (10 cm) in Broken Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Rnd 1: Knit. **Rnd 2:** *P1, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 74 (84, 88, 88, 92, 98) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (17, 18, 19, 20, 21) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 30 (35, 37, 38, 40, 43) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 15 (18, 19, 19, 20, 22) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 20 (22, 25, 29, 32, 35) times in total. You now have 234 (260, 288, 320, 348, 378) sts and the yoke measures about 7 in (7.7 in, 8.7 in, 10.1 in, 11.1 in, 12.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 148 (166, 182, 200, 216, 234) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15 in (16.3 in, 16.3 in, 15.9 in, 15.9 in, 15.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 47 (51, 57, 64, 70, 76) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (51 (55, 61, 68, 74, 80) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 16, 18, 20) times in total (30 (32, 34, 36, 38, 40) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1719 Advanced Sweaters · DK weight

Cypress Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Twin Cables with dk weight (#3) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1350	1600	1775	1950	2175	2375
Skeins (approx.)	6	7	8	9	10	11



MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

29 sts and 30 rounds = 4 in (10 cm) in Twin Cables, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Rnd 1: *K4, P2, K4, P2*; rep from * around. **Rnd 2:** *K4, P2, K4, P2*; rep from * around.
Rnd 3: *K4, P2, K4, P2*; rep from * around. **Rnd 4:** *K4, P2, K4, P2*; rep from * around.
Rnd 5: *K4, P2, K4, P2*; rep from * around. **Rnd 6:** *K4, P2, K4, P2*; rep from * around.
Rnd 7: *C4F, P2, C4F, P2*; rep from * around. **Rnd 8:** *K4, P2, K4, P2*; rep from * around.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 108 (134, 132, 138, 148, 152) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 24 (30, 30, 31, 34, 35) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 48 (60, 60, 62, 68, 70) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 24 (30, 30, 31, 34, 35) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 404 (454, 500, 546, 604, 648) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 252 (288, 312, 336, 372, 396) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1720 Intermediate Sweaters · Worsted weight

Ivory Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Double Seed Stitch with worsted weight (#4) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7	7.7	8.6	9.9	10.9	11.8
Yarn needed (yd)	825	950	1075	1200	1325	1450
Skeins (approx.)	5	5	6	6	7	8



MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

18 sts and 25 rounds = 4 in (10 cm) in Double Seed Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Rnd 1: *P1, K1*; rep from * around. **Rnd 2:** *K1, P1*; rep from * around. **Rnd 3:** *K1, P1*; rep from * around. **Rnd 4:** *P1, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 74 (84, 92, 92, 98, 106) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (18, 19, 20, 21, 23) sts, place marker, knit 6 (6, 7, 6, 6, 7) sts (sleeve), place marker, knit 31 (36, 39, 40, 43, 46) sts (front), place marker, knit 6 (6, 7, 6, 6, 7) sts (second sleeve), place marker, knit the remaining 16 (18, 20, 20, 22, 23) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 22 (24, 27, 31, 34, 37) times in total. You now have 250 (276, 308, 340, 370, 402) sts and the yoke measures about 7 in (7.7 in, 8.6 in, 9.9 in, 10.9 in, 11.8 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 158 (176, 194, 212, 230, 248) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15 in (16.3 in, 16.4 in, 16.1 in, 16.1 in, 16.2 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 50 (54, 61, 68, 74, 81) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (54 (58, 65, 72, 78, 85) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 11 (12, 14, 17, 19, 21) times in total (32 (34, 36, 38, 40, 43) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1721 Intermediate Sweaters · Aran weight

Nutmeg Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Chevron Ripple with Purl Rows with aran weight (#4/5) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.2	6.9	8	9.1	10.2	11.3
Yarn needed (yd)	625	750	775	900	1025	1075
Skeins (approx.)	4	5	5	5	6	6



MATERIALS

- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

15 sts and 22 rounds = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Rnd 1: *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * around. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Knit. **Rnd 5:** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * around. **Rnd 6:** Knit. **Rnd 7:** Purl. **Rnd 8:** Purl.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 70 (84, 72, 80, 90, 78) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 14 (17, 14, 17, 19, 16) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 28 (35, 29, 34, 39, 33) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 14 (18, 15, 17, 20, 17) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 17 (19, 22, 25, 28, 31) times in total. You now have 206 (236, 248, 280, 314, 326) sts and the yoke measures about 6.2 in (6.9 in, 8 in, 9.1 in, 10.2 in, 11.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 41 (45, 51, 56, 62, 68) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 41 (45, 51, 56, 62, 68) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 132 (154, 154, 176, 198, 198) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.8 in (17.1 in, 17 in, 16.9 in, 16.8 in, 16.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 41 (45, 51, 56, 62, 68) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (45 (49, 55, 60, 66, 72) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (8, 6, 6, 6, 6) rounds, 9 (10, 12, 14, 16, 18) times in total (26 (28, 30, 32, 34, 36) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1722 Intermediate Sweaters · Worsted weight

Kale Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Eyelet Rows with worsted weight (#4) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.7	7.3	8.3	9.7	10.7	11.7
Yarn needed (yd)	675	800	875	975	1075	1200
Skeins (approx.)	4	4	5	5	6	6



chest 43 in (finished)

MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

17 sts and 24 rounds = 4 in (10 cm) in Eyelet Rows, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Rnd 1: *k2tog, yo*; rep from * around. **Rnd 2:** Knit.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 74 (84, 88, 88, 92, 98) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (17, 18, 19, 20, 21) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 30 (35, 37, 38, 40, 43) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 15 (18, 19, 19, 20, 22) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 20 (22, 25, 29, 32, 35) times in total. You now have 234 (260, 288, 320, 348, 378) sts and the yoke measures about 6.7 in (7.3 in, 8.3 in, 9.7 in, 10.7 in, 11.7 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 148 (166, 182, 200, 216, 234) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.3 in (16.7 in, 16.7 in, 16.3 in, 16.3 in, 16.3 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 47 (51, 57, 64, 70, 76) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (51 (55, 61, 68, 74, 80) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 16, 18, 20) times in total (30 (32, 34, 36, 38, 40) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1723 Intermediate Sweaters · Worsted weight

Nectar Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Feather and Fan with worsted weight (#4) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.7	7.3	8.3	9.7	10.7	11.7
Yarn needed (yd)	675	775	875	975	1075	1200
Skeins (approx.)	4	4	5	5	6	6



chest 43 in (finished)

MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

17 sts and 24 rounds = 4 in (10 cm) in Feather and Fan, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Rnd 1: *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * around. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Purl.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 70 (80, 86, 86, 92, 98) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 14 (16, 18, 18, 20, 21) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 28 (33, 36, 37, 40, 43) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 14 (17, 18, 19, 20, 22) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 20 (22, 25, 29, 32, 35) times in total. You now have 230 (256, 286, 318, 348, 378) sts and the yoke measures about 6.7 in (7.3 in, 8.3 in, 9.7 in, 10.7 in, 11.7 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 144 (162, 180, 198, 216, 234) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.3 in (16.7 in, 16.7 in, 16.3 in, 16.3 in, 16.3 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 47 (51, 57, 64, 70, 76) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (51 (55, 61, 68, 74, 80) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 16, 18, 20) times in total (30 (32, 34, 36, 38, 40) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1724 Intermediate Sweaters · Aran weight

Alder Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Chevron Ripple Lace with aran weight (#4/5) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.2	6.9	8	9.1	10.2	11.3
Yarn needed (yd)	625	750	775	900	1025	1075
Skeins (approx.)	4	5	5	5	6	6



chest 43 in (finished)

MATERIALS

- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

15 sts and 22 rounds = 4 in (10 cm) in Chevron Ripple Lace, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Rnd 1: *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * around. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Purl.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 70 (84, 72, 80, 90, 78) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 14 (17, 14, 17, 19, 16) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 28 (35, 29, 34, 39, 33) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 14 (18, 15, 17, 20, 17) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 17 (19, 22, 25, 28, 31) times in total. You now have 206 (236, 248, 280, 314, 326) sts and the yoke measures about 6.2 in (6.9 in, 8 in, 9.1 in, 10.2 in, 11.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 41 (45, 51, 56, 62, 68) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 41 (45, 51, 56, 62, 68) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 132 (154, 154, 176, 198, 198) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.8 in (17.1 in, 17 in, 16.9 in, 16.8 in, 16.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 41 (45, 51, 56, 62, 68) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (45 (49, 55, 60, 66, 72) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (8, 6, 6, 6, 6) rounds, 9 (10, 12, 14, 16, 18) times in total (26 (28, 30, 32, 34, 36) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1725 Intermediate Sweaters · Aran weight

Opal Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Zigzag Texture with aran weight (#4/5) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.3	8	9.1	10.5	11.6	12.7
Yarn needed (yd)	775	900	975	1100	1225	1350
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

17 sts and 22 rounds = 4 in (10 cm) in Zigzag Texture, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Rnd 1: *P3, K3*; rep from * around. **Rnd 2:** *P2, K3, P1*; rep from * around. **Rnd 3:** *P1, K3, P2*; rep from * around. **Rnd 4:** *K3, P3*; rep from * around. **Rnd 5:** *K2, P3, K1*; rep from * around. **Rnd 6:** *K1, P3, K2*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 76 (86, 86, 86, 92, 98) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (18, 18, 18, 20, 21) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 31 (36, 36, 37, 40, 43) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 16 (18, 18, 19, 20, 22) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 20 (22, 25, 29, 32, 35) times in total. You now have 236 (262, 286, 318, 348, 378) sts and the yoke measures about 7.3 in (8 in, 9.1 in, 10.5 in, 11.6 in, 12.7 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 150 (168, 180, 198, 216, 234) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.7 in (16 in, 15.9 in, 15.5 in, 15.4 in, 15.3 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 47 (51, 57, 64, 70, 76) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (51 (55, 61, 68, 74, 80) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 16, 18, 20) times in total (30 (32, 34, 36, 38, 40) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1726 **Advanced** Sweaters · Aran weight

Tansy Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Mirrored Cables with aran weight (#4/5) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	1000	1150	1300	1475	1575	1750
Skeins (approx.)	6	7	8	9	9	10



chest 43 in (finished)

MATERIALS


- 9 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

21 sts and 22 rounds = 4 in (10 cm) in Mirrored Cables, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Rnd 1: *K4, P2, K4, P2*; rep from * around. **Rnd 2:** *K4, P2, K4, P2*; rep from * around.
Rnd 3: *K4, P2, K4, P2*; rep from * around. **Rnd 4:** *K4, P2, K4, P2*; rep from * around.
Rnd 5: *K4, P2, K4, P2*; rep from * around. **Rnd 6:** *K4, P2, K4, P2*; rep from * around.
Rnd 7: *C4B, P2, C4F, P2*; rep from * around. **Rnd 8:** *K4, P2, K4, P2*; rep from * around.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 80 (98, 106, 114, 110, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (21, 23, 25, 24, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 34 (42, 46, 50, 48, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 17 (21, 23, 25, 24, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 288 (322, 362, 402, 430, 468) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 180 (204, 228, 252, 264, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1727 Intermediate Sweaters · Worsted weight

Wisp Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Zigzag Texture with worsted weight (#4) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.7	8.3	9.7	10.7	12	13.3
Yarn needed (yd)	850	975	1075	1200	1325	1475
Skeins (approx.)	5	5	6	6	7	8



MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

19 sts and 24 rounds = 4 in (10 cm) in Zigzag Texture, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Rnd 1: *P3, K3*; rep from * around. **Rnd 2:** *P2, K3, P1*; rep from * around. **Rnd 3:** *P1, K3, P2*; rep from * around. **Rnd 4:** *K3, P3*; rep from * around. **Rnd 5:** *K2, P3, K1*; rep from * around. **Rnd 6:** *K1, P3, K2*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 80 (92, 92, 100, 100, 108) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (19, 20, 21, 22, 24) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 34 (39, 40, 43, 44, 48) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 17 (20, 20, 22, 22, 24) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 23 (25, 29, 32, 36, 40) times in total. You now have 264 (292, 324, 356, 388, 428) sts and the yoke measures about 7.7 in (8.3 in, 9.7 in, 10.7 in, 12 in, 13.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 168 (186, 204, 222, 240, 264) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.3 in (15.7 in, 15.3 in, 15.3 in, 15 in, 14.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 52 (57, 64, 71, 78, 86) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (56 (61, 68, 75, 82, 90) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 7 (7, 6, 6, 6, 6) rounds, 11 (12, 15, 17, 19, 22) times in total (33 (36, 38, 40, 43, 45) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1728 Intermediate Sweaters · DK weight

Cobble Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 4-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1275	1450	1625	1825	2000	2200
Skeins (approx.)	6	7	8	8	9	10



MATERIALS

- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Rnd 1: *K4, P1, K1, P1*; rep from * around. **Rnd 2:** *K4, P1, K1, P1*; rep from * around. **Rnd 3:** *K4, P1, K1, P1*; rep from * around. **Rnd 4:** *K4, P1, K1, P1*; rep from * around. **Rnd 5:** *K4, P1, K1, P1*; rep from * around. **Rnd 6:** *K4, P1, K1, P1*; rep from * around. **Rnd 7:** *C4F, P1, K1, P1*; rep from * around. **Rnd 8:** *K4, P1, K1, P1*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 108 (126, 128, 138, 140, 148) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 24 (28, 29, 31, 32, 34) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 48 (56, 58, 62, 64, 68) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 24 (28, 29, 31, 32, 34) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 404 (446, 496, 546, 596, 644) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 252 (280, 308, 336, 364, 392) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1729 Intermediate Sweaters · DK weight

Juniper Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Checkerboard 4x4 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7	7.8	9	10	11	12.2
Yarn needed (yd)	1100	1275	1425	1600	1775	1950
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

23 sts and 32 rounds = 4 in (10 cm) in Checkerboard 4x4, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Rnd 1: *P4, K4*; rep from * around. **Rnd 2:** *P4, K4*; rep from * around. **Rnd 3:** *P4, K4*; rep from * around. **Rnd 4:** *P4, K4*; rep from * around. **Rnd 5:** *P4, K4*; rep from * around. **Rnd 6:** *K4, P4*; rep from * around. **Rnd 7:** *K4, P4*; rep from * around. **Rnd 8:** *K4, P4*; rep from * around. **Rnd 9:** *K4, P4*; rep from * around. **Rnd 10:** *K4, P4*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 94 (106, 108, 116, 126, 128) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 20 (23, 24, 26, 28, 29) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 40 (46, 48, 52, 56, 58) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 20 (23, 24, 26, 28, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 318 (354, 396, 436, 478, 520) sts and the yoke measures about 7 in (7.8 in, 9 in, 10 in, 11 in, 12.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 200 (224, 248, 272, 296, 320) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15 in (16.2 in, 16 in, 16 in, 16 in, 15.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1730 Intermediate Sweaters · DK weight

Chestnut Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 4-Stitch Right Cable on a Purl Ground with dk weight (#3) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1275	1475	1650	1850	2025	2225
Skeins (approx.)	6	7	8	9	9	10



chest 43 in (finished)

MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Rnd 1: *K4, P2*; rep from * around. **Rnd 2:** *K4, P2*; rep from * around. **Rnd 3:** *K4, P2*; rep from * around. **Rnd 4:** *K4, P2*; rep from * around. **Rnd 5:** *K4, P2*; rep from * around. **Rnd 6:** *K4, P2*; rep from * around. **Rnd 7:** *C4B, P2*; rep from * around. **Rnd 8:** *K4, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 108 (128, 132, 144, 148, 152) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 24 (28, 30, 32, 34, 35) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 48 (57, 60, 65, 68, 70) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 24 (29, 30, 33, 34, 35) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 404 (448, 500, 552, 604, 648) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 252 (282, 312, 342, 372, 396) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1731 Intermediate Sweaters · Worsted weight

Jasper Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 6-Stitch Right Cable on a Purl Ground with worsted weight (#4) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	1025	1175	1325	1475	1625	1800
Skeins (approx.)	6	6	7	8	9	9



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Rnd 1: *K6, P2*; rep from * around. **Rnd 2:** *K6, P2*; rep from * around. **Rnd 3:** *K6, P2*; rep from * around. **Rnd 4:** *K6, P2*; rep from * around. **Rnd 5:** *K6, P2*; rep from * around. **Rnd 6:** *K6, P2*; rep from * around. **Rnd 7:** *K6, P2*; rep from * around. **Rnd 8:** *K6, P2*; rep from * around. **Rnd 9:** *C6B, P2*; rep from * around. **Rnd 10:** *K6, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 94 (106, 108, 116, 126, 128) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 20 (23, 24, 26, 28, 29) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 40 (46, 48, 52, 56, 58) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 20 (23, 24, 26, 28, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 318 (354, 396, 436, 478, 520) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 200 (224, 248, 272, 296, 320) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1732 Intermediate Sweaters · Worsted weight

Umber Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 4-Stitch Right Cable on a Purl Ground with worsted weight (#4) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	1025	1175	1325	1475	1625	1800
Skeins (approx.)	6	6	7	8	9	9



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Rnd 1: *K4, P2*; rep from * around. **Rnd 2:** *K4, P2*; rep from * around. **Rnd 3:** *K4, P2*; rep from * around. **Rnd 4:** *K4, P2*; rep from * around. **Rnd 5:** *K4, P2*; rep from * around. **Rnd 6:** *K4, P2*; rep from * around. **Rnd 7:** *C4B, P2*; rep from * around. **Rnd 8:** *K4, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 98 (104, 106, 114, 124, 126) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 21 (22, 23, 25, 27, 28) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 42 (45, 47, 51, 55, 57) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 21 (23, 24, 26, 28, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 322 (352, 394, 434, 476, 518) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 204 (222, 246, 270, 294, 318) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1733 Intermediate Sweaters · Worsted weight

Harbor Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Basketweave 5x5 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.4	8	9.3	10.2	11.5	12.8
Yarn needed (yd)	875	1025	1100	1225	1375	1525
Skeins (approx.)	5	6	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

19 sts and 25 rounds = 4 in (10 cm) in Basketweave 5x5, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Rnd 1: *P5, K5*; rep from * around. **Rnd 2:** *P5, K5*; rep from * around. **Rnd 3:** *P5, K5*; rep from * around. **Rnd 4:** *P5, K5*; rep from * around. **Rnd 5:** *P5, K5*; rep from * around. **Rnd 6:** *K5, P5*; rep from * around. **Rnd 7:** *K5, P5*; rep from * around. **Rnd 8:** *K5, P5*; rep from * around. **Rnd 9:** *K5, P5*; rep from * around. **Rnd 10:** *K5, P5*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 82 (96, 88, 98, 100, 104) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (20, 19, 21, 22, 23) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 35 (41, 38, 42, 44, 46) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 18 (21, 19, 21, 22, 23) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 23 (25, 29, 32, 36, 40) times in total. You now have 266 (296, 320, 354, 388, 424) sts and the yoke measures about 7.4 in (8 in, 9.3 in, 10.2 in, 11.5 in, 12.8 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 170 (190, 200, 220, 240, 260) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.6 in (16 in, 15.7 in, 15.8 in, 15.5 in, 15.2 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 52 (57, 64, 71, 78, 86) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (56 (61, 68, 75, 82, 90) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 11 (12, 15, 17, 19, 22) times in total (33 (36, 38, 40, 43, 45) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1734 Intermediate Sweaters · Aran weight

Echo Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Basketweave 3x3 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7	7.7	8.7	10.1	11.1	12.2
Yarn needed (yd)	800	925	1025	1150	1275	1400
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

17 sts and 23 rounds = 4 in (10 cm) in Basketweave 3x3, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Rnd 1: *P3, K3*; rep from * around. **Rnd 2:** *P3, K3*; rep from * around. **Rnd 3:** *P3, K3*; rep from * around. **Rnd 4:** *K3, P3*; rep from * around. **Rnd 5:** *K3, P3*; rep from * around. **Rnd 6:** *K3, P3*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 76 (86, 86, 86, 92, 98) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (18, 18, 18, 20, 21) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 31 (36, 36, 37, 40, 43) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 16 (18, 18, 19, 20, 22) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 20 (22, 25, 29, 32, 35) times in total. You now have 236 (262, 286, 318, 348, 378) sts and the yoke measures about 7 in (7.7 in, 8.7 in, 10.1 in, 11.1 in, 12.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 150 (168, 180, 198, 216, 234) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15 in (16.3 in, 16.3 in, 15.9 in, 15.9 in, 15.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 47 (51, 57, 64, 70, 76) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (51 (55, 61, 68, 74, 80) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 16, 18, 20) times in total (30 (32, 34, 36, 38, 40) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1735 Intermediate Sweaters · Worsted weight

Pine Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Ladder Lace with worsted weight (#4) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.7	7.3	8.3	9.7	10.7	11.7
Yarn needed (yd)	675	800	875	975	1075	1200
Skeins (approx.)	4	4	5	5	6	6



chest 43 in (finished)

MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

17 sts and 24 rounds = 4 in (10 cm) in Ladder Lace, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Rnd 1: *k2tog, yo*; rep from * around. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Knit.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 74 (84, 88, 88, 92, 98) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (17, 18, 19, 20, 21) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 30 (35, 37, 38, 40, 43) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 15 (18, 19, 19, 20, 22) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 20 (22, 25, 29, 32, 35) times in total. You now have 234 (260, 288, 320, 348, 378) sts and the yoke measures about 6.7 in (7.3 in, 8.3 in, 9.7 in, 10.7 in, 11.7 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 148 (166, 182, 200, 216, 234) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.3 in (16.7 in, 16.7 in, 16.3 in, 16.3 in, 16.3 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 47 (51, 57, 64, 70, 76) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (51 (55, 61, 68, 74, 80) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 16, 18, 20) times in total (30 (32, 34, 36, 38, 40) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1736 Intermediate Sweaters · Worsted weight

Horizon Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Basketweave 4x4 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.4	8	9.3	10.2	11.5	12.8
Yarn needed (yd)	875	1000	1125	1250	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

19 sts and 25 rounds = 4 in (10 cm) in Basketweave 4x4, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Rnd 1: *P4, K4*; rep from * around. **Rnd 2:** *P4, K4*; rep from * around. **Rnd 3:** *P4, K4*; rep from * around. **Rnd 4:** *P4, K4*; rep from * around. **Rnd 5:** *K4, P4*; rep from * around. **Rnd 6:** *K4, P4*; rep from * around. **Rnd 7:** *K4, P4*; rep from * around. **Rnd 8:** *K4, P4*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 80 (90, 96, 102, 100, 108) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (19, 21, 22, 22, 24) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 34 (38, 42, 44, 44, 48) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 17 (19, 21, 22, 22, 24) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 23 (25, 29, 32, 36, 40) times in total. You now have 264 (290, 328, 358, 388, 428) sts and the yoke measures about 7.4 in (8 in, 9.3 in, 10.2 in, 11.5 in, 12.8 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 168 (184, 208, 224, 240, 264) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.6 in (16 in, 15.7 in, 15.8 in, 15.5 in, 15.2 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 52 (57, 64, 71, 78, 86) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (56 (61, 68, 75, 82, 90) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 11 (12, 15, 17, 19, 22) times in total (33 (36, 38, 40, 43, 45) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1737 Advanced Sweaters · Worsted weight

Beacon Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Mirrored Cables with worsted weight (#4) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	1100	1275	1425	1600	1725	1900
Skeins (approx.)	6	7	8	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

23 sts and 24 rounds = 4 in (10 cm) in Mirrored Cables, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Rnd 1: *K4, P2, K4, P2*; rep from * around. **Rnd 2:** *K4, P2, K4, P2*; rep from * around.
Rnd 3: *K4, P2, K4, P2*; rep from * around. **Rnd 4:** *K4, P2, K4, P2*; rep from * around.
Rnd 5: *K4, P2, K4, P2*; rep from * around. **Rnd 6:** *K4, P2, K4, P2*; rep from * around.
Rnd 7: *C4B, P2, C4F, P2*; rep from * around. **Rnd 8:** *K4, P2, K4, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 98 (110, 112, 120, 118, 120) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 21 (24, 25, 27, 26, 27) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 42 (48, 50, 54, 52, 54) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 21 (24, 25, 27, 26, 27) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 322 (358, 400, 440, 470, 512) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 204 (228, 252, 276, 288, 312) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1738 Intermediate Sweaters · Aran weight

Olive Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Checkerboard 3x3 with aran weight (#4/5) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7	7.7	8.7	10.1	11.1	12.2
Yarn needed (yd)	800	925	1025	1150	1275	1400
Skeins (approx.)	5	6	6	7	8	8



chest 43 in (finished)

MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

17 sts and 23 rounds = 4 in (10 cm) in Checkerboard 3x3, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Rnd 1: *P3, K3*; rep from * around. **Rnd 2:** *P3, K3*; rep from * around. **Rnd 3:** *P3, K3*; rep from * around. **Rnd 4:** *P3, K3*; rep from * around. **Rnd 5:** *K3, P3*; rep from * around. **Rnd 6:** *K3, P3*; rep from * around. **Rnd 7:** *K3, P3*; rep from * around. **Rnd 8:** *K3, P3*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 76 (86, 86, 86, 92, 98) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (18, 18, 18, 20, 21) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 31 (36, 36, 37, 40, 43) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 16 (18, 18, 19, 20, 22) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 20 (22, 25, 29, 32, 35) times in total. You now have 236 (262, 286, 318, 348, 378) sts and the yoke measures about 7 in (7.7 in, 8.7 in, 10.1 in, 11.1 in, 12.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 150 (168, 180, 198, 216, 234) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15 in (16.3 in, 16.3 in, 15.9 in, 15.9 in, 15.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 47 (51, 57, 64, 70, 76) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (51 (55, 61, 68, 74, 80) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 16, 18, 20) times in total (30 (32, 34, 36, 38, 40) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1739 Intermediate Sweaters · Worsted weight

Acorn Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 3x3 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	850	950	1075	1200	1325	1475
Skeins (approx.)	5	5	6	6	7	8



MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 3x3 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Rnd 1: *P3, K3*; rep from * around. **Rnd 2:** *P3, K3*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 98 (104, 106, 114, 124, 126) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 21 (22, 23, 25, 27, 28) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 42 (45, 47, 51, 55, 57) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 21 (23, 24, 26, 28, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 322 (352, 394, 434, 476, 518) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 204 (222, 246, 270, 294, 318) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1740 Intermediate Sweaters · Worsted weight

Gentian Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 4-Stitch Cable on a Seeded Ground with worsted weight (#4) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	1000	1175	1325	1450	1625	1825
Skeins (approx.)	5	6	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Rnd 1: *K4, P1, K1, P1*; rep from * around. **Rnd 2:** *K4, P1, K1, P1*; rep from * around. **Rnd 3:** *K4, P1, K1, P1*; rep from * around. **Rnd 4:** *K4, P1, K1, P1*; rep from * around. **Rnd 5:** *K4, P1, K1, P1*; rep from * around. **Rnd 6:** *K4, P1, K1, P1*; rep from * around. **Rnd 7:** *C4F, P1, K1, P1*; rep from * around. **Rnd 8:** *K4, P1, K1, P1*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 90 (106, 112, 110, 124, 130) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 19 (23, 25, 24, 27, 29) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 38 (46, 50, 49, 55, 59) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 19 (23, 25, 25, 28, 30) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 314 (354, 400, 430, 476, 522) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 196 (224, 252, 266, 294, 322) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1741 **Advanced** Sweaters · DK weight

Ridge Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Mirrored Cables with dk weight (#3) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1350	1600	1775	1950	2175	2375
Skeins (approx.)	6	7	8	9	10	11



MATERIALS


- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

29 sts and 30 rounds = 4 in (10 cm) in Mirrored Cables, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Rnd 1: *K4, P2, K4, P2*; rep from * around. **Rnd 2:** *K4, P2, K4, P2*; rep from * around.
Rnd 3: *K4, P2, K4, P2*; rep from * around. **Rnd 4:** *K4, P2, K4, P2*; rep from * around.
Rnd 5: *K4, P2, K4, P2*; rep from * around. **Rnd 6:** *K4, P2, K4, P2*; rep from * around.
Rnd 7: *C4B, P2, C4F, P2*; rep from * around. **Rnd 8:** *K4, P2, K4, P2*; rep from * around.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 108 (134, 132, 138, 148, 152) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 24 (30, 30, 31, 34, 35) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 48 (60, 60, 62, 68, 70) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 24 (30, 30, 31, 34, 35) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 404 (454, 500, 546, 604, 648) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 252 (288, 312, 336, 372, 396) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1742 Intermediate Sweaters · Aran weight

Clover Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 3x3 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	775	875	1000	1100	1225	1325
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

21 sts and 22 rounds = 4 in (10 cm) in 3x3 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Rnd 1: *P3, K3*; rep from * around. **Rnd 2:** *P3, K3*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 86 (98, 106, 108, 116, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 18 (21, 23, 23, 25, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 37 (42, 46, 47, 51, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 19 (21, 23, 24, 26, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 294 (322, 362, 396, 436, 468) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 186 (204, 228, 246, 270, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1743 Intermediate Sweaters · Aran weight

Plum Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 2x1 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	775	875	1000	1100	1225	1325
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

21 sts and 22 rounds = 4 in (10 cm) in 2x1 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Rnd 1: *P1, K2*; rep from * around. **Rnd 2:** *P1, K2*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 86 (98, 106, 108, 116, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 18 (21, 23, 23, 25, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 37 (42, 46, 47, 51, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 19 (21, 23, 24, 26, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 294 (322, 362, 396, 436, 468) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 186 (204, 228, 246, 270, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1744 Intermediate Sweaters · DK weight

Reed Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 6-Stitch Right Cable on a Purl Ground with dk weight (#3) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1275	1450	1650	1850	2025	2225
Skeins (approx.)	6	7	8	9	9	10



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Rnd 1: *K6, P2*; rep from * around. **Rnd 2:** *K6, P2*; rep from * around. **Rnd 3:** *K6, P2*; rep from * around. **Rnd 4:** *K6, P2*; rep from * around. **Rnd 5:** *K6, P2*; rep from * around. **Rnd 6:** *K6, P2*; rep from * around. **Rnd 7:** *K6, P2*; rep from * around. **Rnd 8:** *K6, P2*; rep from * around. **Rnd 9:** *C6B, P2*; rep from * around. **Rnd 10:** *K6, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 112 (126, 132, 146, 144, 156) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 25 (28, 30, 33, 33, 36) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 50 (56, 60, 66, 66, 72) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 25 (28, 30, 33, 33, 36) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 408 (446, 500, 554, 600, 652) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 256 (280, 312, 344, 368, 400) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1745 Intermediate Sweaters · Aran weight

Aspen Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Ladder Lace with aran weight (#4/5) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.2	6.9	8	9.1	10.2	11.3
Yarn needed (yd)	625	725	825	900	1000	1100
Skeins (approx.)	4	5	5	5	6	7



MATERIALS

- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

15 sts and 22 rounds = 4 in (10 cm) in Ladder Lace, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Rnd 1: *k2tog, yo*; rep from * around. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Knit.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 70 (76, 80, 80, 84, 86) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 14 (15, 16, 17, 18, 18) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 28 (31, 33, 34, 36, 37) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 14 (16, 17, 17, 18, 19) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 17 (19, 22, 25, 28, 31) times in total. You now have 206 (228, 256, 280, 308, 334) sts and the yoke measures about 6.2 in (6.9 in, 8 in, 9.1 in, 10.2 in, 11.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 41 (45, 51, 56, 62, 68) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 41 (45, 51, 56, 62, 68) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 132 (146, 162, 176, 192, 206) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.8 in (17.1 in, 17 in, 16.9 in, 16.8 in, 16.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 41 (45, 51, 56, 62, 68) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (45 (49, 55, 60, 66, 72) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (8, 6, 6, 6, 6) rounds, 9 (10, 12, 14, 16, 18) times in total (26 (28, 30, 32, 34, 36) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1746 Intermediate Sweaters · DK weight

Velvet Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 4-Stitch Cable, Wide Purl Ground with dk weight (#3) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1275	1450	1625	1825	2000	2200
Skeins (approx.)	6	7	8	8	9	10



chest 43 in (finished)

MATERIALS

- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Rnd 1: *K4, P3*; rep from * around. **Rnd 2:** *K4, P3*; rep from * around. **Rnd 3:** *K4, P3*; rep from * around. **Rnd 4:** *K4, P3*; rep from * around. **Rnd 5:** *K4, P3*; rep from * around. **Rnd 6:** *K4, P3*; rep from * around. **Rnd 7:** *C4F, P3*; rep from * around. **Rnd 8:** *K4, P3*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 108 (126, 128, 138, 140, 148) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 24 (28, 29, 31, 32, 34) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 48 (56, 58, 62, 64, 68) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 24 (28, 29, 31, 32, 34) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 404 (446, 496, 546, 596, 644) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 252 (280, 308, 336, 364, 392) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1747 Intermediate Sweaters · DK weight

Quartz Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 4-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1275	1475	1650	1850	2025	2225
Skeins (approx.)	6	7	8	9	9	10



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Rnd 1: *K4, P2*; rep from * around. **Rnd 2:** *K4, P2*; rep from * around. **Rnd 3:** *K4, P2*; rep from * around. **Rnd 4:** *K4, P2*; rep from * around. **Rnd 5:** *K4, P2*; rep from * around. **Rnd 6:** *K4, P2*; rep from * around. **Rnd 7:** *C4F, P2*; rep from * around. **Rnd 8:** *K4, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 108 (128, 132, 144, 148, 152) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 24 (28, 30, 32, 34, 35) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 48 (57, 60, 65, 68, 70) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 24 (29, 30, 33, 34, 35) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 404 (448, 500, 552, 604, 648) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 252 (282, 312, 342, 372, 396) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1748 Intermediate Sweaters · Worsted weight

Jade Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Reverse Stockinette with worsted weight (#4) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.3	8	9	10.3	11.3	12.3
Yarn needed (yd)	750	875	975	1100	1200	1325
Skeins (approx.)	4	5	5	6	6	7



chest 43 in (finished)

MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

18 sts and 24 rounds = 4 in (10 cm) in Reverse Stockinette, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Rnd 1: Purl. **Rnd 2:** Purl.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 74 (84, 92, 92, 98, 106) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (18, 19, 20, 21, 23) sts, place marker, knit 6 (6, 7, 6, 6, 7) sts (sleeve), place marker, knit 31 (36, 39, 40, 43, 46) sts (front), place marker, knit 6 (6, 7, 6, 6, 7) sts (second sleeve), place marker, knit the remaining 16 (18, 20, 20, 22, 23) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 22 (24, 27, 31, 34, 37) times in total. You now have 250 (276, 308, 340, 370, 402) sts and the yoke measures about 7.3 in (8 in, 9 in, 10.3 in, 11.3 in, 12.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 158 (176, 194, 212, 230, 248) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.7 in (16 in, 16 in, 15.7 in, 15.7 in, 15.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 50 (54, 61, 68, 74, 81) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (54 (58, 65, 72, 78, 85) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 7 (7, 6, 6, 6, 6) rounds, 11 (12, 14, 17, 19, 21) times in total (32 (34, 36, 38, 40, 43) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1749 Intermediate Sweaters · DK weight

Westerly Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Seed Stitch with dk weight (#3) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.8	7.5	8.5	9.5	10.5	11.5
Yarn needed (yd)	1000	1150	1300	1450	1600	1775
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

22 sts and 32 rounds = 4 in (10 cm) in Seed Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Rnd 1: *P1, K1*; rep from * around. **Rnd 2:** *K1, P1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 88 (98, 104, 110, 118, 124) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 19 (21, 23, 24, 26, 27) sts, place marker, knit 6 (6, 6, 6, 7, 7) sts (sleeve), place marker, knit 38 (43, 46, 49, 52, 55) sts (front), place marker, knit 6 (6, 6, 6, 7, 7) sts (second sleeve), place marker, knit the remaining 19 (22, 23, 25, 26, 28) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 27 (30, 34, 38, 42, 46) times in total. You now have 304 (338, 376, 414, 454, 492) sts and the yoke measures about 6.8 in (7.5 in, 8.5 in, 9.5 in, 10.5 in, 11.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 192 (214, 236, 258, 280, 302) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.2 in (16.5 in, 16.5 in, 16.5 in, 16.5 in, 16.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 60 (66, 74, 82, 91, 99) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (64 (70, 78, 86, 95, 103) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (8, 6, 6, 6, 6) rounds, 13 (14, 17, 19, 22, 25) times in total (38 (41, 44, 47, 50, 52) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1750 Intermediate Sweaters · DK weight

Lavender Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Ladder Lace with dk weight (#3) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.9	7.5	8.5	9.6	10.7	11.7
Yarn needed (yd)	850	975	1100	1225	1350	1500
Skeins (approx.)	4	5	5	6	6	7



chest 43 in (finished)

MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

21 sts and 30 rounds = 4 in (10 cm) in Ladder Lace, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Rnd 1: *k2tog, yo*; rep from * around. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Knit.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 84 (98, 104, 108, 114, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 18 (21, 22, 23, 25, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 36 (42, 45, 47, 50, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 18 (21, 23, 24, 25, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 292 (322, 360, 396, 434, 468) sts and the yoke measures about 6.9 in (7.5 in, 8.5 in, 9.6 in, 10.7 in, 11.7 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 184 (204, 226, 246, 268, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.1 in (16.5 in, 16.5 in, 16.4 in, 16.3 in, 16.3 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 9 (7, 6, 6, 6, 6) rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1751 Intermediate Sweaters · Aran weight

Prairie Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Diagonal Rib with aran weight (#4/5) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	8	8.7	9.8	11.3	12.4	13.5
Yarn needed (yd)	750	875	975	1100	1200	1350
Skeins (approx.)	5	5	6	7	7	8



chest 43 in (finished)

MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

18 sts and 22 rounds = 4 in (10 cm) in Diagonal Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Rnd 1: *P2, K2*; rep from * around. **Rnd 2:** *P1, K2, P1*; rep from * around. **Rnd 3:** *K2, P2*; rep from * around. **Rnd 4:** *K1, P2, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 72 (84, 90, 92, 96, 106) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (18, 19, 20, 21, 23) sts, place marker, knit 6 (6, 7, 6, 6, 7) sts (sleeve), place marker, knit 30 (36, 38, 40, 42, 46) sts (front), place marker, knit 6 (6, 7, 6, 6, 7) sts (second sleeve), place marker, knit the remaining 15 (18, 19, 20, 21, 23) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 22 (24, 27, 31, 34, 37) times in total. You now have 248 (276, 306, 340, 368, 402) sts and the yoke measures about 8 in (8.7 in, 9.8 in, 11.3 in, 12.4 in, 13.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 156 (176, 192, 212, 228, 248) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14 in (15.3 in, 15.2 in, 14.7 in, 14.6 in, 14.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 50 (54, 61, 68, 74, 81) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (54 (58, 65, 72, 78, 85) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 7 (6, 6, 6, 6, 6) rounds, 11 (12, 14, 17, 19, 21) times in total (32 (34, 36, 38, 40, 43) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1752 Intermediate Sweaters · Aran weight

Upland Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Eyelet Rows with aran weight (#4/5) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.2	6.9	8	9.1	10.2	11.3
Yarn needed (yd)	625	725	825	900	1000	1100
Skeins (approx.)	4	5	5	5	6	7



MATERIALS

- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

15 sts and 22 rounds = 4 in (10 cm) in Eyelet Rows, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Rnd 1: *k2tog, yo*; rep from * around. **Rnd 2:** Knit.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 70 (76, 80, 80, 84, 86) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 14 (15, 16, 17, 18, 18) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 28 (31, 33, 34, 36, 37) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 14 (16, 17, 17, 18, 19) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 17 (19, 22, 25, 28, 31) times in total. You now have 206 (228, 256, 280, 308, 334) sts and the yoke measures about 6.2 in (6.9 in, 8 in, 9.1 in, 10.2 in, 11.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 41 (45, 51, 56, 62, 68) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 41 (45, 51, 56, 62, 68) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 132 (146, 162, 176, 192, 206) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.8 in (17.1 in, 17 in, 16.9 in, 16.8 in, 16.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 41 (45, 51, 56, 62, 68) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (45 (49, 55, 60, 66, 72) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (8, 6, 6, 6, 6) rounds, 9 (10, 12, 14, 16, 18) times in total (26 (28, 30, 32, 34, 36) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1753 Intermediate Sweaters · DK weight

Wren Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Stockinette Stitch with dk weight (#3) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.2	8	9.1	10.1	11.2	12.3
Yarn needed (yd)	950	1100	1225	1350	1500	1650
Skeins (approx.)	5	5	6	6	7	8



chest 43 in (finished)

MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

22 sts and 30 rounds = 4 in (10 cm) in Stockinette Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Rnd 1: Knit. **Rnd 2:** Knit.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 88 (98, 104, 110, 118, 124) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 19 (21, 23, 24, 26, 27) sts, place marker, knit 6 (6, 6, 6, 7, 7) sts (sleeve), place marker, knit 38 (43, 46, 49, 52, 55) sts (front), place marker, knit 6 (6, 6, 6, 7, 7) sts (second sleeve), place marker, knit the remaining 19 (22, 23, 25, 26, 28) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 27 (30, 34, 38, 42, 46) times in total. You now have 304 (338, 376, 414, 454, 492) sts and the yoke measures about 7.2 in (8 in, 9.1 in, 10.1 in, 11.2 in, 12.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 192 (214, 236, 258, 280, 302) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.8 in (16 in, 15.9 in, 15.9 in, 15.8 in, 15.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 60 (66, 74, 82, 91, 99) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (64 (70, 78, 86, 95, 103) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 13 (14, 17, 19, 22, 25) times in total (38 (41, 44, 47, 50, 52) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1754 Intermediate Sweaters · Worsted weight

Moss Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 1x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	825	950	1075	1200	1325	1450
Skeins (approx.)	5	5	6	6	7	8



MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 1x1 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Rnd 1: *P1, K1*; rep from * around. **Rnd 2:** *P1, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 96 (106, 108, 114, 124, 124) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 20 (23, 24, 25, 27, 28) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 41 (46, 48, 51, 55, 56) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 21 (23, 24, 26, 28, 28) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 320 (354, 396, 434, 476, 516) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 202 (224, 248, 270, 294, 316) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1755 Intermediate Sweaters · Aran weight

Mist Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 2x2 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	775	875	975	1100	1225	1325
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

21 sts and 22 rounds = 4 in (10 cm) in 2x2 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Rnd 1: *P2, K2*; rep from * around. **Rnd 2:** *P2, K2*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 84 (98, 102, 110, 114, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 18 (21, 22, 24, 25, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 36 (42, 44, 48, 50, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 18 (21, 22, 24, 25, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 292 (322, 358, 398, 434, 468) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 184 (204, 224, 248, 268, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1756 Intermediate Sweaters · Aran weight

Jewel Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Double Seed Stitch with aran weight (#4/5) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.6	7.3	8.3	9.4	10.4	11.5
Yarn needed (yd)	750	875	975	1100	1225	1325
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

16 sts and 23 rounds = 4 in (10 cm) in Double Seed Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Rnd 1: *P1, K1*; rep from * around. **Rnd 2:** *K1, P1*; rep from * around. **Rnd 3:** *K1, P1*; rep from * around. **Rnd 4:** *P1, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 68 (76, 80, 84, 88, 92) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 14 (16, 17, 18, 19, 20) sts, place marker, knit 6 sts (sleeve), place marker, knit 28 (32, 34, 36, 38, 40) sts (front), place marker, knit 6 sts (second sleeve), place marker, knit the remaining 14 (16, 17, 18, 19, 20) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 19 (21, 24, 27, 30, 33) times in total. You now have 220 (244, 272, 300, 328, 356) sts and the yoke measures about 6.6 in (7.3 in, 8.3 in, 9.4 in, 10.4 in, 11.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 44 (48, 54, 60, 66, 72) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 44 (48, 54, 60, 66, 72) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 140 (156, 172, 188, 204, 220) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.4 in (16.7 in, 16.7 in, 16.6 in, 16.6 in, 16.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 44 (48, 54, 60, 66, 72) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (48 (52, 58, 64, 70, 76) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 15, 17, 19) times in total (28 (30, 32, 34, 36, 38) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1757 Intermediate Sweaters · DK weight

Haven Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 2x2 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1025	1200	1350	1500	1650	1825
Skeins (approx.)	5	6	6	7	8	8



chest 43 in (finished)

MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 2x2 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Rnd 1: *P2, K2*; rep from * around. **Rnd 2:** *P2, K2*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 108 (130, 132, 142, 144, 156) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 24 (29, 30, 32, 33, 36) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 48 (58, 60, 64, 66, 72) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 24 (29, 30, 32, 33, 36) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 404 (450, 500, 550, 600, 652) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 252 (284, 312, 340, 368, 400) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1758 Intermediate Sweaters · Aran weight

Elm Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 1x1 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	775	875	1000	1100	1225	1325
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

21 sts and 22 rounds = 4 in (10 cm) in 1x1 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Rnd 1: *P1, K1*; rep from * around. **Rnd 2:** *P1, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 84 (98, 104, 108, 114, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 18 (21, 22, 23, 25, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 36 (42, 45, 47, 50, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 18 (21, 23, 24, 25, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 292 (322, 360, 396, 434, 468) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 184 (204, 226, 246, 268, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1759 Intermediate Sweaters · Worsted weight

Lagom Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Horizontal Ridges with worsted weight (#4) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.1	6.6	7.4	8.6	9.4	10.2
Yarn needed (yd)	925	1050	1175	1325	1450	1600
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

18 sts and 29 rounds = 4 in (10 cm) in Horizontal Ridges, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Rnd 1: Knit. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Knit. **Rnd 5:** Knit. **Rnd 6:** Knit. **Rnd 7:** Knit. **Rnd 8:** Purl.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 74 (84, 92, 92, 98, 106) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (18, 19, 20, 21, 23) sts, place marker, knit 6 (6, 7, 6, 6, 7) sts (sleeve), place marker, knit 31 (36, 39, 40, 43, 46) sts (front), place marker, knit 6 (6, 7, 6, 6, 7) sts (second sleeve), place marker, knit the remaining 16 (18, 20, 20, 22, 23) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 22 (24, 27, 31, 34, 37) times in total. You now have 250 (276, 308, 340, 370, 402) sts and the yoke measures about 6.1 in (6.6 in, 7.4 in, 8.6 in, 9.4 in, 10.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 158 (176, 194, 212, 230, 248) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.9 in (17.4 in, 17.6 in, 17.4 in, 17.6 in, 17.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 50 (54, 61, 68, 74, 81) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (54 (58, 65, 72, 78, 85) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 9 (8, 7, 6, 6, 6) rounds, 11 (12, 14, 17, 19, 21) times in total (32 (34, 36, 38, 40, 43) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1760 Intermediate Sweaters · Worsted weight

Summit Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 6-Stitch Cable on a Seeded Ground with worsted weight (#4) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	1000	1150	1325	1475	1600	1825
Skeins (approx.)	5	6	7	8	8	10



chest 43 in (finished)

MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Rnd 1: *K6, P1, K1, P1*; rep from * around. **Rnd 2:** *K6, P1, K1, P1*; rep from * around. **Rnd 3:** *K6, P1, K1, P1*; rep from * around. **Rnd 4:** *K6, P1, K1, P1*; rep from * around. **Rnd 5:** *K6, P1, K1, P1*; rep from * around. **Rnd 6:** *K6, P1, K1, P1*; rep from * around. **Rnd 7:** *K6, P1, K1, P1*; rep from * around. **Rnd 8:** *K6, P1, K1, P1*; rep from * around. **Rnd 9:** *C6F, P1, K1, P1*; rep from * around. **Rnd 10:** *K6, P1, K1, P1*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 92 (98, 112, 114, 118, 132) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 19 (21, 25, 25, 26, 30) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 39 (42, 50, 51, 52, 60) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 20 (21, 25, 26, 26, 30) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 316 (346, 400, 434, 470, 524) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 198 (216, 252, 270, 288, 324) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1761 Intermediate Sweaters · Worsted weight

Glacier Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Basketweave 3x3 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.4	8	9.3	10.2	11.5	12.8
Yarn needed (yd)	875	1000	1125	1250	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

19 sts and 25 rounds = 4 in (10 cm) in Basketweave 3x3, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Rnd 1: *P3, K3*; rep from * around. **Rnd 2:** *P3, K3*; rep from * around. **Rnd 3:** *P3, K3*; rep from * around. **Rnd 4:** *K3, P3*; rep from * around. **Rnd 5:** *K3, P3*; rep from * around. **Rnd 6:** *K3, P3*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 80 (92, 92, 100, 100, 108) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (19, 20, 21, 22, 24) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 34 (39, 40, 43, 44, 48) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 17 (20, 20, 22, 22, 24) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 23 (25, 29, 32, 36, 40) times in total. You now have 264 (292, 324, 356, 388, 428) sts and the yoke measures about 7.4 in (8 in, 9.3 in, 10.2 in, 11.5 in, 12.8 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 168 (186, 204, 222, 240, 264) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.6 in (16 in, 15.7 in, 15.8 in, 15.5 in, 15.2 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 52 (57, 64, 71, 78, 86) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (56 (61, 68, 75, 82, 90) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 11 (12, 15, 17, 19, 22) times in total (33 (36, 38, 40, 43, 45) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1762 Intermediate Sweaters · DK weight

Spruce Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Broken Rib with dk weight (#3) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7	7.8	9	10	11	12.2
Yarn needed (yd)	1000	1150	1300	1450	1600	1775
Skeins (approx.)	5	5	6	7	7	8



chest 43 in (finished)

MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

23 sts and 32 rounds = 4 in (10 cm) in Broken Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Rnd 1: Knit. **Rnd 2:** *P1, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 96 (106, 108, 114, 124, 124) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 20 (23, 24, 25, 27, 28) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 41 (46, 48, 51, 55, 56) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 21 (23, 24, 26, 28, 28) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 320 (354, 396, 434, 476, 516) sts and the yoke measures about 7 in (7.8 in, 9 in, 10 in, 11 in, 12.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 202 (224, 248, 270, 294, 316) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15 in (16.2 in, 16 in, 16 in, 16 in, 15.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1763 Intermediate Sweaters · Worsted weight

Ember Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 6-Stitch Left Cable on a Purl Ground with worsted weight (#4) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	1025	1175	1325	1475	1625	1800
Skeins (approx.)	6	6	7	8	9	9



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Rnd 1: *K6, P2*; rep from * around. **Rnd 2:** *K6, P2*; rep from * around. **Rnd 3:** *K6, P2*; rep from * around. **Rnd 4:** *K6, P2*; rep from * around. **Rnd 5:** *K6, P2*; rep from * around. **Rnd 6:** *K6, P2*; rep from * around. **Rnd 7:** *K6, P2*; rep from * around. **Rnd 8:** *K6, P2*; rep from * around. **Rnd 9:** *C6F, P2*; rep from * around. **Rnd 10:** *K6, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 94 (106, 108, 116, 126, 128) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 20 (23, 24, 26, 28, 29) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 40 (46, 48, 52, 56, 58) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 20 (23, 24, 26, 28, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 318 (354, 396, 436, 478, 520) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 200 (224, 248, 272, 296, 320) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1764 Intermediate Sweaters · DK weight

Violet Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Diagonal Rib with dk weight (#3) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	8	8.8	9.9	11.2	12.3	13.6
Yarn needed (yd)	1025	1200	1325	1500	1650	1825
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

24 sts and 30 rounds = 4 in (10 cm) in Diagonal Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Rnd 1: *P2, K2*; rep from * around. **Rnd 2:** *P1, K2, P1*; rep from * around. **Rnd 3:** *K2, P2*; rep from * around. **Rnd 4:** *K1, P2, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 92 (104, 114, 116, 126, 128) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 20 (23, 25, 26, 28, 29) sts, place marker, knit 6 (6, 7, 6, 7, 6) sts (sleeve), place marker, knit 40 (46, 50, 52, 56, 58) sts (front), place marker, knit 6 (6, 7, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 20 (23, 25, 26, 28, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 30 (33, 37, 42, 46, 51) times in total. You now have 332 (368, 410, 452, 494, 536) sts and the yoke measures about 8 in (8.8 in, 9.9 in, 11.2 in, 12.3 in, 13.6 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 66 (72, 81, 90, 99, 108) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 66 (72, 81, 90, 99, 108) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 208 (232, 256, 280, 304, 328) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14 in (15.2 in, 15.1 in, 14.8 in, 14.7 in, 14.4 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 66 (72, 81, 90, 99, 108) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (70 (76, 85, 94, 103, 112) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 7 (7, 6, 6, 6, 6) rounds, 14 (15, 18, 21, 24, 27) times in total (42 (45, 48, 51, 54, 57) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1765 Intermediate Sweaters · Aran weight

Bramble Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 4-Stitch Right Cable on a Purl Ground with aran weight (#4/5) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	950	1075	1225	1350	1500	1625
Skeins (approx.)	6	6	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

21 sts and 22 rounds = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Rnd 1: *K4, P2*; rep from * around. **Rnd 2:** *K4, P2*; rep from * around. **Rnd 3:** *K4, P2*; rep from * around. **Rnd 4:** *K4, P2*; rep from * around. **Rnd 5:** *K4, P2*; rep from * around. **Rnd 6:** *K4, P2*; rep from * around. **Rnd 7:** *C4B, P2*; rep from * around. **Rnd 8:** *K4, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 86 (98, 106, 108, 116, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 18 (21, 23, 23, 25, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 37 (42, 46, 47, 51, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 19 (21, 23, 24, 26, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 294 (322, 362, 396, 436, 468) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 186 (204, 228, 246, 270, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1766 Intermediate Sweaters · Worsted weight

Valley Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 2x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	825	950	1075	1200	1325	1450
Skeins (approx.)	5	5	6	6	7	8



MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 2x2 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Rnd 1: *P2, K2*; rep from * around. **Rnd 2:** *P2, K2*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 94 (106, 108, 116, 122, 124) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 20 (23, 24, 26, 27, 28) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 40 (46, 48, 52, 54, 56) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 20 (23, 24, 26, 27, 28) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 318 (354, 396, 436, 474, 516) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 200 (224, 248, 272, 292, 316) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1767 Intermediate Sweaters · DK weight

Rowan Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Feather and Fan with dk weight (#3) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.9	7.5	8.5	9.6	10.7	11.7
Yarn needed (yd)	850	950	1125	1250	1375	1500
Skeins (approx.)	4	5	5	6	6	7



chest 43 in (finished)

MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

21 sts and 30 rounds = 4 in (10 cm) in Feather and Fan, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Rnd 1: *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * around. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Purl.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 80 (92, 112, 114, 116, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (19, 24, 25, 25, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 34 (39, 49, 50, 51, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 17 (20, 25, 25, 26, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 288 (316, 368, 402, 436, 468) sts and the yoke measures about 6.9 in (7.5 in, 8.5 in, 9.6 in, 10.7 in, 11.7 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 180 (198, 234, 252, 270, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.1 in (16.5 in, 16.5 in, 16.4 in, 16.3 in, 16.3 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 9 (7, 6, 6, 6, 6) rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1768 Advanced Sweaters · Aran weight

Orchard Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Twin Cables with aran weight (#4/5) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	1000	1150	1300	1475	1575	1750
Skeins (approx.)	6	7	8	9	9	10



MATERIALS


- 9 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

21 sts and 22 rounds = 4 in (10 cm) in Twin Cables, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Rnd 1: *K4, P2, K4, P2*; rep from * around. **Rnd 2:** *K4, P2, K4, P2*; rep from * around.
Rnd 3: *K4, P2, K4, P2*; rep from * around. **Rnd 4:** *K4, P2, K4, P2*; rep from * around.
Rnd 5: *K4, P2, K4, P2*; rep from * around. **Rnd 6:** *K4, P2, K4, P2*; rep from * around.
Rnd 7: *C4F, P2, C4F, P2*; rep from * around. **Rnd 8:** *K4, P2, K4, P2*; rep from * around.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 80 (98, 106, 114, 110, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (21, 23, 25, 24, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 34 (42, 46, 50, 48, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 17 (21, 23, 25, 24, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 288 (322, 362, 402, 430, 468) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 180 (204, 228, 252, 264, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1769 Intermediate Sweaters · Worsted weight

Ember Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 3x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	825	950	1075	1200	1325	1475
Skeins (approx.)	5	5	6	6	7	8



MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 3x2 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Rnd 1: *P2, K3*; rep from * around. **Rnd 2:** *P2, K3*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 94 (102, 110, 114, 120, 128) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 20 (22, 24, 25, 26, 29) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 40 (44, 49, 51, 53, 58) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 20 (22, 25, 26, 27, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 318 (350, 398, 434, 472, 520) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 200 (220, 250, 270, 290, 320) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1770 Intermediate Sweaters · DK weight

Taupe Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Horizontal Ridges with dk weight (#3) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6	6.7	7.6	8.4	9.3	10.2
Yarn needed (yd)	1125	1300	1450	1625	1800	1975
Skeins (approx.)	5	6	7	8	8	9



MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

22 sts and 36 rounds = 4 in (10 cm) in Horizontal Ridges, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Rnd 1: Knit. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Knit. **Rnd 5:** Knit. **Rnd 6:** Knit. **Rnd 7:** Knit. **Rnd 8:** Purl.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 88 (98, 104, 110, 118, 124) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 19 (21, 23, 24, 26, 27) sts, place marker, knit 6 (6, 6, 6, 7, 7) sts (sleeve), place marker, knit 38 (43, 46, 49, 52, 55) sts (front), place marker, knit 6 (6, 6, 6, 7, 7) sts (second sleeve), place marker, knit the remaining 19 (22, 23, 25, 26, 28) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 27 (30, 34, 38, 42, 46) times in total. You now have 304 (338, 376, 414, 454, 492) sts and the yoke measures about 6 in (6.7 in, 7.6 in, 8.4 in, 9.3 in, 10.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 192 (214, 236, 258, 280, 302) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 16 in (17.3 in, 17.4 in, 17.6 in, 17.7 in, 17.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 60 (66, 74, 82, 91, 99) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (64 (70, 78, 86, 95, 103) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 10 (9, 7, 6, 6, 6) rounds, 13 (14, 17, 19, 22, 25) times in total (38 (41, 44, 47, 50, 52) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1771 Intermediate Sweaters · Worsted weight

Fable Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Chevron Ripple with Purl Rows with worsted weight (#4) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.7	7.3	8.3	9.7	10.7	11.7
Yarn needed (yd)	700	825	850	975	1100	1225
Skeins (approx.)	4	5	5	5	6	7



MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

17 sts and 24 rounds = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Rnd 1: *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * around. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Knit. **Rnd 5:** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * around. **Rnd 6:** Knit. **Rnd 7:** Purl. **Rnd 8:** Purl.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 80 (94, 82, 86, 96, 106) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 16 (20, 17, 18, 21, 23) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 33 (40, 34, 37, 42, 47) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 17 (20, 17, 19, 21, 24) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 20 (22, 25, 29, 32, 35) times in total. You now have 240 (270, 282, 318, 352, 386) sts and the yoke measures about 6.7 in (7.3 in, 8.3 in, 9.7 in, 10.7 in, 11.7 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 154 (176, 176, 198, 220, 242) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.3 in (16.7 in, 16.7 in, 16.3 in, 16.3 in, 16.3 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 47 (51, 57, 64, 70, 76) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (51 (55, 61, 68, 74, 80) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 16, 18, 20) times in total (30 (32, 34, 36, 38, 40) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1772 Intermediate Sweaters · Aran weight

Thistle Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 6-Stitch Left Cable on a Purl Ground with aran weight (#4/5) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	925	1100	1200	1350	1475	1625
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

21 sts and 22 rounds = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Rnd 1: *K6, P2*; rep from * around. **Rnd 2:** *K6, P2*; rep from * around. **Rnd 3:** *K6, P2*; rep from * around. **Rnd 4:** *K6, P2*; rep from * around. **Rnd 5:** *K6, P2*; rep from * around. **Rnd 6:** *K6, P2*; rep from * around. **Rnd 7:** *K6, P2*; rep from * around. **Rnd 8:** *K6, P2*; rep from * around. **Rnd 9:** *C6F, P2*; rep from * around. **Rnd 10:** *K6, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 84 (102, 102, 110, 110, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 18 (22, 22, 24, 24, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 36 (44, 44, 48, 48, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 18 (22, 22, 24, 24, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 292 (326, 358, 398, 430, 468) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 184 (208, 224, 248, 264, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1773 Intermediate Sweaters · Aran weight

Crimson Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Seed Stitch with aran weight (#4/5) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.6	7.3	8.3	9.4	10.4	11.5
Yarn needed (yd)	725	850	950	1050	1150	1275
Skeins (approx.)	5	5	6	6	7	8



chest 43 in (finished)

MATERIALS


- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

16 sts and 23 rounds = 4 in (10 cm) in Seed Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Rnd 1: *P1, K1*; rep from * around. **Rnd 2:** *K1, P1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 68 (76, 80, 84, 88, 92) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 14 (16, 17, 18, 19, 20) sts, place marker, knit 6 sts (sleeve), place marker, knit 28 (32, 34, 36, 38, 40) sts (front), place marker, knit 6 sts (second sleeve), place marker, knit the remaining 14 (16, 17, 18, 19, 20) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 19 (21, 24, 27, 30, 33) times in total. You now have 220 (244, 272, 300, 328, 356) sts and the yoke measures about 6.6 in (7.3 in, 8.3 in, 9.4 in, 10.4 in, 11.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 44 (48, 54, 60, 66, 72) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 44 (48, 54, 60, 66, 72) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 140 (156, 172, 188, 204, 220) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.4 in (16.7 in, 16.7 in, 16.6 in, 16.6 in, 16.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 44 (48, 54, 60, 66, 72) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (48 (52, 58, 64, 70, 76) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 15, 17, 19) times in total (28 (30, 32, 34, 36, 38) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1774 Intermediate Sweaters · Worsted weight

Hollow Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Chevron Ripple Lace with worsted weight (#4) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.7	7.3	8.3	9.7	10.7	11.7
Yarn needed (yd)	700	825	850	975	1100	1225
Skeins (approx.)	4	5	5	5	6	7



chest 43 in (finished)

MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

17 sts and 24 rounds = 4 in (10 cm) in Chevron Ripple Lace, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Rnd 1: *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * around. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Purl.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 80 (94, 82, 86, 96, 106) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 16 (20, 17, 18, 21, 23) sts, place marker, knit 7 (7, 7, 6, 6, 6) sts (sleeve), place marker, knit 33 (40, 34, 37, 42, 47) sts (front), place marker, knit 7 (7, 7, 6, 6, 6) sts (second sleeve), place marker, knit the remaining 17 (20, 17, 19, 21, 24) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 20 (22, 25, 29, 32, 35) times in total. You now have 240 (270, 282, 318, 352, 386) sts and the yoke measures about 6.7 in (7.3 in, 8.3 in, 9.7 in, 10.7 in, 11.7 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 47 (51, 57, 64, 70, 76) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 154 (176, 176, 198, 220, 242) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.3 in (16.7 in, 16.7 in, 16.3 in, 16.3 in, 16.3 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 47 (51, 57, 64, 70, 76) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (51 (55, 61, 68, 74, 80) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 16, 18, 20) times in total (30 (32, 34, 36, 38, 40) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1775 Intermediate Sweaters · DK weight

Oatmeal Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Chevron Ripple Lace with dk weight (#3) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.9	7.5	8.5	9.6	10.7	11.7
Yarn needed (yd)	825	950	1075	1200	1350	1475
Skeins (approx.)	4	5	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

21 sts and 30 rounds = 4 in (10 cm) in Chevron Ripple Lace, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Rnd 1: *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * around. **Rnd 2:** Knit. **Rnd 3:** Knit. **Rnd 4:** Purl.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 76 (92, 98, 104, 110, 114) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 16 (19, 21, 22, 24, 25) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 32 (39, 42, 45, 48, 51) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 16 (20, 21, 23, 24, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 284 (316, 354, 392, 430, 466) sts and the yoke measures about 6.9 in (7.5 in, 8.5 in, 9.6 in, 10.7 in, 11.7 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 176 (198, 220, 242, 264, 286) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.1 in (16.5 in, 16.5 in, 16.4 in, 16.3 in, 16.3 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 9 (7, 6, 6, 6, 6) rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1776 Intermediate Sweaters · Worsted weight

Fennel Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Broken Rib with worsted weight (#4) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.4	8	9.3	10.2	11.5	12.8
Yarn needed (yd)	800	925	1025	1150	1250	1375
Skeins (approx.)	4	5	6	6	7	7



chest 43 in (finished)

MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

19 sts and 25 rounds = 4 in (10 cm) in Broken Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Rnd 1: Knit. **Rnd 2:** *P1, K1*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 78 (92, 92, 102, 102, 106) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 16 (19, 20, 22, 22, 23) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 33 (39, 40, 44, 45, 47) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 17 (20, 20, 22, 23, 24) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 23 (25, 29, 32, 36, 40) times in total. You now have 262 (292, 324, 358, 390, 426) sts and the yoke measures about 7.4 in (8 in, 9.3 in, 10.2 in, 11.5 in, 12.8 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 166 (186, 204, 224, 242, 262) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.6 in (16 in, 15.7 in, 15.8 in, 15.5 in, 15.2 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 52 (57, 64, 71, 78, 86) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (56 (61, 68, 75, 82, 90) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 11 (12, 15, 17, 19, 22) times in total (33 (36, 38, 40, 43, 45) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1777 Intermediate Sweaters · Aran weight

Aurora Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 3x2 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	750	875	1000	1100	1225	1350
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

21 sts and 22 rounds = 4 in (10 cm) in 3x2 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Rnd 1: *P2, K3*; rep from * around. **Rnd 2:** *P2, K3*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 80 (94, 108, 112, 116, 118) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (20, 23, 24, 25, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 34 (40, 47, 49, 51, 53) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 17 (20, 24, 25, 26, 27) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 288 (318, 364, 400, 436, 470) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 180 (200, 230, 250, 270, 290) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1778 Intermediate Sweaters · DK weight

Walnut Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 2x1 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1025	1200	1350	1500	1650	1800
Skeins (approx.)	5	6	6	7	8	8



chest 43 in (finished)

MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 2x1 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Rnd 1: *P1, K2*; rep from * around. **Rnd 2:** *P1, K2*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 108 (128, 132, 144, 148, 152) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 24 (28, 30, 32, 34, 35) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 48 (57, 60, 65, 68, 70) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 24 (29, 30, 33, 34, 35) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 404 (448, 500, 552, 604, 648) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 252 (282, 312, 342, 372, 396) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1779 Intermediate Sweaters · Worsted weight

Dahlia Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 2x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	850	950	1075	1200	1325	1475
Skeins (approx.)	5	5	6	6	7	8



MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 2x1 Rib, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Rnd 1: *P1, K2*; rep from * around. **Rnd 2:** *P1, K2*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 98 (104, 106, 114, 124, 126) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 21 (22, 23, 25, 27, 28) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 42 (45, 47, 51, 55, 57) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 21 (23, 24, 26, 28, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 322 (352, 394, 434, 476, 518) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 204 (222, 246, 270, 294, 318) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1780 Intermediate Sweaters · Worsted weight

Heather Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 4-Stitch Cable, Wide Purl Ground with worsted weight (#4) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.3	10.3	12	13.3	14.7	16.3
Yarn needed (yd)	1000	1175	1325	1450	1625	1825
Skeins (approx.)	5	6	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

23 sts and 24 rounds = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Rnd 1: *K4, P3*; rep from * around. **Rnd 2:** *K4, P3*; rep from * around. **Rnd 3:** *K4, P3*; rep from * around. **Rnd 4:** *K4, P3*; rep from * around. **Rnd 5:** *K4, P3*; rep from * around. **Rnd 6:** *K4, P3*; rep from * around. **Rnd 7:** *C4F, P3*; rep from * around. **Rnd 8:** *K4, P3*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 90 (106, 112, 110, 124, 130) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 19 (23, 25, 24, 27, 29) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 38 (46, 50, 49, 55, 59) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 19 (23, 25, 25, 28, 30) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 314 (354, 400, 430, 476, 522) sts and the yoke measures about 9.3 in (10.3 in, 12 in, 13.3 in, 14.7 in, 16.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 196 (224, 252, 266, 294, 322) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.7 in (13.7 in, 13 in, 12.7 in, 12.3 in, 11.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1781 Intermediate Sweaters · DK weight

Pearl Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Basketweave 5x5 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7	7.8	9	10	11	12.2
Yarn needed (yd)	1100	1250	1450	1600	1750	1950
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

23 sts and 32 rounds = 4 in (10 cm) in Basketweave 5x5, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Rnd 1: *P5, K5*; rep from * around. **Rnd 2:** *P5, K5*; rep from * around. **Rnd 3:** *P5, K5*; rep from * around. **Rnd 4:** *P5, K5*; rep from * around. **Rnd 5:** *P5, K5*; rep from * around. **Rnd 6:** *K5, P5*; rep from * around. **Rnd 7:** *K5, P5*; rep from * around. **Rnd 8:** *K5, P5*; rep from * around. **Rnd 9:** *K5, P5*; rep from * around. **Rnd 10:** *K5, P5*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 94 (102, 110, 114, 120, 128) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 20 (22, 24, 25, 26, 29) sts, place marker, knit 7 (7, 6, 6, 7, 6) sts (sleeve), place marker, knit 40 (44, 49, 51, 53, 58) sts (front), place marker, knit 7 (7, 6, 6, 7, 6) sts (second sleeve), place marker, knit the remaining 20 (22, 25, 26, 27, 29) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 28 (31, 36, 40, 44, 49) times in total. You now have 318 (350, 398, 434, 472, 520) sts and the yoke measures about 7 in (7.8 in, 9 in, 10 in, 11 in, 12.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 63 (69, 78, 86, 95, 104) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 200 (220, 250, 270, 290, 320) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15 in (16.2 in, 16 in, 16 in, 16 in, 15.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 63 (69, 78, 86, 95, 104) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (67 (73, 82, 90, 99, 108) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 13 (15, 18, 20, 23, 26) times in total (40 (43, 46, 49, 52, 55) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1782 Intermediate Sweaters · Worsted weight

Flint Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Checkerboard 3x3 with worsted weight (#4) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.4	8	9.3	10.2	11.5	12.8
Yarn needed (yd)	875	1000	1125	1250	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

19 sts and 25 rounds = 4 in (10 cm) in Checkerboard 3x3, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Rnd 1: *P3, K3*; rep from * around. **Rnd 2:** *P3, K3*; rep from * around. **Rnd 3:** *P3, K3*; rep from * around. **Rnd 4:** *P3, K3*; rep from * around. **Rnd 5:** *K3, P3*; rep from * around. **Rnd 6:** *K3, P3*; rep from * around. **Rnd 7:** *K3, P3*; rep from * around. **Rnd 8:** *K3, P3*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 80 (92, 92, 100, 100, 108) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (19, 20, 21, 22, 24) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 34 (39, 40, 43, 44, 48) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 17 (20, 20, 22, 22, 24) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 23 (25, 29, 32, 36, 40) times in total. You now have 264 (292, 324, 356, 388, 428) sts and the yoke measures about 7.4 in (8 in, 9.3 in, 10.2 in, 11.5 in, 12.8 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 168 (186, 204, 222, 240, 264) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.6 in (16 in, 15.7 in, 15.8 in, 15.5 in, 15.2 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 52 (57, 64, 71, 78, 86) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (56 (61, 68, 75, 82, 90) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 11 (12, 15, 17, 19, 22) times in total (33 (36, 38, 40, 43, 45) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1783 Intermediate Sweaters · Aran weight

Isle Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 4-Stitch Cable on a Seeded Ground with aran weight (#4/5) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	925	1100	1200	1375	1475	1675
Skeins (approx.)	6	7	7	8	9	10



chest 43 in (finished)

MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

21 sts and 22 rounds = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Rnd 1: *K4, P1, K1, P1*; rep from * around. **Rnd 2:** *K4, P1, K1, P1*; rep from * around. **Rnd 3:** *K4, P1, K1, P1*; rep from * around. **Rnd 4:** *K4, P1, K1, P1*; rep from * around. **Rnd 5:** *K4, P1, K1, P1*; rep from * around. **Rnd 6:** *K4, P1, K1, P1*; rep from * around. **Rnd 7:** *C4F, P1, K1, P1*; rep from * around. **Rnd 8:** *K4, P1, K1, P1*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 82 (104, 102, 114, 112, 122) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (22, 22, 25, 24, 27) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 35 (45, 44, 50, 49, 55) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 18 (23, 22, 25, 25, 28) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 290 (328, 358, 402, 432, 474) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 182 (210, 224, 252, 266, 294) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1784 Intermediate Sweaters · Worsted weight

Dove Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Checkerboard 4x4 with worsted weight (#4) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.4	8	9.3	10.2	11.5	12.8
Yarn needed (yd)	875	1000	1125	1250	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

19 sts and 25 rounds = 4 in (10 cm) in Checkerboard 4x4, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Rnd 1: *P4, K4*; rep from * around. **Rnd 2:** *P4, K4*; rep from * around. **Rnd 3:** *P4, K4*; rep from * around. **Rnd 4:** *P4, K4*; rep from * around. **Rnd 5:** *P4, K4*; rep from * around. **Rnd 6:** *K4, P4*; rep from * around. **Rnd 7:** *K4, P4*; rep from * around. **Rnd 8:** *K4, P4*; rep from * around. **Rnd 9:** *K4, P4*; rep from * around. **Rnd 10:** *K4, P4*; rep from * around.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 80 (90, 96, 102, 100, 108) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (19, 21, 22, 22, 24) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 34 (38, 42, 44, 44, 48) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 17 (19, 21, 22, 22, 24) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 23 (25, 29, 32, 36, 40) times in total. You now have 264 (290, 328, 358, 388, 428) sts and the yoke measures about 7.4 in (8 in, 9.3 in, 10.2 in, 11.5 in, 12.8 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 52 (57, 64, 71, 78, 86) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 168 (184, 208, 224, 240, 264) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.6 in (16 in, 15.7 in, 15.8 in, 15.5 in, 15.2 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 52 (57, 64, 71, 78, 86) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (56 (61, 68, 75, 82, 90) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 11 (12, 15, 17, 19, 22) times in total (33 (36, 38, 40, 43, 45) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1785 Intermediate Sweaters · Aran weight

Almond Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 6-Stitch Cable on a Seeded Ground with aran weight (#4/5) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	925	1050	1250	1375	1500	1625
Skeins (approx.)	6	6	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

21 sts and 22 rounds = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Rnd 1: *K6, P1, K1, P1*; rep from * around. **Rnd 2:** *K6, P1, K1, P1*; rep from * around. **Rnd 3:** *K6, P1, K1, P1*; rep from * around. **Rnd 4:** *K6, P1, K1, P1*; rep from * around. **Rnd 5:** *K6, P1, K1, P1*; rep from * around. **Rnd 6:** *K6, P1, K1, P1*; rep from * around. **Rnd 7:** *K6, P1, K1, P1*; rep from * around. **Rnd 8:** *K6, P1, K1, P1*; rep from * around. **Rnd 9:** *C6F, P1, K1, P1*; rep from * around. **Rnd 10:** *K6, P1, K1, P1*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 80 (92, 112, 114, 116, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 17 (19, 24, 25, 25, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 34 (39, 49, 50, 51, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 17 (20, 25, 25, 26, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 288 (316, 368, 402, 436, 468) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 180 (198, 234, 252, 270, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1786 Intermediate Sweaters · Aran weight

Cinder Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Reverse Stockinette with aran weight (#4/5) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.9	7.6	8.7	9.8	10.9	12
Yarn needed (yd)	700	800	900	1000	1100	1225
Skeins (approx.)	4	5	5	6	7	7



chest 43 in (finished)

MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

16 sts and 22 rounds = 4 in (10 cm) in Reverse Stockinette, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Rnd 1: Purl. **Rnd 2:** Purl.

2 

INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 68 (76, 80, 84, 88, 92) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 14 (16, 17, 18, 19, 20) sts, place marker, knit 6 sts (sleeve), place marker, knit 28 (32, 34, 36, 38, 40) sts (front), place marker, knit 6 sts (second sleeve), place marker, knit the remaining 14 (16, 17, 18, 19, 20) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 19 (21, 24, 27, 30, 33) times in total. You now have 220 (244, 272, 300, 328, 356) sts and the yoke measures about 6.9 in (7.6 in, 8.7 in, 9.8 in, 10.9 in, 12 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 44 (48, 54, 60, 66, 72) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 44 (48, 54, 60, 66, 72) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 140 (156, 172, 188, 204, 220) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.1 in (16.4 in, 16.3 in, 16.2 in, 16.1 in, 16 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 44 (48, 54, 60, 66, 72) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (48 (52, 58, 64, 70, 76) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 10 (11, 13, 15, 17, 19) times in total (28 (30, 32, 34, 36, 38) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1787 Intermediate Sweaters · DK weight

Garnet Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Eyelet Rows with dk weight (#3) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	6.9	7.5	8.5	9.6	10.7	11.7
Yarn needed (yd)	850	975	1100	1225	1350	1500
Skeins (approx.)	4	5	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

21 sts and 30 rounds = 4 in (10 cm) in Eyelet Rows, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Rnd 1: *k2tog, yo*; rep from * around. **Rnd 2:** Knit.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 84 (98, 104, 108, 114, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 18 (21, 22, 23, 25, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 36 (42, 45, 47, 50, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 18 (21, 23, 24, 25, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 292 (322, 360, 396, 434, 468) sts and the yoke measures about 6.9 in (7.5 in, 8.5 in, 9.6 in, 10.7 in, 11.7 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 184 (204, 226, 246, 268, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15.1 in (16.5 in, 16.5 in, 16.4 in, 16.3 in, 16.3 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 9 (7, 6, 6, 6, 6) rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1788 Intermediate Sweaters · Worsted weight

Kettle Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Garter Stitch with worsted weight (#4) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	4.3	4.7	5.3	6	6.6	7.2
Yarn needed (yd)	1475	1700	1925	2125	2375	2600
Skeins (approx.)	8	9	10	11	12	13



chest 43 in (finished)

MATERIALS

- 11 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

18 sts and 41 rounds = 4 in (10 cm) in Garter Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Rnd 1: Knit. **Rnd 2:** Purl.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 74 (84, 92, 92, 98, 106) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (18, 19, 20, 21, 23) sts, place marker, knit 6 (6, 7, 6, 6, 7) sts (sleeve), place marker, knit 31 (36, 39, 40, 43, 46) sts (front), place marker, knit 6 (6, 7, 6, 6, 7) sts (second sleeve), place marker, knit the remaining 16 (18, 20, 20, 22, 23) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 22 (24, 27, 31, 34, 37) times in total. You now have 250 (276, 308, 340, 370, 402) sts and the yoke measures about 4.3 in (4.7 in, 5.3 in, 6 in, 6.6 in, 7.2 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 158 (176, 194, 212, 230, 248) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 17.7 in (19.3 in, 19.7 in, 20 in, 20.4 in, 20.8 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 50 (54, 61, 68, 74, 81) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (54 (58, 65, 72, 78, 85) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 13 (12, 10, 8, 7, 7) rounds, 11 (12, 14, 17, 19, 21) times in total (32 (34, 36, 38, 40, 43) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1789 Intermediate Sweaters · Aran weight

Raven Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 6-Stitch Right Cable on a Purl Ground with aran weight (#4/5) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.5	10.2	11.6	13.1	14.5	16
Yarn needed (yd)	925	1100	1200	1350	1475	1625
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

21 sts and 22 rounds = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Rnd 1: *K6, P2*; rep from * around. **Rnd 2:** *K6, P2*; rep from * around. **Rnd 3:** *K6, P2*; rep from * around. **Rnd 4:** *K6, P2*; rep from * around. **Rnd 5:** *K6, P2*; rep from * around. **Rnd 6:** *K6, P2*; rep from * around. **Rnd 7:** *K6, P2*; rep from * around. **Rnd 8:** *K6, P2*; rep from * around. **Rnd 9:** *C6B, P2*; rep from * around. **Rnd 10:** *K6, P2*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 9 (5.5 mm), cast on 84 (102, 102, 110, 110, 116) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 18 (22, 22, 24, 24, 26) sts, place marker, knit 6 (7, 7, 7, 7, 6) sts (sleeve), place marker, knit 36 (44, 44, 48, 48, 52) sts (front), place marker, knit 6 (7, 7, 7, 7, 6) sts (second sleeve), place marker, knit the remaining 18 (22, 22, 24, 24, 26) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 26 (28, 32, 36, 40, 44) times in total. You now have 292 (326, 358, 398, 430, 468) sts and the yoke measures about 9.5 in (10.2 in, 11.6 in, 13.1 in, 14.5 in, 16 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 58 (63, 71, 79, 87, 94) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 184 (208, 224, 248, 264, 288) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.5 in (13.8 in, 13.4 in, 12.9 in, 12.5 in, 12 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 58 (63, 71, 79, 87, 94) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (62 (67, 75, 83, 91, 98) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 12 (14, 16, 19, 22, 24) times in total (37 (39, 42, 45, 47, 50) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1790 Intermediate Sweaters · DK weight

Jonquil Raglan Pullover

A seamless top-down raglan worked in the round. Worked in 6-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	9.9	10.7	12.3	13.6	15.2	16.5
Yarn needed (yd)	1275	1475	1625	1850	2050	2225
Skeins (approx.)	6	7	8	9	9	10



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle


GAUGE

29 sts and 30 rounds = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Rnd 1: *K6, P1, K1, P1*; rep from * around. **Rnd 2:** *K6, P1, K1, P1*; rep from * around. **Rnd 3:** *K6, P1, K1, P1*; rep from * around. **Rnd 4:** *K6, P1, K1, P1*; rep from * around. **Rnd 5:** *K6, P1, K1, P1*; rep from * around. **Rnd 6:** *K6, P1, K1, P1*; rep from * around. **Rnd 7:** *K6, P1, K1, P1*; rep from * around. **Rnd 8:** *K6, P1, K1, P1*; rep from * around. **Rnd 9:** *C6F, P1, K1, P1*; rep from * around. **Rnd 10:** *K6, P1, K1, P1*; rep from * around.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 108 (134, 126, 144, 154, 152) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 24 (30, 28, 32, 35, 35) sts, place marker, knit 6 (7, 6, 7, 6, 6) sts (sleeve), place marker, knit 48 (60, 57, 65, 71, 70) sts (front), place marker, knit 6 (7, 6, 7, 6, 6) sts (second sleeve), place marker, knit the remaining 24 (30, 29, 33, 36, 35) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 37 (40, 46, 51, 57, 62) times in total. You now have 404 (454, 494, 552, 610, 648) sts and the yoke measures about 9.9 in (10.7 in, 12.3 in, 13.6 in, 15.2 in, 16.5 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 80 (87, 98, 109, 120, 130) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 252 (288, 306, 342, 378, 396) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 12.1 in (13.3 in, 12.7 in, 12.4 in, 11.8 in, 11.5 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 80 (87, 98, 109, 120, 130) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (84 (91, 102, 113, 124, 134) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 6 rounds, 16 (18, 22, 25, 29, 32) times in total (51 (54, 58, 62, 65, 69) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1791 Intermediate Sweaters · DK weight

Vine Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Reverse Stockinette with dk weight (#3) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7.2	8	9.1	10.1	11.2	12.3
Yarn needed (yd)	950	1100	1225	1350	1500	1650
Skeins (approx.)	5	5	6	6	7	8



chest 43 in (finished)

MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

22 sts and 30 rounds = 4 in (10 cm) in Reverse Stockinette, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Rnd 1: Purl. **Rnd 2:** Purl.

2 

INSTRUCTIONS


1. Yoke: With a 16 in circular needle in US 6 (4 mm), cast on 88 (98, 104, 110, 118, 124) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 19 (21, 23, 24, 26, 27) sts, place marker, knit 6 (6, 6, 6, 7, 7) sts (sleeve), place marker, knit 38 (43, 46, 49, 52, 55) sts (front), place marker, knit 6 (6, 6, 6, 7, 7) sts (second sleeve), place marker, knit the remaining 19 (22, 23, 25, 26, 28) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 27 (30, 34, 38, 42, 46) times in total. You now have 304 (338, 376, 414, 454, 492) sts and the yoke measures about 7.2 in (8 in, 9.1 in, 10.1 in, 11.2 in, 12.3 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 60 (66, 74, 82, 91, 99) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 192 (214, 236, 258, 280, 302) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 14.8 in (16 in, 15.9 in, 15.9 in, 15.8 in, 15.7 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 60 (66, 74, 82, 91, 99) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (64 (70, 78, 86, 95, 103) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 13 (14, 17, 19, 22, 25) times in total (38 (41, 44, 47, 50, 52) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.

KB-1792 Intermediate Sweaters · Worsted weight

Lantern Raglan Pullover

A seamless top-down raglan worked in the round. Worked in Seed Stitch with worsted weight (#4) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	35	39	43	47	51	55
Body length	22	24	25	26	27	28
Yoke depth	7	7.7	8.6	9.9	10.9	11.8
Yarn needed (yd)	800	925	1025	1150	1250	1375
Skeins (approx.)	4	5	6	6	7	7



chest 43 in (finished)

MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge.
- 16 in and 32 in circular needles and DPNs in your size
- 4 stitch markers plus 1 for the start of the round
- Stitch holders or waste yarn
- Tapestry needle

GAUGE

18 sts and 25 rounds = 4 in (10 cm) in Seed Stitch, worked in the round, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Rnd 1: *P1, K1*; rep from * around. **Rnd 2:** *K1, P1*; rep from * around.



INSTRUCTIONS

1. Yoke: With a 16 in circular needle in US 8 (5 mm), cast on 74 (84, 92, 92, 98, 106) sts. Place a marker for the start of the round (center back) and join in the round. Work 1 in of 1x1 rib (*K1, P1*; rep from * around), then change to stockinette stitch.
2. Set up markers: Knit 15 (18, 19, 20, 21, 23) sts, place marker, knit 6 (6, 7, 6, 6, 7) sts (sleeve), place marker, knit 31 (36, 39, 40, 43, 46) sts (front), place marker, knit 6 (6, 7, 6, 6, 7) sts (second sleeve), place marker, knit the remaining 16 (18, 20, 20, 22, 23) sts of the back.
3. Increase Rnd: *K to 1 st before the marker, m1R, K1, slip marker, K1, m1L*; rep from * 3 more times, K to end (8 sts increased). Next Rnd: Knit.
4. Work these 2 rounds 22 (24, 27, 31, 34, 37) times in total. You now have 250 (276, 308, 340, 370, 402) sts and the yoke measures about 7 in (7.7 in, 8.6 in, 9.9 in, 10.9 in, 11.8 in) from the cast-on edge.
5. Divide for body and sleeves: Knit to the first marker; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit across the front; place the next 50 (54, 61, 68, 74, 81) sleeve sts on a holder, cast on 4 sts under the arm, knit to the start of the round. You now have 158 (176, 194, 212, 230, 248) body sts.
6. Body: Work the stitch pattern in the round (see Stitch Pattern, worked as rounds) until the body measures 15 in (16.3 in, 16.4 in, 16.1 in, 16.1 in, 16.2 in) from the underarm (22 in (24 in, 25 in, 26 in, 27 in, 28 in) total length), then work 2 in of 1x1 rib (*K1, P1*; rep from * around). Bind off loosely in rib.
7. Sleeves (make 2): Slip the 50 (54, 61, 68, 74, 81) held sts onto DPNs or a 16 in circular, pick up and knit 4 sts in the underarm cast-on (54 (58, 65, 72, 78, 85) sts), place marker and join. Work stockinette (or the stitch pattern as set). Decrease 1 st at each side of the marker every 8 (7, 6, 6, 6, 6) rounds, 11 (12, 14, 17, 19, 21) times in total (32 (34, 36, 38, 40, 43) sts), until the sleeve measures 14.5 in from the underarm. Work 2 in of 1x1 rib and bind off loosely in rib.
8. Weave in the ends, close the underarm gaps and block.