
VOLUME 8 · 256 PATTERNS

Cardigans, Vests & Tops

The Knitting Bible: +2,000 patterns



Volume 8: Cardigans, Vests & Tops

> *256 patterns. Every pattern page lists its sizes, yarn amounts, gauge, stitch pattern with chart and step-by-step instructions.*

Before you begin any pattern: knit a gauge swatch in the stitch pattern, wash and block it like the finished piece, then measure. If you have more stitches than the pattern gauge, use a larger needle; if you have fewer, use a smaller one. The stitch counts in each pattern are designed to fit the stitch pattern repeat, so match the gauge first and the sizes will follow. The abbreviations and special techniques are explained in the Start Here guide.

Patterns in this volume: Cardigan, Crop Top, Tank Top, Vest.

Pattern index

ID	PATTERN	YARN	STITCH	LEVEL
KB-1793	Gable Cardigan	Aran	Basketweave 4x4	Intermediate
KB-1794	Thistle Cardigan	Worsted	Ladder Lace	Intermediate
KB-1795	Ridge Cardigan	Aran	3x2 Rib	Intermediate
KB-1796	Pearl Cardigan	Worsted	Twin Cables	Advanced
KB-1797	Aurora Cardigan	DK	Seed Stitch	Intermediate
KB-1798	Reed Cardigan	Worsted	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1799	Slate Cardigan	Worsted	Eyelet Rows	Intermediate
KB-1800	Jewel Cardigan	Aran	Mirrored Cables	Advanced
KB-1801	Westerly Cardigan	Aran	Diagonal Rib	Intermediate
KB-1802	Oak Cardigan	DK	Broken Rib	Intermediate
KB-1803	Crimson Cardigan	Worsted	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1804	Bramble Cardigan	DK	Reverse Stockinette	Intermediate
KB-1805	Spruce Cardigan	Aran	Chevron Ripple with Purl Rows	Intermediate
KB-1806	Copper Cardigan	Worsted	Diagonal Rib	Intermediate
KB-1807	Opal Cardigan	DK	Basketweave 5x5	Intermediate
KB-1808	Jasper Cardigan	Worsted	Basketweave 3x3	Intermediate
KB-1809	Cypress Cardigan	DK	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1810	Jade Cardigan	DK	Checkerboard 3x3	Intermediate
KB-1811	Quartz Cardigan	Worsted	2x2 Rib	Intermediate
KB-1812	Clover Cardigan	DK	1x1 Rib	Intermediate
KB-1813	Maple Cardigan	DK	2x2 Rib	Intermediate
KB-1814	Alder Cardigan	Aran	Stockinette Stitch	Intermediate
KB-1815	Quill Cardigan	Aran	Basketweave 3x3	Intermediate
KB-1816	Taupe Cardigan	DK	Double Seed Stitch	Intermediate
KB-1817	Umbra Cardigan	DK	Twin Cables	Advanced
KB-1818	Heather Cardigan	DK	Ladder Lace	Intermediate
KB-1819	Mist Cardigan	Worsted	3x3 Rib	Intermediate
KB-1820	Lavender Cardigan	Aran	Checkerboard 3x3	Intermediate
KB-1821	Northern Cardigan	DK	Feather and Fan	Intermediate
KB-1822	Zephyr Cardigan	Aran	3x3 Rib	Intermediate
KB-1823	Wren Cardigan	Aran	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1824	Cinder Cardigan	Aran	2x1 Rib	Intermediate
KB-1825	Beacon Cardigan	Worsted	Basketweave 5x5	Intermediate
KB-1826	Marigold Cardigan	Aran	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1827	Foxglove Cardigan	DK	Basketweave 3x3	Intermediate

ID	PATTERN	YARN	STITCH	LEVEL
KB-1828	Poppy Cardigan	Worsted	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1829	Basil Cardigan	DK	2x1 Rib	Intermediate
KB-1830	Summit Cardigan	Worsted	Chevron Ripple Lace	Intermediate
KB-1831	Knoll Cardigan	DK	Mirrored Cables	Advanced
KB-1832	Cedar Cardigan	Aran	Ladder Lace	Intermediate
KB-1833	Prairie Cardigan	Aran	Horizontal Ridges	Intermediate
KB-1834	Olive Cardigan	DK	Stockinette Stitch	Intermediate
KB-1835	Jonquil Cardigan	DK	Chevron Ripple Lace	Intermediate
KB-1836	Flint Cardigan	Worsted	Horizontal Ridges	Intermediate
KB-1837	Ivory Cardigan	Worsted	Garter Stitch	Intermediate
KB-1838	Horizon Cardigan	DK	3x3 Rib	Intermediate
KB-1839	Echo Cardigan	Worsted	3x2 Rib	Intermediate
KB-1840	Oasis Cardigan	Worsted	Mirrored Cables	Advanced
KB-1841	Marsh Cardigan	Aran	Checkerboard 4x4	Intermediate
KB-1842	Pine Cardigan	Aran	2x2 Rib	Intermediate
KB-1843	Frost Cardigan	Aran	Basketweave 5x5	Intermediate
KB-1844	Harbor Cardigan	Worsted	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1845	Kestrel Cardigan	Worsted	Double Seed Stitch	Intermediate
KB-1846	Moss Cardigan	Worsted	Reverse Stockinette	Intermediate
KB-1847	Acorn Cardigan	Aran	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1848	Dune Cardigan	Aran	Eyelet Rows	Intermediate
KB-1849	Canyon Cardigan	DK	Chevron Ripple with Purl Rows	Intermediate
KB-1850	Ember Cardigan	Worsted	2x1 Rib	Intermediate
KB-1851	Indigo Cardigan	DK	Checkerboard 4x4	Intermediate
KB-1852	Glacier Cardigan	Worsted	Seed Stitch	Intermediate
KB-1853	Willow Cardigan	DK	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1854	Vista Cardigan	DK	Garter Stitch	Intermediate
KB-1855	Hearth Cardigan	Aran	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1856	Raven Cardigan	Aran	1x1 Rib	Intermediate
KB-1857	Gentian Vest	Worsted	Chevron Ripple with Purl Rows	Intermediate
KB-1858	Fennel Vest	DK	Horizontal Ridges	Intermediate
KB-1859	Umber Vest	Aran	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1860	Jade Vest	Aran	2x2 Rib	Intermediate
KB-1861	Cobble Vest	Worsted	Basketweave 4x4	Intermediate
KB-1862	Nettle Vest	Aran	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1863	Maple Vest	Aran	3x2 Rib	Intermediate
KB-1864	Echo Vest	Aran	4-Stitch Cable, Wide Purl Ground	Intermediate

ID	PATTERN	YARN	STITCH	LEVEL
KB-1865	Kettle Vest	Worsted	Checkerboard 4x4	Intermediate
KB-1866	Heather Vest	Aran	Feather and Fan	Intermediate
KB-1867	Honey Vest	DK	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1868	Tulip Vest	Aran	Basketweave 5x5	Intermediate
KB-1869	Spruce Vest	Aran	Horizontal Ridges	Intermediate
KB-1870	Willow Vest	DK	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1871	Lilac Vest	Worsted	Mirrored Cables	Advanced
KB-1872	Dahlia Vest	Aran	Diagonal Rib	Intermediate
KB-1873	Wisp Vest	Worsted	Ladder Lace	Intermediate
KB-1874	Hearth Vest	DK	2x2 Rib	Intermediate
KB-1875	Dove Vest	DK	Basketweave 5x5	Intermediate
KB-1876	Slate Vest	Aran	1x1 Rib	Intermediate
KB-1877	Gable Vest	DK	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1878	Lagoon Vest	Aran	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1879	Bronze Vest	Worsted	2x2 Rib	Intermediate
KB-1880	Iris Vest	DK	Reverse Stockinette	Intermediate
KB-1881	Olive Vest	Aran	Zigzag Texture	Intermediate
KB-1882	Nutmeg Vest	DK	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1883	Beacon Vest	DK	Diagonal Rib	Intermediate
KB-1884	Birch Vest	DK	3x3 Rib	Intermediate
KB-1885	Quarry Vest	DK	Ladder Lace	Intermediate
KB-1886	Lantern Vest	DK	Seed Stitch	Intermediate
KB-1887	Bramble Vest	Worsted	Broken Rib	Intermediate
KB-1888	Quill Vest	Aran	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1889	Poppy Vest	DK	Mirrored Cables	Advanced
KB-1890	Ridge Vest	Worsted	Zigzag Texture	Intermediate
KB-1891	Ember Vest	Aran	Basketweave 4x4	Intermediate
KB-1892	Clover Vest	Worsted	2x1 Rib	Intermediate
KB-1893	Northern Vest	Worsted	3x3 Rib	Intermediate
KB-1894	Crimson Vest	DK	Twin Cables	Advanced
KB-1895	Mocha Vest	Aran	Double Seed Stitch	Intermediate
KB-1896	Lagom Vest	Worsted	Twin Cables	Advanced
KB-1897	Quince Vest	Worsted	Double Seed Stitch	Intermediate
KB-1898	Mulberry Vest	DK	Double Seed Stitch	Intermediate
KB-1899	Pearl Vest	DK	Checkerboard 3x3	Intermediate
KB-1900	Gold Vest	Aran	Chevron Ripple with Purl Rows	Intermediate
KB-1901	Coral Vest	DK	Checkerboard 4x4	Intermediate

ID	PATTERN	YARN	STITCH	LEVEL
KB-1902	Cinder Vest	Aran	Chevron Ripple Lace	Intermediate
KB-1903	Oatmeal Vest	DK	2x1 Rib	Intermediate
KB-1904	Garnet Vest	Aran	Seed Stitch	Intermediate
KB-1905	Rowan Vest	Aran	3x3 Rib	Intermediate
KB-1906	Vine Vest	Worsted	1x1 Rib	Intermediate
KB-1907	Acorn Vest	DK	Garter Stitch	Intermediate
KB-1908	Thistle Vest	DK	Basketweave 4x4	Intermediate
KB-1909	Valley Vest	Aran	Eyelet Rows	Intermediate
KB-1910	Opal Vest	Worsted	Horizontal Ridges	Intermediate
KB-1911	Bluebell Vest	Worsted	Seed Stitch	Intermediate
KB-1912	Briar Vest	Aran	Garter Stitch	Intermediate
KB-1913	Velvet Vest	DK	Basketweave 3x3	Intermediate
KB-1914	Jetty Vest	Worsted	Garter Stitch	Intermediate
KB-1915	Inlet Vest	DK	Stockinette Stitch	Intermediate
KB-1916	Timber Vest	DK	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1917	Walnut Vest	DK	1x1 Rib	Intermediate
KB-1918	Wren Vest	Worsted	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1919	Elm Vest	Aran	Stockinette Stitch	Intermediate
KB-1920	Knoll Vest	Aran	Broken Rib	Intermediate
KB-1921	Pearl Tank Top	DK	Checkerboard 3x3	Intermediate
KB-1922	Kale Tank Top	DK	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1923	Wisp Tank Top	Worsted	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1924	Yarrow Tank Top	Worsted	Basketweave 4x4	Intermediate
KB-1925	Honey Tank Top	Sport	Ladder Lace	Intermediate
KB-1926	Fawn Tank Top	Sport	2x2 Rib	Intermediate
KB-1927	Heather Tank Top	Worsted	Chevron Ripple with Purl Rows	Intermediate
KB-1928	Lark Tank Top	Sport	Broken Rib	Intermediate
KB-1929	Bramble Tank Top	Worsted	Basketweave 3x3	Intermediate
KB-1930	Saffron Tank Top	Sport	Garter Stitch	Intermediate
KB-1931	Russet Tank Top	Worsted	Reverse Stockinette	Intermediate
KB-1932	Mocha Tank Top	DK	Checkerboard 4x4	Intermediate
KB-1933	Tundra Tank Top	Sport	Chevron Ripple Lace	Intermediate
KB-1934	Quartz Tank Top	Sport	Checkerboard 3x3	Intermediate
KB-1935	Hollow Tank Top	DK	2x2 Rib	Intermediate
KB-1936	Aurora Tank Top	DK	Zigzag Texture	Intermediate
KB-1937	Upland Tank Top	Sport	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-1938	Reed Tank Top	DK	Double Seed Stitch	Intermediate

ID	PATTERN	YARN	STITCH	LEVEL
KB-1939	Coral Tank Top	Sport	Chevron Ripple with Purl Rows	Intermediate
KB-1940	Jasper Tank Top	DK	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1941	Dune Tank Top	Worsted	3x2 Rib	Intermediate
KB-1942	Northern Tank Top	Worsted	Checkerboard 4x4	Intermediate
KB-1943	Meadow Tank Top	DK	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1944	Glacier Tank Top	Sport	Seed Stitch	Intermediate
KB-1945	Orchard Tank Top	Worsted	2x1 Rib	Intermediate
KB-1946	Garnet Tank Top	Sport	Stockinette Stitch	Intermediate
KB-1947	Wren Tank Top	Worsted	Seed Stitch	Intermediate
KB-1948	Iris Tank Top	Worsted	Feather and Fan	Intermediate
KB-1949	Cinder Tank Top	DK	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1950	Linden Tank Top	Worsted	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1951	Ember Tank Top	Worsted	Stockinette Stitch	Intermediate
KB-1952	Hazel Tank Top	Worsted	Basketweave 5x5	Intermediate
KB-1953	Kindle Tank Top	DK	Horizontal Ridges	Intermediate
KB-1954	Pewter Tank Top	DK	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1955	Umbra Tank Top	Worsted	Mirrored Cables	Advanced
KB-1956	Isle Tank Top	DK	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1957	Violet Tank Top	DK	Feather and Fan	Intermediate
KB-1958	Ivory Tank Top	DK	Garter Stitch	Intermediate
KB-1959	Plum Tank Top	Sport	Basketweave 5x5	Intermediate
KB-1960	Oasis Tank Top	DK	Basketweave 5x5	Intermediate
KB-1961	Beacon Tank Top	Sport	Double Seed Stitch	Intermediate
KB-1962	Basil Tank Top	Sport	Mirrored Cables	Advanced
KB-1963	Oak Tank Top	Sport	Feather and Fan	Intermediate
KB-1964	Lagom Tank Top	Sport	3x3 Rib	Intermediate
KB-1965	Daisy Tank Top	DK	Basketweave 4x4	Intermediate
KB-1966	Briar Tank Top	Sport	Reverse Stockinette	Intermediate
KB-1967	Fern Tank Top	Sport	Checkerboard 4x4	Intermediate
KB-1968	Delta Tank Top	Sport	Zigzag Texture	Intermediate
KB-1969	Sienna Tank Top	Sport	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1970	Clover Tank Top	Worsted	Chevron Ripple Lace	Intermediate
KB-1971	Vine Tank Top	Sport	Basketweave 3x3	Intermediate
KB-1972	Kettle Tank Top	Sport	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-1973	Westerly Tank Top	Sport	1x1 Rib	Intermediate
KB-1974	Timber Tank Top	DK	Eyelet Rows	Intermediate
KB-1975	Willow Tank Top	Worsted	4-Stitch Left Cable on a Purl Ground	Intermediate

ID	PATTERN	YARN	STITCH	LEVEL
KB-1976	Frost Tank Top	DK	3x3 Rib	Intermediate
KB-1977	Alder Tank Top	DK	Reverse Stockinette	Intermediate
KB-1978	Foxglove Tank Top	DK	Chevron Ripple Lace	Intermediate
KB-1979	Cobble Tank Top	DK	1x1 Rib	Intermediate
KB-1980	Bronze Tank Top	DK	Diagonal Rib	Intermediate
KB-1981	Prairie Tank Top	Worsted	Zigzag Texture	Intermediate
KB-1982	Horizon Tank Top	DK	Twin Cables	Advanced
KB-1983	Valley Tank Top	Sport	4-Stitch Cable, Wide Purl Ground	Intermediate
KB-1984	Thistle Tank Top	Sport	6-Stitch Cable on a Seeded Ground	Intermediate
KB-1985	Honey Crop Top	Worsted	1x1 Rib	Intermediate
KB-1986	Wisp Crop Top	DK	Mirrored Cables	Advanced
KB-1987	Amber Crop Top	Worsted	Mirrored Cables	Advanced
KB-1988	Tundra Crop Top	DK	4-Stitch Left Cable on a Purl Ground	Intermediate
KB-1989	Crimson Crop Top	DK	4-Stitch Right Cable on a Purl Ground	Intermediate
KB-1990	Umber Crop Top	DK	3x3 Rib	Intermediate
KB-1991	Slate Crop Top	Worsted	Basketweave 5x5	Intermediate
KB-1992	Sienna Crop Top	Sport	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1993	Iris Crop Top	Worsted	Checkerboard 4x4	Intermediate
KB-1994	Kettle Crop Top	Worsted	Broken Rib	Intermediate
KB-1995	Mist Crop Top	Worsted	4-Stitch Cable on a Seeded Ground	Intermediate
KB-1996	Poppy Crop Top	Sport	Twin Cables	Advanced
KB-1997	Violet Crop Top	DK	Ladder Lace	Intermediate
KB-1998	Rowan Crop Top	Sport	Chevron Ripple with Purl Rows	Intermediate
KB-1999	Walnut Crop Top	DK	Horizontal Ridges	Intermediate
KB-2000	Lark Crop Top	Sport	Basketweave 4x4	Intermediate
KB-2001	Dusk Crop Top	Sport	Garter Stitch	Intermediate
KB-2002	Nook Crop Top	Sport	Double Seed Stitch	Intermediate
KB-2003	Fable Crop Top	Sport	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-2004	Clover Crop Top	Worsted	Garter Stitch	Intermediate
KB-2005	Frost Crop Top	Worsted	Twin Cables	Advanced
KB-2006	Velvet Crop Top	Sport	Chevron Ripple Lace	Intermediate
KB-2007	Marsh Crop Top	Worsted	Chevron Ripple Lace	Intermediate
KB-2008	Quartz Crop Top	DK	Eyelet Rows	Intermediate
KB-2009	Jewel Crop Top	Sport	Zigzag Texture	Intermediate
KB-2010	Sage Crop Top	DK	3x2 Rib	Intermediate
KB-2011	Willow Crop Top	Sport	2x2 Rib	Intermediate
KB-2012	Fawn Crop Top	DK	6-Stitch Right Cable on a Purl Ground	Intermediate


ID	PATTERN	YARN	STITCH	LEVEL
KB-2013	Oasis Crop Top	Sport	Reverse Stockinette	Intermediate
KB-2014	Oatmeal Crop Top	DK	Diagonal Rib	Intermediate
KB-2015	Rain Crop Top	Worsted	Chevron Ripple with Purl Rows	Intermediate
KB-2016	Timber Crop Top	Sport	Diagonal Rib	Intermediate
KB-2017	Mulberry Crop Top	DK	Stockinette Stitch	Intermediate
KB-2018	Mocha Crop Top	Sport	6-Stitch Cable on a Seeded Ground	Intermediate
KB-2019	Sparrow Crop Top	DK	1x1 Rib	Intermediate
KB-2020	Ginger Crop Top	Worsted	3x2 Rib	Intermediate
KB-2021	Kestrel Crop Top	Worsted	Checkerboard 3x3	Intermediate
KB-2022	Jetty Crop Top	DK	Garter Stitch	Intermediate
KB-2023	Kindle Crop Top	Sport	Checkerboard 3x3	Intermediate
KB-2024	Horizon Crop Top	DK	Basketweave 5x5	Intermediate
KB-2025	Bramble Crop Top	DK	Zigzag Texture	Intermediate
KB-2026	Saffron Crop Top	Worsted	Feather and Fan	Intermediate
KB-2027	Heather Crop Top	Worsted	Horizontal Ridges	Intermediate
KB-2028	Jade Crop Top	Worsted	3x3 Rib	Intermediate
KB-2029	Lagoon Crop Top	DK	Twin Cables	Advanced
KB-2030	Vista Crop Top	Worsted	6-Stitch Right Cable on a Purl Ground	Intermediate
KB-2031	Thistle Crop Top	Sport	6-Stitch Left Cable on a Purl Ground	Intermediate
KB-2032	Copper Crop Top	Sport	Broken Rib	Intermediate
KB-2033	Acorn Crop Top	DK	Checkerboard 4x4	Intermediate
KB-2034	Juniper Crop Top	Worsted	2x1 Rib	Intermediate
KB-2035	Knoll Crop Top	Sport	3x2 Rib	Intermediate
KB-2036	Primrose Crop Top	Sport	Ladder Lace	Intermediate
KB-2037	Quarry Crop Top	Worsted	Stockinette Stitch	Intermediate
KB-2038	Valley Crop Top	DK	6-Stitch Cable on a Seeded Ground	Intermediate
KB-2039	Lantern Crop Top	Sport	Feather and Fan	Intermediate
KB-2040	Kale Crop Top	Worsted	2x2 Rib	Intermediate
KB-2041	Fennel Crop Top	DK	Basketweave 3x3	Intermediate
KB-2042	Upland Crop Top	Sport	Mirrored Cables	Advanced
KB-2043	Dahlia Crop Top	Sport	Stockinette Stitch	Intermediate
KB-2044	Almond Crop Top	Worsted	Double Seed Stitch	Intermediate
KB-2045	Umbra Crop Top	DK	Checkerboard 3x3	Intermediate
KB-2046	Yarrow Crop Top	Sport	Eyelet Rows	Intermediate
KB-2047	Olive Crop Top	DK	2x2 Rib	Intermediate
KB-2048	Moss Crop Top	Worsted	6-Stitch Cable on a Seeded Ground	Intermediate

KB-1793 Intermediate Cardigans · Aran weight

Gable Cardigan

A buttoned cardigan with ribbed bands. Worked in Basketweave 4x4 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1050	1175	1300	1425
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (84, 92, 100, 108, 116) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (27, 30, 34, 37, 40) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 44 (44, 52, 52, 60, 60) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (12, 17, 13, 18, 15) sts, then decrease 1 st at that edge every RS row 5 times (24 (27, 30, 34, 37, 40) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 94 (103, 108, 112, 116, 120) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1794 Intermediate Cardigans · Worsted weight

Thistle Cardigan

A buttoned cardigan with ribbed bands. Worked in Ladder Lace with worsted weight (#4) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	825	925	1025	1125	1250
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (86, 94, 102, 110, 118) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (28, 31, 35, 38, 41) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 40 (44, 48, 54, 58, 62) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 11 (11, 12, 14, 15, 16) sts, then decrease 1 st at that edge every RS row 5 times (24 (28, 31, 35, 38, 41) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1795 Intermediate Cardigans · Aran weight

Ridge Cardigan

A buttoned cardigan with ribbed bands. Worked in 3x2 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	750	900	1000	1150	1275	1400
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 93 (103, 113, 128, 138, 148) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 5 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 29 (33, 37, 44, 48, 52) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (37, 39, 40, 42, 44) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 48 (53, 58, 68, 73, 78) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 14 (15, 16, 19, 20, 21) sts, then decrease 1 st at that edge every RS row 5 times (29 (33, 37, 44, 48, 52) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1796 Advanced Cardigans · Worsted weight

Pearl Cardigan

A buttoned cardigan with ribbed bands. Worked in Twin Cables with worsted weight (#4) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1250	1425	1600	1775	1975
Skeins (approx.)	6	7	8	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

23 sts and 24 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 39, 45, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 50 (62, 62, 74, 74, 86) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (22, 18, 24, 19, 26) sts, then decrease 1 st at that edge every RS row 5 times (30 (35, 39, 45, 50, 55) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1797 Intermediate Cardigans · DK weight

Aurora Cardigan

A buttoned cardigan with ribbed bands. Worked in Seed Stitch with dk weight (#3) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1025	1175	1350	1500	1675	1850
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

22 sts and 32 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (109, 121, 133, 143, 153) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (35, 40, 46, 50, 53) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (39, 41, 41, 43, 47) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 53 (57, 63, 69, 75, 79) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 16 (17, 18, 18, 20, 21) sts, then decrease 1 st at that edge every RS row 5 times (32 (35, 40, 46, 50, 53) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 132 (144, 150, 156, 162, 168) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1798 Intermediate Cardigans · Worsted weight

Reed Cardigan

A buttoned cardigan with ribbed bands. Worked in 4-Stitch Right Cable on a Purl Ground with worsted weight (#4) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1025	1200	1375	1550	1725	1850
Skeins (approx.)	6	6	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 128, 140, 152, 158) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (38, 42, 48, 53, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 56 (62, 68, 74, 80, 86) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 18 (19, 21, 21, 22, 26) sts, then decrease 1 st at that edge every RS row 5 times (33 (38, 42, 48, 53, 55) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1799 Intermediate Cardigans · Worsted weight

Slate Cardigan

A buttoned cardigan with ribbed bands. Worked in Eyelet Rows with worsted weight (#4) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	825	925	1025	1125	1250
Skeins (approx.)	4	5	5	6	6	7



MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

17 sts and 24 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (86, 94, 102, 110, 118) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (28, 31, 35, 38, 41) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 40 (44, 48, 54, 58, 62) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 11 (11, 12, 14, 15, 16) sts, then decrease 1 st at that edge every RS row 5 times (24 (28, 31, 35, 38, 41) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1800 **Advanced** Cardigans · Aran weight

Jewel Cardigan

A buttoned cardigan with ribbed bands. Worked in Mirrored Cables with aran weight (#4/5) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1025	1225	1300	1475	1650	1825
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

21 sts and 22 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 110, 122, 134, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 35, 41, 46, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 50 (50, 62, 62, 74, 74) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 13 (8, 22, 16, 23, 18) sts, then decrease 1 st at that edge every RS row 5 times (32 (37, 35, 41, 46, 51) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1801 Intermediate Cardigans · Aran weight

Westerly Cardigan

A buttoned cardigan with ribbed bands. Worked in Diagonal Rib with aran weight (#4/5) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1025	1150	1275	1425
Skeins (approx.)	5	5	6	7	8	8



chest 44 in (finished)

MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

18 sts and 22 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 3 (RS):** *K2, P2*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 80 (88, 100, 108, 116, 128) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (28, 33, 37, 40, 45) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (32, 34, 34, 36, 38) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 44 (48, 52, 56, 60, 64) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 14 (15, 14, 14, 15, 14) sts, then decrease 1 st at that edge every RS row 5 times (25 (28, 33, 37, 40, 45) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1802 Intermediate Cardigans · DK weight

Oak Cardigan

A buttoned cardigan with ribbed bands. Worked in Broken Rib with dk weight (#3) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1000	1200	1350	1500	1675	1850
Skeins (approx.)	5	6	6	7	8	9



chest 44 in (finished)

MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 103 (115, 127, 137, 149, 161) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (37, 42, 47, 52, 56) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 45, 49) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 55 (61, 67, 71, 77, 83) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 17 (19, 20, 19, 20, 22) sts, then decrease 1 st at that edge every RS row 5 times (33 (37, 42, 47, 52, 56) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 132 (144, 150, 156, 162, 168) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1803 Intermediate Cardigans · Worsted weight

Crimson Cardigan

A buttoned cardigan with ribbed bands. Worked in 6-Stitch Cable on a Seeded Ground with worsted weight (#4) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1025	1175	1375	1525	1675	1900
Skeins (approx.)	6	6	7	8	9	10



MATERIALS


- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (111, 129, 138, 147, 165) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 9 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (35, 43, 47, 50, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (41, 43, 44, 47, 49) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 57 (57, 66, 75, 75, 84) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 20 (17, 18, 23, 20, 21) sts, then decrease 1 st at that edge every RS row 5 times (32 (35, 43, 47, 50, 58) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work

even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1804 Intermediate Cardigans · DK weight

Bramble Cardigan

A buttoned cardigan with ribbed bands. Worked in Reverse Stockinette with dk weight (#3) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	950	1125	1250	1400	1575	1725
Skeins (approx.)	5	5	6	7	7	8



chest 44 in (finished)

MATERIALS

- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

22 sts and 30 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 40, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (38, 41, 42, 43, 46) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 52 (58, 63, 69, 74, 80) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (17, 18, 19, 19, 21) sts, then decrease 1 st at that edge every RS row 5 times (32 (36, 40, 45, 50, 54) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1805 Intermediate Cardigans · Aran weight

Spruce Cardigan

A buttoned cardigan with ribbed bands. Worked in Chevron Ripple with Purl Rows with aran weight (#4/5) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	750	875	925	1050	1200
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 66 (77, 88, 88, 99, 110) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 21 (25, 30, 30, 34, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (27, 28, 28, 31, 32) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 33 (44, 44, 44, 55, 55) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 7 (14, 9, 9, 16, 11) sts, then decrease 1 st at that edge every RS row 5 times (21 (25, 30, 30, 34, 39) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 57 (61, 65, 69, 71, 75) sts (15 (16, 17, 18, 18, 19) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1806 Intermediate Cardigans · Worsted weight

Copper Cardigan

A buttoned cardigan with ribbed bands. Worked in Diagonal Rib with worsted weight (#4) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	975	1125	1250	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

20 sts and 24 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 3 (RS):** *K2, P2*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 88 (100, 112, 120, 128, 140) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (32, 37, 41, 44, 49) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 32 (36, 38, 38, 40, 42) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 48 (52, 56, 64, 68, 72) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (15, 14, 18, 19, 18) sts, then decrease 1 st at that edge every RS row 5 times (28 (32, 37, 41, 44, 49) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 35 (39, 41, 43, 45, 49) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 75 (81, 85, 91, 95, 101) sts (20 (21, 22, 24, 25, 26) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1807 Intermediate Cardigans · DK weight

Opal Cardigan

A buttoned cardigan with ribbed bands. Worked in Basketweave 5x5 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1125	1300	1475	1625	1800	2075
Skeins (approx.)	5	6	7	8	8	10



MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (115, 125, 135, 145, 165) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 10 plus 5) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (37, 41, 46, 50, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 45, 49) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 55 (65, 65, 75, 75, 85) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 16 (23, 19, 24, 20, 22) sts, then decrease 1 st at that edge every RS row 5 times (34 (37, 41, 46, 50, 58) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 132 (144, 150, 156, 162, 168) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1808 Intermediate Cardigans · Worsted weight

Jasper Cardigan

A buttoned cardigan with ribbed bands. Worked in Basketweave 3x3 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	875	1000	1150	1275	1425	1600
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 87 (93, 105, 111, 123, 135) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (30, 35, 38, 42, 47) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 39, 41) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 45 (51, 57, 57, 63, 69) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 12 (16, 17, 14, 16, 17) sts, then decrease 1 st at that edge every RS row 5 times (28 (30, 35, 38, 42, 47) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 103 (112, 117, 121, 126, 131) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1809 Intermediate Cardigans · DK weight

Cypress Cardigan

A buttoned cardigan with ribbed bands. Worked in 4-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1250	1500	1675	1925	2100	2350
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 128 (146, 158, 176, 188, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 40 (48, 52, 61, 65, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 68 (74, 86, 92, 98, 104) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 23 (21, 29, 26, 28, 27) sts, then decrease 1 st at that edge every RS row 5 times (40 (48, 52, 61, 65, 72) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1810 Intermediate Cardigans · DK weight

Jade Cardigan

A buttoned cardigan with ribbed bands. Worked in Checkerboard 3x3 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1125	1325	1500	1625	1825	2000
Skeins (approx.)	5	6	7	8	8	9



chest 44 in (finished)

MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (38, 43, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 57 (63, 69, 69, 75, 81) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 18 (20, 21, 18, 20, 21) sts, then decrease 1 st at that edge every RS row 5 times (34 (38, 43, 46, 50, 55) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 132 (144, 150, 156, 162, 168) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib


with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1811 Intermediate Cardigans · Worsted weight

Quartz Cardigan

A buttoned cardigan with ribbed bands. Worked in 2x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	975	1100	1250	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (114, 126, 138, 150, 162) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 47, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 54 (62, 66, 70, 78, 82) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 17 (20, 20, 18, 21, 20) sts, then decrease 1 st at that edge every RS row 5 times (32 (37, 41, 47, 52, 57) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1812 Intermediate Cardigans · DK weight

Clover Cardigan

A buttoned cardigan with ribbed bands. Worked in 1x1 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1225	1375	1550	1725	1900
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 131 (145, 159, 173, 189, 203) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 42 (47, 52, 59, 66, 71) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 55, 55, 57, 61) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 69 (77, 83, 91, 97, 105) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 22 (25, 26, 27, 26, 29) sts, then decrease 1 st at that edge every RS row 5 times (42 (47, 52, 59, 66, 71) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1813 Intermediate Cardigans · DK weight

Maple Cardigan

A buttoned cardigan with ribbed bands. Worked in 2x2 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1225	1375	1550	1725	1900
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 158, 174, 190, 202) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 52, 60, 66, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 70 (78, 82, 90, 98, 106) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 24 (25, 25, 25, 27, 31) sts, then decrease 1 st at that edge every RS row 5 times (41 (48, 52, 60, 66, 70) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1814 Intermediate Cardigans · Aran weight

Alder Cardigan

A buttoned cardigan with ribbed bands. Worked in Stockinette Stitch with aran weight (#4/5) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	825	925	1050	1150	1275
Skeins (approx.)	4	5	6	6	7	8



chest 44 in (finished)

MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

16 sts and 22 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (80, 88, 96, 104, 112) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 23 (26, 29, 33, 36, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 26 (28, 30, 30, 32, 34) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 38 (42, 46, 50, 54, 58) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 10 (11, 12, 12, 13, 14) sts, then decrease 1 st at that edge every RS row 5 times (23 (26, 29, 33, 36, 39) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 61 (65, 69, 73, 77, 81) sts (16 (17, 18, 19, 20, 21) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1815 Intermediate Cardigans · Aran weight

Quill Cardigan

A buttoned cardigan with ribbed bands. Worked in Basketweave 3x3 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1050	1175	1325	1450
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 75 (87, 93, 99, 111, 117) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (29, 31, 34, 38, 40) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 35, 37) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 39 (45, 51, 51, 57, 63) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 10 (11, 15, 12, 14, 18) sts, then decrease 1 st at that edge every RS row 5 times (24 (29, 31, 34, 38, 40) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 94 (103, 108, 112, 116, 120) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1816 Intermediate Cardigans · DK weight

Taupe Cardigan

A buttoned cardigan with ribbed bands. Worked in Double Seed Stitch with dk weight (#3) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1075	1250	1400	1575	1750	1925
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

22 sts and 32 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (109, 121, 133, 143, 153) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (35, 40, 46, 50, 53) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (39, 41, 41, 43, 47) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 53 (57, 63, 69, 75, 79) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 16 (17, 18, 18, 20, 21) sts, then decrease 1 st at that edge every RS row 5 times (32 (35, 40, 46, 50, 53) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 132 (144, 150, 156, 162, 168) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1817 Advanced Cardigans · DK weight

Umbra Cardigan

A buttoned cardigan with ribbed bands. Worked in Twin Cables with dk weight (#3) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1400	1625	1800	2000	2325	2525
Skeins (approx.)	7	8	8	9	11	11



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

29 sts and 30 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (146, 158, 170, 194, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 43 (48, 52, 58, 68, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 74 (74, 86, 86, 98, 110) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 26 (21, 29, 23, 25, 33) sts, then decrease 1 st at that edge every RS row 5 times (43 (48, 52, 58, 68, 72) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1818 Intermediate Cardigans · DK weight

Heather Cardigan

A buttoned cardigan with ribbed bands. Worked in Ladder Lace with dk weight (#3) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1000	1125	1275	1400	1550
Skeins (approx.)	4	5	5	6	7	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (106, 116, 126, 136, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 38, 43, 47, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 50 (56, 60, 66, 70, 76) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (16, 17, 18, 18, 20) sts, then decrease 1 st at that edge every RS row 5 times (30 (35, 38, 43, 47, 51) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1819 Intermediate Cardigans · Worsted weight

Mist Cardigan

A buttoned cardigan with ribbed bands. Worked in 3x3 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1000	1125	1225	1375	1500
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (38, 43, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 57 (63, 69, 69, 75, 81) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 18 (20, 21, 18, 20, 21) sts, then decrease 1 st at that edge every RS row 5 times (34 (38, 43, 46, 50, 55) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1820 Intermediate Cardigans · Aran weight

Lavender Cardigan

A buttoned cardigan with ribbed bands. Worked in Checkerboard 3x3 with aran weight (#4/5) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1050	1175	1325	1450
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 75 (87, 93, 99, 111, 117) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (29, 31, 34, 38, 40) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 35, 37) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 39 (45, 51, 51, 57, 63) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 10 (11, 15, 12, 14, 18) sts, then decrease 1 st at that edge every RS row 5 times (24 (29, 31, 34, 38, 40) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 94 (103, 108, 112, 116, 120) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1821 Intermediate Cardigans · DK weight

Northern Cardigan

A buttoned cardigan with ribbed bands. Worked in Feather and Fan with dk weight (#3) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	1025	1075	1275	1475	1550
Skeins (approx.)	4	5	5	6	7	7



chest 44 in (finished)

MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Feather and Fan, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 90 (108, 108, 126, 144, 144) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 18) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (36, 34, 43, 51, 50) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 54 (54, 54, 72, 72, 72) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 21 (13, 15, 24, 16, 17) sts, then decrease 1 st at that edge every RS row 5 times (28 (36, 34, 43, 51, 50) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1822 Intermediate Cardigans · Aran weight

Zephyr Cardigan

A buttoned cardigan with ribbed bands. Worked in 3x3 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	750	900	1025	1125	1250	1400
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 93 (105, 117, 123, 135, 147) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 29 (34, 39, 42, 46, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (37, 39, 39, 43, 45) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 51 (57, 63, 63, 69, 75) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 17 (18, 19, 16, 18, 19) sts, then decrease 1 st at that edge every RS row 5 times (29 (34, 39, 42, 46, 51) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1823 Intermediate Cardigans · Aran weight

Wren Cardigan

A buttoned cardigan with ribbed bands. Worked in 4-Stitch Cable, Wide Purl Ground with aran weight (#4/5) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	925	1125	1250	1425	1550	1750
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 3 (RS): P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 5 (RS): P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 7 (RS): P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (108, 115, 129, 136, 150) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (36, 38, 45, 47, 53) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 39, 39, 42, 44) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 52 (52, 59, 66, 73, 73) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 17 (11, 16, 16, 21, 15) sts, then decrease 1 st at that edge every RS row 5 times (30 (36, 38, 45, 47, 53) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1824 Intermediate Cardigans · Aran weight

Cinder Cardigan

A buttoned cardigan with ribbed bands. Worked in 2x1 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1025	1125	1275	1400
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 95 (104, 116, 125, 137, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 3 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (34, 38, 43, 48, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (36, 40, 39, 41, 44) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 50 (56, 59, 65, 71, 77) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (17, 16, 17, 18, 21) sts, then decrease 1 st at that edge every RS row 5 times (30 (34, 38, 43, 48, 51) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1825 Intermediate Cardigans · Worsted weight

Beacon Cardigan

A buttoned cardigan with ribbed bands. Worked in Basketweave 5x5 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	875	1025	1150	1300	1450	1600
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 85 (95, 105, 115, 125, 135) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 10 plus 5) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (31, 35, 40, 44, 47) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 37, 41) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 45 (45, 55, 55, 65, 65) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 13 (9, 15, 10, 16, 13) sts, then decrease 1 st at that edge every RS row 5 times (27 (31, 35, 40, 44, 47) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 103 (112, 117, 121, 126, 131) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1826 Intermediate Cardigans · Aran weight

Marigold Cardigan

A buttoned cardigan with ribbed bands. Worked in 4-Stitch Cable on a Seeded Ground with aran weight (#4/5) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	925	1125	1250	1425	1550	1750
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (108, 115, 129, 136, 150) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (36, 38, 45, 47, 53) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 39, 39, 42, 44) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 52 (52, 59, 66, 73, 73) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 17 (11, 16, 16, 21, 15) sts, then decrease 1 st at that edge every RS row 5 times (30 (36, 38, 45, 47, 53) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1827 Intermediate Cardigans · DK weight

Foxglove Cardigan

A buttoned cardigan with ribbed bands. Worked in Basketweave 3x3 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1125	1325	1500	1625	1825	2000
Skeins (approx.)	5	6	7	8	8	9



MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (38, 43, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 57 (63, 69, 69, 75, 81) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 18 (20, 21, 18, 20, 21) sts, then decrease 1 st at that edge every RS row 5 times (34 (38, 43, 46, 50, 55) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 132 (144, 150, 156, 162, 168) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1828 Intermediate Cardigans · Worsted weight

Poppy Cardigan

A buttoned cardigan with ribbed bands. Worked in 4-Stitch Cable, Wide Purl Ground with worsted weight (#4) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1000	1200	1375	1500	1700	1900
Skeins (approx.)	5	6	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 3 (RS): P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 5 (RS): P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 7 (RS): P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 101 (115, 129, 136, 150, 164) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 43, 46, 52, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 44, 46, 48) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 52 (59, 66, 73, 80, 80) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (17, 18, 22, 23, 17) sts, then decrease 1 st at that edge every RS row 5 times (32 (37, 43, 46, 52, 58) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1829 Intermediate Cardigans · DK weight

Basil Cardigan

A buttoned cardigan with ribbed bands. Worked in 2x1 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1225	1375	1550	1725	1900
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 131 (146, 158, 173, 188, 203) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 3 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 42 (48, 52, 59, 65, 71) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (50, 54, 55, 58, 61) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 68 (77, 83, 92, 98, 104) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 21 (24, 26, 28, 28, 28) sts, then decrease 1 st at that edge every RS row 5 times (42 (48, 52, 59, 65, 71) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1830 Intermediate Cardigans · Worsted weight

Summit Cardigan

A buttoned cardigan with ribbed bands. Worked in Chevron Ripple Lace with worsted weight (#4) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	825	875	1000	1125	1275
Skeins (approx.)	4	5	5	5	6	7



MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (88, 88, 99, 110, 121) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (29, 28, 34, 38, 42) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (30, 32, 31, 34, 37) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 44 (44, 44, 55, 55, 66) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 14 (10, 11, 16, 12, 19) sts, then decrease 1 st at that edge every RS row 5 times (25 (29, 28, 34, 38, 42) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1831 Advanced Cardigans · DK weight

Knoll Cardigan

A buttoned cardigan with ribbed bands. Worked in Mirrored Cables with dk weight (#3) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1400	1625	1800	2000	2325	2525
Skeins (approx.)	7	8	8	9	11	11



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

29 sts and 30 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (146, 158, 170, 194, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 43 (48, 52, 58, 68, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 74 (74, 86, 86, 98, 110) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 26 (21, 29, 23, 25, 33) sts, then decrease 1 st at that edge every RS row 5 times (43 (48, 52, 58, 68, 72) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1832 Intermediate Cardigans · Aran weight

Cedar Cardigan

A buttoned cardigan with ribbed bands. Worked in Ladder Lace with aran weight (#4/5) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	725	825	950	1050	1150
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 68 (74, 82, 90, 98, 106) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 22 (24, 27, 31, 34, 37) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (26, 28, 28, 30, 32) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 36 (40, 44, 46, 50, 54) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 9 (11, 12, 10, 11, 12) sts, then decrease 1 st at that edge every RS row 5 times (22 (24, 27, 31, 34, 37) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 57 (61, 65, 69, 71, 75) sts (15 (16, 17, 18, 18, 19) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1833 Intermediate Cardigans · Aran weight

Prairie Cardigan

A buttoned cardigan with ribbed bands. Worked in Horizontal Ridges with aran weight (#4/5) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	975	1100	1225	1375	1500
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

16 sts and 26 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (80, 88, 96, 104, 112) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 23 (26, 29, 33, 36, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 26 (28, 30, 30, 32, 34) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 38 (42, 46, 50, 54, 58) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 10 (11, 12, 12, 13, 14) sts, then decrease 1 st at that edge every RS row 5 times (23 (26, 29, 33, 36, 39) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 29 (31, 33, 35, 37, 39) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 6 (4, 4, 4, 4, 4) rows until you have 61 (65, 69, 73, 77, 81) sts (16 (17, 18, 19, 20, 21) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 107 (117, 121, 126, 132, 136) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1834 Intermediate Cardigans · DK weight

Olive Cardigan

A buttoned cardigan with ribbed bands. Worked in Stockinette Stitch with dk weight (#3) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	950	1125	1250	1400	1575	1725
Skeins (approx.)	5	5	6	7	7	8



MATERIALS

- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

22 sts and 30 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 40, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (38, 41, 42, 43, 46) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 52 (58, 63, 69, 74, 80) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (17, 18, 19, 19, 21) sts, then decrease 1 st at that edge every RS row 5 times (32 (36, 40, 45, 50, 54) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1835 Intermediate Cardigans · DK weight

Jonquil Cardigan

A buttoned cardigan with ribbed bands. Worked in Chevron Ripple Lace with dk weight (#3) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	875	1025	1100	1225	1375	1525
Skeins (approx.)	4	5	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 110, 121, 132, 143) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 35, 41, 45, 49) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (36, 40, 39, 42, 45) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 55 (55, 55, 66, 66, 77) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 18 (13, 15, 20, 16, 23) sts, then decrease 1 st at that edge every RS row 5 times (32 (37, 35, 41, 45, 49) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1836 Intermediate Cardigans · Worsted weight

Flint Cardigan

A buttoned cardigan with ribbed bands. Worked in Horizontal Ridges with worsted weight (#4) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	925	1075	1225	1375	1525	1675
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

18 sts and 29 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (32, 33, 34, 37, 38) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 43 (47, 52, 56, 61, 65) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 12 (13, 14, 14, 16, 16) sts, then decrease 1 st at that edge every RS row 5 times (26 (29, 33, 37, 40, 44) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 6 (4, 4, 4, 4, 4) rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 120 (130, 135, 141, 147, 152) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1837 Intermediate Cardigans · Worsted weight

Ivory Cardigan

A buttoned cardigan with ribbed bands. Worked in Garter Stitch with worsted weight (#4) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1500	1750	1975	2200	2475	2725
Skeins (approx.)	8	9	10	11	13	14



chest 44 in (finished)

MATERIALS

- 11 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

18 sts and 41 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.

2 

INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (32, 33, 34, 37, 38) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 43 (47, 52, 56, 61, 65) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 12 (13, 14, 14, 16, 16) sts, then decrease 1 st at that edge every RS row 5 times (26 (29, 33, 37, 40, 44) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 8 (8, 8, 8, 6, 6) rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 169 (184, 192, 199, 207, 215) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1838 Intermediate Cardigans · DK weight

Horizon Cardigan

A buttoned cardigan with ribbed bands. Worked in 3x3 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1025	1225	1375	1525	1725	1900
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (147, 159, 171, 189, 201) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 52, 58, 66, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 55, 55, 57, 61) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 69 (75, 81, 93, 99, 105) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 23 (22, 24, 30, 28, 30) sts, then decrease 1 st at that edge every RS row 5 times (41 (48, 52, 58, 66, 70) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1839 Intermediate Cardigans · Worsted weight

Echo Cardigan

A buttoned cardigan with ribbed bands. Worked in 3x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	975	1125	1250	1375	1550
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 103 (113, 128, 138, 148, 163) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 5 plus 3) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (36, 42, 47, 51, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 44, 44, 46, 49) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 53 (58, 68, 73, 78, 83) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (17, 21, 21, 22, 21) sts, then decrease 1 st at that edge every RS row 5 times (33 (36, 42, 47, 51, 57) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1840 **Advanced** Cardigans · Worsted weight

Oasis Cardigan

A buttoned cardigan with ribbed bands. Worked in Mirrored Cables with worsted weight (#4) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1250	1425	1600	1775	1975
Skeins (approx.)	6	7	8	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

23 sts and 24 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 39, 45, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 50 (62, 62, 74, 74, 86) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (22, 18, 24, 19, 26) sts, then decrease 1 st at that edge every RS row 5 times (30 (35, 39, 45, 50, 55) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1841 Intermediate Cardigans · Aran weight

Marsh Cardigan

A buttoned cardigan with ribbed bands. Worked in Checkerboard 4x4 with aran weight (#4/5) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1050	1175	1300	1425
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (84, 92, 100, 108, 116) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (27, 30, 34, 37, 40) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 44 (44, 52, 52, 60, 60) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (12, 17, 13, 18, 15) sts, then decrease 1 st at that edge every RS row 5 times (24 (27, 30, 34, 37, 40) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 94 (103, 108, 112, 116, 120) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1842 Intermediate Cardigans · Aran weight

Pine Cardigan

A buttoned cardigan with ribbed bands. Worked in 2x2 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1000	1150	1275	1400
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (106, 114, 126, 138, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 37, 43, 48, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 50 (54, 62, 66, 70, 78) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (14, 20, 18, 17, 22) sts, then decrease 1 st at that edge every RS row 5 times (30 (35, 37, 43, 48, 51) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1843 Intermediate Cardigans · Aran weight

Frost Cardigan

A buttoned cardigan with ribbed bands. Worked in Basketweave 5x5 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1075	1225	1375	1425
Skeins (approx.)	5	6	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 75 (85, 95, 105, 115, 115) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 10 plus 5) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 24 (28, 32, 37, 40, 39) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (29, 31, 31, 35, 37) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 45 (45, 45, 55, 55, 65) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 16 (12, 8, 13, 10, 21) sts, then decrease 1 st at that edge every RS row 5 times (24 (28, 32, 37, 40, 39) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 94 (103, 108, 112, 116, 120) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1844 Intermediate Cardigans · Worsted weight

Harbor Cardigan

A buttoned cardigan with ribbed bands. Worked in 6-Stitch Left Cable on a Purl Ground with worsted weight (#4) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1050	1200	1400	1525	1675	1875
Skeins (approx.)	6	6	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 106 (114, 130, 138, 146, 162) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (37, 43, 47, 50, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 58 (58, 66, 74, 74, 82) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 19 (16, 18, 22, 19, 20) sts, then decrease 1 st at that edge every RS row 5 times (34 (37, 43, 47, 50, 57) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work

even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1845 Intermediate Cardigans · Worsted weight

Kestrel Cardigan

A buttoned cardigan with ribbed bands. Worked in Double Seed Stitch with worsted weight (#4) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	975	1100	1250	1375	1500
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

18 sts and 25 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (89, 99, 109, 117, 125) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 38, 40, 43) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (31, 33, 33, 37, 39) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 43 (47, 51, 57, 61, 65) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 12 (13, 13, 14, 16, 17) sts, then decrease 1 st at that edge every RS row 5 times (26 (29, 33, 38, 40, 43) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 103 (112, 117, 121, 126, 131) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1846 Intermediate Cardigans · Worsted weight

Moss Cardigan

A buttoned cardigan with ribbed bands. Worked in Reverse Stockinette with worsted weight (#4) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1000	1125	1250	1400
Skeins (approx.)	4	5	5	6	7	7



chest 44 in (finished)

MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

18 sts and 24 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (32, 33, 34, 37, 38) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 43 (47, 52, 56, 61, 65) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 12 (13, 14, 14, 16, 16) sts, then decrease 1 st at that edge every RS row 5 times (26 (29, 33, 37, 40, 44) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1847 Intermediate Cardigans · Aran weight

Acorn Cardigan

A buttoned cardigan with ribbed bands. Worked in 6-Stitch Right Cable on a Purl Ground with aran weight (#4/5) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	975	1100	1225	1425	1575	1700
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (106, 114, 130, 138, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (35, 37, 45, 48, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 50 (58, 58, 66, 74, 74) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 13 (18, 16, 16, 21, 18) sts, then decrease 1 st at that edge every RS row 5 times (32 (35, 37, 45, 48, 51) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work

even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1848 Intermediate Cardigans · Aran weight

Dune Cardigan

A buttoned cardigan with ribbed bands. Worked in Eyelet Rows with aran weight (#4/5) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	725	825	950	1050	1150
Skeins (approx.)	4	5	5	6	6	7



MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

15 sts and 22 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 68 (74, 82, 90, 98, 106) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 22 (24, 27, 31, 34, 37) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 24 (26, 28, 28, 30, 32) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 36 (40, 44, 46, 50, 54) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 9 (11, 12, 10, 11, 12) sts, then decrease 1 st at that edge every RS row 5 times (22 (24, 27, 31, 34, 37) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 27 (29, 31, 33, 35, 37) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 57 (61, 65, 69, 71, 75) sts (15 (16, 17, 18, 18, 19) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1849 Intermediate Cardigans · DK weight

Canyon Cardigan

A buttoned cardigan with ribbed bands. Worked in Chevron Ripple with Purl Rows with dk weight (#3) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	875	1025	1100	1225	1375	1525
Skeins (approx.)	4	5	5	6	6	7



chest 44 in (finished)

MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 110, 121, 132, 143) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 35, 41, 45, 49) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (36, 40, 39, 42, 45) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 55 (55, 55, 66, 66, 77) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 18 (13, 15, 20, 16, 23) sts, then decrease 1 st at that edge every RS row 5 times (32 (37, 35, 41, 45, 49) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1850 Intermediate Cardigans · Worsted weight

Ember Cardigan

A buttoned cardigan with ribbed bands. Worked in 2x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1000	1125	1225	1375	1525
Skeins (approx.)	5	5	6	7	7	8



MATERIALS


- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 128, 137, 149, 161) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 3 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (38, 42, 47, 52, 56) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 43, 45, 49) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 56 (59, 65, 71, 77, 83) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 18 (16, 18, 19, 20, 22) sts, then decrease 1 st at that edge every RS row 5 times (33 (38, 42, 47, 52, 56) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 99 (108, 112, 117, 121, 126) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1851 Intermediate Cardigans · DK weight

Indigo Cardigan

A buttoned cardigan with ribbed bands. Worked in Checkerboard 4x4 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1100	1325	1450	1675	1825	2050
Skeins (approx.)	5	6	7	8	8	9



chest 44 in (finished)

MATERIALS


- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 100 (116, 124, 140, 148, 164) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 31 (38, 40, 48, 51, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 52 (60, 68, 68, 76, 84) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 16 (17, 23, 15, 20, 21) sts, then decrease 1 st at that edge every RS row 5 times (31 (38, 40, 48, 51, 58) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 132 (144, 150, 156, 162, 168) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1852 Intermediate Cardigans · Worsted weight

Glacier Cardigan

A buttoned cardigan with ribbed bands. Worked in Seed Stitch with worsted weight (#4) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	925	1050	1175	1300	1450
Skeins (approx.)	4	5	6	6	7	8



MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

18 sts and 25 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (89, 99, 109, 117, 125) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 38, 40, 43) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (31, 33, 33, 37, 39) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 43 (47, 51, 57, 61, 65) sts and work the hem rib for 2 in / 5.1 cm. Change to US 8 (5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 12 (13, 13, 14, 16, 17) sts, then decrease 1 st at that edge every RS row 5 times (26 (29, 33, 38, 40, 43) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 103 (112, 117, 121, 126, 131) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1853 Intermediate Cardigans · DK weight

Willow Cardigan

A buttoned cardigan with ribbed bands. Worked in 6-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1275	1500	1700	1925	2100	2325
Skeins (approx.)	6	7	8	9	10	11



chest 44 in (finished)

MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 162, 178, 186, 202) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 54, 62, 64, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 66 (74, 82, 90, 98, 106) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 20 (21, 23, 23, 29, 31) sts, then decrease 1 st at that edge every RS row 5 times (41 (48, 54, 62, 64, 70) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work

even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 123 (135, 141, 146, 151, 157) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1854 Intermediate Cardigans · DK weight

Vista Cardigan

A buttoned cardigan with ribbed bands. Worked in Garter Stitch with dk weight (#3) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1850	2175	2450	2750	3050	3375
Skeins (approx.)	9	10	11	12	14	15



chest 44 in (finished)

MATERIALS

- 12 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

22 sts and 51 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.

2 

INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 40, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (38, 41, 42, 43, 46) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 52 (58, 63, 69, 74, 80) sts and work the hem rib for 2 in / 5.1 cm. Change to US 6 (4 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 15 (17, 18, 19, 19, 21) sts, then decrease 1 st at that edge every RS row 5 times (32 (36, 40, 45, 50, 54) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 8 (8, 8, 8, 8, 6) rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 210 (229, 239, 249, 258, 267) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1855 Intermediate Cardigans · Aran weight

Hearth Cardigan

A buttoned cardigan with ribbed bands. Worked in 4-Stitch Right Cable on a Purl Ground with aran weight (#4/5) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	925	1100	1250	1400	1525	1700
Skeins (approx.)	6	7	7	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 92 (104, 116, 128, 134, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 29 (34, 38, 44, 46, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 50 (56, 62, 68, 68, 74) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 16 (17, 19, 19, 17, 18) sts, then decrease 1 st at that edge every RS row 5 times (29 (34, 38, 44, 46, 51) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)

1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1856 Intermediate Cardigans · Aran weight

Raven Cardigan

A buttoned cardigan with ribbed bands. Worked in 1x1 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Sleeve length	17	17.5	18	18.5	19	19.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	900	1025	1125	1275	1400
Skeins (approx.)	5	5	6	7	8	8



MATERIALS


- 7 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle
- 6 buttons, 3/4 in

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 95 (105, 115, 125, 137, 147) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 22 in (24 in, 25 in, 26 in, 27 in, 28 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (34, 38, 43, 48, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (37, 39, 39, 41, 45) center back neck sts.

Fronts (make 2; shape the neck at the opposite edge on each)

1. With the smaller needles, cast on 49 (55, 61, 65, 71, 77) sts and work the hem rib for 2 in / 5.1 cm. Change to US 9 (5.5 mm) and work the stitch pattern as set until the front measures 19 in (21 in, 22 in, 23 in, 24 in, 25 in).
2. Neck: At the front (center) edge, bind off 14 (16, 18, 17, 18, 21) sts, then decrease 1 st at that edge every RS row 5 times (30 (34, 38, 43, 48, 51) sts remain for the shoulder). Work even until the front matches the back length, then bind off. Begin the neck shaping on a WS row for the right front and on a RS row for the left front.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 9 (5.5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 17 in (17.5 in, 18 in, 18.5 in, 19 in, 19.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams and set in the sleeves flat (drop-shoulder style). Sew the sleeve and side seams. Front bands: pick up and knit about 90 (99, 103, 107, 111, 115) sts along each front edge (3 sts for every 4 rows) and around the back neck, work 1 in of 1x1 rib with buttonholes evenly spaced on the right front (yo, k2tog) and bind off in rib. Sew on buttons. Weave in the ends and block.

KB-1857 Intermediate Vests · Worsted weight

Gentian Vest

A sleeveless layer with a rounded neck. Worked in Chevron Ripple with Purl Rows with worsted weight (#4) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	475	575	600	700	825	925
Skeins (approx.)	3	3	3	4	5	5



MATERIALS

- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (88, 88, 99, 110, 121) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (63 (74, 74, 85, 96, 107) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (21, 20, 26, 30, 34) sts at the beginning of the next 2 rows, then bind off the remaining 29 (32, 34, 33, 36, 39) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 22 (26, 25, 31, 35, 39) sts, bind off the center 19 (22, 24, 23, 26, 29) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (21, 20, 26, 30, 34) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1858 Intermediate Vests · DK weight

Fennel Vest

A sleeveless layer with a rounded neck. Worked in Horizontal Ridges with dk weight (#3) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	925	1075	1225	1375	1525
Skeins (approx.)	4	5	5	6	6	7



MATERIALS


- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 36 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (79 (90, 101, 112, 123, 134) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 34, 38, 42) sts at the beginning of the next 2 rows, then bind off the remaining 39 (42, 45, 44, 47, 50) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (29, 33, 39, 43, 47) sts, bind off the center 29 (32, 35, 34, 37, 40) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 34, 38, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1859 Intermediate Vests · Aran weight

Umber Vest

A sleeveless layer with a rounded neck. Worked in 6-Stitch Cable on a Seeded Ground with aran weight (#4/5) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	750	850	1025	1150	1250
Skeins (approx.)	4	5	5	6	7	7



MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 93 (102, 111, 129, 138, 147) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (75 (84, 93, 111, 120, 129) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (22, 26, 34, 38, 41) sts at the beginning of the next 2 rows, then bind off the remaining 37 (40, 41, 43, 44, 47) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 24 (27, 31, 39, 43, 46) sts, bind off the center 27 (30, 31, 33, 34, 37) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (22, 26, 34, 38, 41) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1860 Intermediate Vests · Aran weight

Jade Vest

A sleeveless layer with a rounded neck. Worked in 2x2 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	650	725	825	925	1025
Skeins (approx.)	3	4	5	5	6	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (106, 114, 126, 138, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (76 (88, 96, 108, 120, 128) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 27, 33, 38, 40) sts at the beginning of the next 2 rows, then bind off the remaining 36 (40, 42, 42, 44, 48) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (29, 32, 38, 43, 45) sts, bind off the center 26 (30, 32, 32, 34, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 27, 33, 38, 40) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1861 Intermediate Vests · Worsted weight

Cobble Vest

A sleeveless layer with a rounded neck. Worked in Basketweave 4x4 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	575	700	850	950	1050	1150
Skeins (approx.)	3	4	5	5	6	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (92, 108, 116, 124, 132) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (68 (76, 92, 100, 108, 116) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (20, 27, 31, 34, 37) sts at the beginning of the next 2 rows, then bind off the remaining 34 (36, 38, 38, 40, 42) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 22 (25, 32, 36, 39, 42) sts, bind off the center 24 (26, 28, 28, 30, 32) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (20, 27, 31, 34, 37) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1862 Intermediate Vests · Aran weight

Nettle Vest

A sleeveless layer with a rounded neck. Worked in 4-Stitch Right Cable on a Purl Ground with aran weight (#4/5) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	775	900	1025	1100	1250
Skeins (approx.)	4	5	5	6	7	7



MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 92 (104, 116, 128, 134, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (74 (86, 98, 110, 116, 128) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 28, 34, 36, 40) sts at the beginning of the next 2 rows, then bind off the remaining 36 (40, 42, 42, 44, 48) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 24 (28, 33, 39, 41, 45) sts, bind off the center 26 (30, 32, 32, 34, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 28, 34, 36, 40) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1863 Intermediate Vests · Aran weight

Maple Vest

A sleeveless layer with a rounded neck. Worked in 3x2 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	625	700	825	925	1025
Skeins (approx.)	3	4	4	5	6	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 93 (103, 113, 128, 138, 148) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (75 (85, 95, 110, 120, 130) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 26, 34, 38, 41) sts at the beginning of the next 2 rows, then bind off the remaining 37 (39, 43, 42, 44, 48) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 24 (28, 31, 39, 43, 46) sts, bind off the center 27 (29, 33, 32, 34, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 26, 34, 38, 41) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1864 Intermediate Vests · Aran weight

Echo Vest

A sleeveless layer with a rounded neck. Worked in 4-Stitch Cable, Wide Purl Ground with aran weight (#4/5) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	650	800	875	1025	1125	1275
Skeins (approx.)	4	5	5	6	7	8



MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 3 (RS): P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 5 (RS): P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 7 (RS): P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (108, 115, 129, 136, 150) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (76 (90, 97, 111, 118, 132) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (25, 28, 34, 37, 42) sts at the beginning of the next 2 rows, then bind off the remaining 36 (40, 41, 43, 44, 48) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (30, 33, 39, 42, 47) sts, bind off the center 26 (30, 31, 33, 34, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (25, 28, 34, 37, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1865 Intermediate Vests · Worsted weight

Kettle Vest

A sleeveless layer with a rounded neck. Worked in Checkerboard 4x4 with worsted weight (#4) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	575	700	850	950	1050	1150
Skeins (approx.)	3	4	5	5	6	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (92, 108, 116, 124, 132) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (68 (76, 92, 100, 108, 116) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (20, 27, 31, 34, 37) sts at the beginning of the next 2 rows, then bind off the remaining 34 (36, 38, 38, 40, 42) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 22 (25, 32, 36, 39, 42) sts, bind off the center 24 (26, 28, 28, 30, 32) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (20, 27, 31, 34, 37) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1866 Intermediate Vests · Aran weight

Heather Vest

A sleeveless layer with a rounded neck. Worked in Feather and Fan with aran weight (#4/5) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	450	500	650	675	700	875
Skeins (approx.)	3	3	4	4	4	5



chest 44 in (finished)

MATERIALS

- 4 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Feather and Fan, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (72, 90, 90, 90, 108) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (58 (58, 76, 76, 76, 94) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 16 (15, 23, 23, 22, 30) sts at the beginning of the next 2 rows, then bind off the remaining 26 (28, 30, 30, 32, 34) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 21 (20, 28, 28, 27, 35) sts, bind off the center 16 (18, 20, 20, 22, 24) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (16 (15, 23, 23, 22, 30) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1867 Intermediate Vests · DK weight

Honey Vest

A sleeveless layer with a rounded neck. Worked in 4-Stitch Right Cable on a Purl Ground with dk weight (#3) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1050	1200	1375	1525	1725
Skeins (approx.)	4	5	6	6	7	8



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 128 (146, 158, 176, 188, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (102 (120, 132, 150, 162, 180) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 26 (33, 37, 46, 50, 57) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 66) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 31 (38, 42, 51, 55, 62) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (33, 37, 46, 50, 57) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1868 Intermediate Vests · Aran weight

Tulip Vest

A sleeveless layer with a rounded neck. Worked in Basketweave 5x5 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	550	650	775	875	1000	1025
Skeins (approx.)	4	4	5	5	6	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 75 (85, 95, 105, 115, 115) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (61 (71, 81, 91, 101, 101) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 16 (20, 24, 28, 32, 31) sts at the beginning of the next 2 rows, then bind off the remaining 29 (31, 33, 35, 37, 39) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 21 (25, 29, 33, 37, 36) sts, bind off the center 19 (21, 23, 25, 27, 29) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (16 (20, 24, 28, 32, 31) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1869 Intermediate Vests · Aran weight

Spruce Vest

A sleeveless layer with a rounded neck. Worked in Horizontal Ridges with aran weight (#4/5) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	575	675	775	875	1000	1100
Skeins (approx.)	4	4	5	5	6	7



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 26 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (80, 88, 96, 104, 112) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (58 (66, 74, 82, 90, 98) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 15 (18, 21, 25, 28, 31) sts at the beginning of the next 2 rows, then bind off the remaining 28 (30, 32, 32, 34, 36) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 20 (23, 26, 30, 33, 36) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (15 (18, 21, 25, 28, 31) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1870 Intermediate Vests · DK weight

Willow Vest

A sleeveless layer with a rounded neck. Worked in 4-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1050	1200	1375	1525	1725
Skeins (approx.)	4	5	6	6	7	8



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 128 (146, 158, 176, 188, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (102 (120, 132, 150, 162, 180) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 26 (33, 37, 46, 50, 57) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 66) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 31 (38, 42, 51, 55, 62) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (33, 37, 46, 50, 57) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1871 Advanced Vests · Worsted weight

Lilac Vest

A sleeveless layer with a rounded neck. Worked in Mirrored Cables with worsted weight (#4) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	875	1000	1150	1300	1450
Skeins (approx.)	4	5	5	6	7	8



MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (78 (90, 102, 114, 126, 138) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 28, 34, 39, 43) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 24 (28, 33, 39, 44, 48) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 28, 34, 39, 43) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1872 Intermediate Vests · Aran weight

Dahlia Vest

A sleeveless layer with a rounded neck. Worked in Diagonal Rib with aran weight (#4/5) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	625	725	825	925	1050
Skeins (approx.)	3	4	5	5	6	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 22 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 3 (RS):** *K2, P2*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 80 (88, 100, 108, 116, 128) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (64 (72, 84, 92, 100, 112) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 16 (19, 24, 28, 31, 36) sts at the beginning of the next 2 rows, then bind off the remaining 32 (34, 36, 36, 38, 40) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 21 (24, 29, 33, 36, 41) sts, bind off the center 22 (24, 26, 26, 28, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (16 (19, 24, 28, 31, 36) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1873 Intermediate Vests · Worsted weight

Wisp Vest

A sleeveless layer with a rounded neck. Worked in Ladder Lace with worsted weight (#4) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	475	575	650	725	825	900
Skeins (approx.)	3	3	4	4	5	5



MATERIALS

- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (86, 94, 102, 110, 118) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (62 (72, 80, 88, 96, 104) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 16 (20, 23, 27, 30, 33) sts at the beginning of the next 2 rows, then bind off the remaining 30 (32, 34, 34, 36, 38) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 21 (25, 28, 32, 35, 38) sts, bind off the center 20 (22, 24, 24, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (16 (20, 23, 27, 30, 33) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1874 Intermediate Vests · DK weight

Hearth Vest

A sleeveless layer with a rounded neck. Worked in 2x2 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	875	975	1125	1250	1400
Skeins (approx.)	4	4	5	5	6	7



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 158, 174, 190, 202) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (104 (120, 132, 148, 164, 176) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 27 (33, 37, 45, 51, 55) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 66) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 32 (38, 42, 50, 56, 60) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (33, 37, 45, 51, 55) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1875 Intermediate Vests · DK weight

Dove Vest

A sleeveless layer with a rounded neck. Worked in Basketweave 5x5 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	925	1025	1150	1300	1525
Skeins (approx.)	4	5	5	5	6	7



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (115, 125, 135, 145, 165) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (85 (95, 105, 115, 125, 145) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 22 (26, 30, 34, 38, 47) sts at the beginning of the next 2 rows, then bind off the remaining 41 (43, 45, 47, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 27 (31, 35, 39, 43, 52) sts, bind off the center 31 (33, 35, 37, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (26, 30, 34, 38, 47) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1876 Intermediate Vests · Aran weight

Slate Vest

A sleeveless layer with a rounded neck. Worked in 1x1 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	625	725	825	925	1025
Skeins (approx.)	3	4	5	5	6	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 95 (105, 115, 125, 137, 147) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (77 (87, 97, 107, 119, 129) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 32, 37, 41) sts at the beginning of the next 2 rows, then bind off the remaining 37 (39, 41, 43, 45, 47) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (29, 33, 37, 42, 46) sts, bind off the center 27 (29, 31, 33, 35, 37) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 32, 37, 41) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1877 Intermediate Vests · DK weight

Gable Vest

A sleeveless layer with a rounded neck. Worked in 6-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1075	1175	1375	1550	1700
Skeins (approx.)	4	5	6	6	7	8



MATERIALS


- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (147, 156, 174, 192, 201) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (103 (121, 130, 148, 166, 175) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 26 (33, 36, 45, 52, 55) sts at the beginning of the next 2 rows, then bind off the remaining 51 (55, 58, 58, 62, 65) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 31 (38, 41, 50, 57, 60) sts, bind off the center 41 (45, 48, 48, 52, 55) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (33, 36, 45, 52, 55) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1878 Intermediate Vests · Aran weight

Lagoon Vest

A sleeveless layer with a rounded neck. Worked in 4-Stitch Left Cable on a Purl Ground with aran weight (#4/5) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	775	900	1025	1100	1250
Skeins (approx.)	4	5	5	6	7	7



MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 92 (104, 116, 128, 134, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (74 (86, 98, 110, 116, 128) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 28, 34, 36, 40) sts at the beginning of the next 2 rows, then bind off the remaining 36 (40, 42, 42, 44, 48) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 24 (28, 33, 39, 41, 45) sts, bind off the center 26 (30, 32, 32, 34, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 28, 34, 36, 40) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1879 Intermediate Vests · Worsted weight

Bronze Vest

A sleeveless layer with a rounded neck. Worked in 2x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	575	675	775	900	1000	1125
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (114, 126, 138, 150, 162) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (82 (94, 106, 118, 130, 142) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 21 (25, 30, 36, 41, 45) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 26 (30, 35, 41, 46, 50) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (21 (25, 30, 36, 41, 45) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1880 Intermediate Vests · DK weight

Iris Vest

A sleeveless layer with a rounded neck. Worked in Reverse Stockinette with dk weight (#3) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	650	775	900	1025	1150	1275
Skeins (approx.)	3	4	4	5	5	6



MATERIALS

- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 30 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (79 (90, 101, 112, 123, 134) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 34, 38, 42) sts at the beginning of the next 2 rows, then bind off the remaining 39 (42, 45, 44, 47, 50) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (29, 33, 39, 43, 47) sts, bind off the center 29 (32, 35, 34, 37, 40) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 34, 38, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1881 Intermediate Vests · Aran weight

Olive Vest

A sleeveless layer with a rounded neck. Worked in Zigzag Texture with aran weight (#4/5) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	625	750	825	900	1025
Skeins (approx.)	3	4	5	5	5	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 22 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 78 (84, 96, 102, 108, 120) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (64 (70, 82, 88, 94, 106) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (19, 24, 27, 29, 34) sts at the beginning of the next 2 rows, then bind off the remaining 30 (32, 34, 34, 36, 38) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 22 (24, 29, 32, 34, 39) sts, bind off the center 20 (22, 24, 24, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (19, 24, 27, 29, 34) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1882 Intermediate Vests · DK weight

Nutmeg Vest

A sleeveless layer with a rounded neck. Worked in 4-Stitch Cable, Wide Purl Ground with dk weight (#3) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1050	1175	1350	1500	1725
Skeins (approx.)	4	5	6	6	7	8



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 3 (RS): P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 5 (RS): P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 7 (RS): P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (143, 157, 171, 185, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (103 (117, 131, 145, 159, 180) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 26 (31, 36, 44, 49, 57) sts at the beginning of the next 2 rows, then bind off the remaining 51 (55, 59, 57, 61, 66) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 31 (36, 41, 49, 54, 62) sts, bind off the center 41 (45, 49, 47, 51, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (31, 36, 44, 49, 57) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1883 Intermediate Vests · DK weight

Beacon Vest

A sleeveless layer with a rounded neck. Worked in Diagonal Rib with dk weight (#3) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	850	975	1125	1250	1400
Skeins (approx.)	4	4	5	5	6	7



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 30 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 3 (RS):** *K2, P2*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (120, 132, 144, 156, 168) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (88 (100, 112, 124, 136, 148) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (28, 32, 38, 42, 47) sts at the beginning of the next 2 rows, then bind off the remaining 42 (44, 48, 48, 52, 54) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 28 (33, 37, 43, 47, 52) sts, bind off the center 32 (34, 38, 38, 42, 44) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (28, 32, 38, 42, 47) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1884 Intermediate Vests · DK weight

Birch Vest

A sleeveless layer with a rounded neck. Worked in 3x3 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	875	975	1100	1250	1375
Skeins (approx.)	4	4	5	5	6	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (147, 159, 171, 189, 201) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (103 (121, 133, 145, 163, 175) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 26 (33, 38, 44, 51, 55) sts at the beginning of the next 2 rows, then bind off the remaining 51 (55, 57, 57, 61, 65) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 31 (38, 43, 49, 56, 60) sts, bind off the center 41 (45, 47, 47, 51, 55) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (33, 38, 44, 51, 55) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1885 Intermediate Vests · DK weight

Quarry Vest

A sleeveless layer with a rounded neck. Worked in Ladder Lace with dk weight (#3) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	575	700	800	925	1025	1125
Skeins (approx.)	3	4	4	5	5	5



MATERIALS

- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (106, 116, 126, 136, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (76 (88, 98, 108, 118, 128) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 33, 37, 40) sts at the beginning of the next 2 rows, then bind off the remaining 36 (40, 42, 42, 44, 48) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (29, 33, 38, 42, 45) sts, bind off the center 26 (30, 32, 32, 34, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 33, 37, 40) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1886 Intermediate Vests · DK weight

Lantern Vest

A sleeveless layer with a rounded neck. Worked in Seed Stitch with dk weight (#3) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	825	950	1100	1225	1350
Skeins (approx.)	4	4	5	5	6	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 32 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (109, 121, 133, 143, 153) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (79 (89, 101, 113, 123, 133) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 34, 38, 42) sts at the beginning of the next 2 rows, then bind off the remaining 39 (41, 45, 45, 47, 49) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (29, 33, 39, 43, 47) sts, bind off the center 29 (31, 35, 35, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 34, 38, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1887 Intermediate Vests · Worsted weight

Bramble Vest

A sleeveless layer with a rounded neck. Worked in Broken Rib with worsted weight (#4) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	550	650	750	850	950	1050
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 85 (95, 105, 113, 123, 133) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (69 (79, 89, 97, 107, 117) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 18 (22, 26, 30, 33, 37) sts at the beginning of the next 2 rows, then bind off the remaining 33 (35, 37, 37, 41, 43) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 23 (27, 31, 35, 38, 42) sts, bind off the center 23 (25, 27, 27, 31, 33) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (18 (22, 26, 30, 33, 37) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1888 Intermediate Vests · Aran weight

Quill Vest

A sleeveless layer with a rounded neck. Worked in 6-Stitch Left Cable on a Purl Ground with aran weight (#4/5) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	675	775	875	1025	1150	1250
Skeins (approx.)	4	5	5	6	7	7



MATERIALS

- 6 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 22 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (106, 114, 130, 138, 146) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (80 (88, 96, 112, 120, 128) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 22 (24, 27, 35, 38, 40) sts at the beginning of the next 2 rows, then bind off the remaining 36 (40, 42, 42, 44, 48) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 27 (29, 32, 40, 43, 45) sts, bind off the center 26 (30, 32, 32, 34, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (24, 27, 35, 38, 40) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1889 **Advanced** Vests · DK weight

Poppy Vest

A sleeveless layer with a rounded neck. Worked in Mirrored Cables with dk weight (#3) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	950	1125	1275	1425	1700	1875
Skeins (approx.)	5	5	6	7	8	9



MATERIALS

- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (146, 158, 170, 194, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (108 (120, 132, 144, 168, 180) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 29 (33, 37, 43, 53, 57) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 66) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 34 (38, 42, 48, 58, 62) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (29 (33, 37, 43, 53, 57) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1890 Intermediate Vests · Worsted weight

Ridge Vest

A sleeveless layer with a rounded neck. Worked in Zigzag Texture with worsted weight (#4) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	550	700	775	900	1025	1100
Skeins (approx.)	3	4	4	5	6	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 24 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (96, 102, 114, 126, 132) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (68 (80, 86, 98, 110, 116) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (22, 24, 30, 35, 37) sts at the beginning of the next 2 rows, then bind off the remaining 34 (36, 38, 38, 40, 42) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 22 (27, 29, 35, 40, 42) sts, bind off the center 24 (26, 28, 28, 30, 32) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (22, 24, 30, 35, 37) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1891 Intermediate Vests · Aran weight

Ember Vest

A sleeveless layer with a rounded neck. Worked in Basketweave 4x4 with aran weight (#4/5) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	550	650	750	850	950	1050
Skeins (approx.)	4	4	5	5	6	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (84, 92, 100, 108, 116) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (62 (70, 78, 86, 94, 102) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 16 (19, 22, 26, 29, 32) sts at the beginning of the next 2 rows, then bind off the remaining 30 (32, 34, 34, 36, 38) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 21 (24, 27, 31, 34, 37) sts, bind off the center 20 (22, 24, 24, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (16 (19, 22, 26, 29, 32) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1892 Intermediate Vests · Worsted weight

Clover Vest

A sleeveless layer with a rounded neck. Worked in 2x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	575	700	800	875	1000	1125
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 128, 137, 149, 161) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (84 (96, 108, 117, 129, 141) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 22 (26, 31, 36, 40, 45) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 45, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 27 (31, 36, 41, 45, 50) sts, bind off the center 30 (34, 36, 35, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (26, 31, 36, 40, 45) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1893 Intermediate Vests · Worsted weight

Northern Vest

A sleeveless layer with a rounded neck. Worked in 3x3 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	575	700	800	875	975	1100
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (85 (97, 109, 115, 127, 139) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 22 (27, 32, 34, 39, 44) sts at the beginning of the next 2 rows, then bind off the remaining 41 (43, 45, 47, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 27 (32, 37, 39, 44, 49) sts, bind off the center 31 (33, 35, 37, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (27, 32, 34, 39, 44) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1894 Advanced Vests · DK weight

Crimson Vest

A sleeveless layer with a rounded neck. Worked in Twin Cables with dk weight (#3) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	950	1125	1275	1425	1700	1875
Skeins (approx.)	5	5	6	7	8	9



MATERIALS

- 7 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (146, 158, 170, 194, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (108 (120, 132, 144, 168, 180) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 29 (33, 37, 43, 53, 57) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 66) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 34 (38, 42, 48, 58, 62) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (29 (33, 37, 43, 53, 57) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1895 Intermediate Vests · Aran weight

Mocha Vest

A sleeveless layer with a rounded neck. Worked in Double Seed Stitch with aran weight (#4/5) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	650	725	825	925	1025
Skeins (approx.)	3	4	5	5	6	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 23 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 73 (81, 89, 97, 105, 113) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (59 (67, 75, 83, 91, 99) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 16 (18, 22, 26, 28, 32) sts at the beginning of the next 2 rows, then bind off the remaining 27 (31, 31, 31, 35, 35) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 21 (23, 27, 31, 33, 37) sts, bind off the center 17 (21, 21, 21, 25, 25) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (16 (18, 22, 26, 28, 32) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1896 Advanced Vests · Worsted weight

Lagom Vest

A sleeveless layer with a rounded neck. Worked in Twin Cables with worsted weight (#4) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	875	1000	1150	1300	1450
Skeins (approx.)	4	5	5	6	7	8



MATERIALS


- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (78 (90, 102, 114, 126, 138) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 28, 34, 39, 43) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 24 (28, 33, 39, 44, 48) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 28, 34, 39, 43) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1897 Intermediate Vests · Worsted weight

Quince Vest

A sleeveless layer with a rounded neck. Worked in Double Seed Stitch with worsted weight (#4) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	575	675	775	900	1000	1100
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 25 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (89, 99, 109, 117, 125) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (65 (73, 83, 93, 101, 109) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (20, 24, 28, 31, 34) sts at the beginning of the next 2 rows, then bind off the remaining 31 (33, 35, 37, 39, 41) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 22 (25, 29, 33, 36, 39) sts, bind off the center 21 (23, 25, 27, 29, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (20, 24, 28, 31, 34) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1898 Intermediate Vests · DK weight

Mulberry Vest

A sleeveless layer with a rounded neck. Worked in Double Seed Stitch with dk weight (#3) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	725	875	1000	1150	1275	1400
Skeins (approx.)	4	4	5	5	6	7



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 32 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (109, 121, 133, 143, 153) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (79 (89, 101, 113, 123, 133) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 34, 38, 42) sts at the beginning of the next 2 rows, then bind off the remaining 39 (41, 45, 45, 47, 49) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (29, 33, 39, 43, 47) sts, bind off the center 29 (31, 35, 35, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 34, 38, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1899 Intermediate Vests · DK weight

Pearl Vest

A sleeveless layer with a rounded neck. Worked in Checkerboard 3x3 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	925	1075	1150	1300	1475
Skeins (approx.)	4	5	5	5	6	7



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (85 (97, 109, 115, 127, 139) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 22 (27, 32, 34, 39, 44) sts at the beginning of the next 2 rows, then bind off the remaining 41 (43, 45, 47, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 27 (32, 37, 39, 44, 49) sts, bind off the center 31 (33, 35, 37, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (27, 32, 34, 39, 44) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1900 Intermediate Vests · Aran weight

Gold Vest

A sleeveless layer with a rounded neck. Worked in Chevron Ripple with Purl Rows with aran weight (#4/5) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	425	525	625	650	775	875
Skeins (approx.)	3	3	4	4	5	5



MATERIALS

- 4 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 66 (77, 88, 88, 99, 110) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (52 (63, 74, 74, 85, 96) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 13 (17, 22, 22, 27, 31) sts at the beginning of the next 2 rows, then bind off the remaining 26 (29, 30, 30, 31, 34) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 18 (22, 27, 27, 32, 36) sts, bind off the center 16 (19, 20, 20, 21, 24) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (13 (17, 22, 22, 27, 31) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1901 Intermediate Vests · DK weight

Coral Vest

A sleeveless layer with a rounded neck. Worked in Checkerboard 4x4 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	725	925	1025	1200	1325	1525
Skeins (approx.)	4	5	5	6	6	7



MATERIALS


- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 100 (116, 124, 140, 148, 164) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (80 (96, 104, 120, 128, 144) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (26, 29, 37, 40, 46) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (31, 34, 42, 45, 51) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (26, 29, 37, 40, 46) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1902 Intermediate Vests · Aran weight

Cinder Vest

A sleeveless layer with a rounded neck. Worked in Chevron Ripple Lace with aran weight (#4/5) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	425	525	625	650	775	875
Skeins (approx.)	3	3	4	4	5	5



MATERIALS

- 4 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

15 sts and 22 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 66 (77, 88, 88, 99, 110) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (52 (63, 74, 74, 85, 96) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 13 (17, 22, 22, 27, 31) sts at the beginning of the next 2 rows, then bind off the remaining 26 (29, 30, 30, 31, 34) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 18 (22, 27, 27, 32, 36) sts, bind off the center 16 (19, 20, 20, 21, 24) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (13 (17, 22, 22, 27, 31) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1903 Intermediate Vests · DK weight

Oatmeal Vest

A sleeveless layer with a rounded neck. Worked in 2x1 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	725	875	975	1100	1250	1400
Skeins (approx.)	4	4	5	5	6	7



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 131 (146, 158, 173, 188, 203) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (105 (120, 132, 147, 162, 177) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 27 (33, 37, 44, 50, 56) sts at the beginning of the next 2 rows, then bind off the remaining 51 (54, 58, 59, 62, 65) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 32 (38, 42, 49, 55, 61) sts, bind off the center 41 (44, 48, 49, 52, 55) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (33, 37, 44, 50, 56) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1904 Intermediate Vests · Aran weight

Garnet Vest

A sleeveless layer with a rounded neck. Worked in Seed Stitch with aran weight (#4/5) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	600	700	800	875	975
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 23 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 73 (81, 89, 97, 105, 113) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (59 (67, 75, 83, 91, 99) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 16 (18, 22, 26, 28, 32) sts at the beginning of the next 2 rows, then bind off the remaining 27 (31, 31, 31, 35, 35) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 21 (23, 27, 31, 33, 37) sts, bind off the center 17 (21, 21, 21, 25, 25) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (16 (18, 22, 26, 28, 32) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1905 Intermediate Vests · Aran weight

Rowan Vest

A sleeveless layer with a rounded neck. Worked in 3x3 Rib with aran weight (#4/5) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	625	725	800	900	1025
Skeins (approx.)	3	4	5	5	5	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 22 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 93 (105, 117, 123, 135, 147) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (75 (87, 99, 105, 117, 129) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (24, 28, 32, 36, 41) sts at the beginning of the next 2 rows, then bind off the remaining 37 (39, 43, 41, 45, 47) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 24 (29, 33, 37, 41, 46) sts, bind off the center 27 (29, 33, 31, 35, 37) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (24, 28, 32, 36, 41) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1906 Intermediate Vests · Worsted weight

Vine Vest

A sleeveless layer with a rounded neck. Worked in 1x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	575	700	800	875	1000	1125
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 103 (115, 127, 137, 149, 161) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (83 (95, 107, 117, 129, 141) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 21 (26, 30, 36, 40, 45) sts at the beginning of the next 2 rows, then bind off the remaining 41 (43, 47, 45, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 26 (31, 35, 41, 45, 50) sts, bind off the center 31 (33, 37, 35, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (21 (26, 30, 36, 40, 45) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1907 Intermediate Vests · DK weight

Acorn Vest

A sleeveless layer with a rounded neck. Worked in Garter Stitch with dk weight (#3) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1250	1525	1725	1975	2225	2475
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 51 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (79 (90, 101, 112, 123, 134) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 34, 38, 42) sts at the beginning of the next 2 rows, then bind off the remaining 39 (42, 45, 44, 47, 50) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (29, 33, 39, 43, 47) sts, bind off the center 29 (32, 35, 34, 37, 40) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 34, 38, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1908 Intermediate Vests · DK weight

Thistle Vest

A sleeveless layer with a rounded neck. Worked in Basketweave 4x4 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	725	925	1025	1200	1325	1525
Skeins (approx.)	4	5	5	6	6	7



MATERIALS


- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 100 (116, 124, 140, 148, 164) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (80 (96, 104, 120, 128, 144) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (26, 29, 37, 40, 46) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (31, 34, 42, 45, 51) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (26, 29, 37, 40, 46) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1909 Intermediate Vests · Aran weight

Valley Vest

A sleeveless layer with a rounded neck. Worked in Eyelet Rows with aran weight (#4/5) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	425	525	600	675	750	850
Skeins (approx.)	3	3	4	4	5	5



MATERIALS

- 4 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

15 sts and 22 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 68 (74, 82, 90, 98, 106) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (54 (60, 68, 76, 84, 92) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 14 (16, 19, 23, 26, 29) sts at the beginning of the next 2 rows, then bind off the remaining 26 (28, 30, 30, 32, 34) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 19 (21, 24, 28, 31, 34) sts, bind off the center 16 (18, 20, 20, 22, 24) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (14 (16, 19, 23, 26, 29) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1910 Intermediate Vests · Worsted weight

Opal Vest

A sleeveless layer with a rounded neck. Worked in Horizontal Ridges with worsted weight (#4) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	750	875	975	1100	1225
Skeins (approx.)	4	4	5	5	6	7



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 29 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (65 (74, 83, 92, 101, 110) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (20, 24, 28, 31, 35) sts at the beginning of the next 2 rows, then bind off the remaining 31 (34, 35, 36, 39, 40) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 22 (25, 29, 33, 36, 40) sts, bind off the center 21 (24, 25, 26, 29, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (20, 24, 28, 31, 35) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1911 Intermediate Vests · Worsted weight

Bluebell Vest

A sleeveless layer with a rounded neck. Worked in Seed Stitch with worsted weight (#4) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	550	650	750	850	950	1050
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 25 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (89, 99, 109, 117, 125) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (65 (73, 83, 93, 101, 109) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (20, 24, 28, 31, 34) sts at the beginning of the next 2 rows, then bind off the remaining 31 (33, 35, 37, 39, 41) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 22 (25, 29, 33, 36, 39) sts, bind off the center 21 (23, 25, 27, 29, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (20, 24, 28, 31, 34) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1912 Intermediate Vests · Aran weight

Briar Vest

A sleeveless layer with a rounded neck. Worked in Garter Stitch with aran weight (#4/5) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	925	1100	1275	1425	1600	1800
Skeins (approx.)	6	7	8	8	9	10



MATERIALS

- 8 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 37 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (80, 88, 96, 104, 112) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (58 (66, 74, 82, 90, 98) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 15 (18, 21, 25, 28, 31) sts at the beginning of the next 2 rows, then bind off the remaining 28 (30, 32, 32, 34, 36) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 20 (23, 26, 30, 33, 36) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (15 (18, 21, 25, 28, 31) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1913 Intermediate Vests · DK weight

Velvet Vest

A sleeveless layer with a rounded neck. Worked in Basketweave 3x3 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	775	925	1075	1150	1300	1475
Skeins (approx.)	4	5	5	5	6	7



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (85 (97, 109, 115, 127, 139) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 22 (27, 32, 34, 39, 44) sts at the beginning of the next 2 rows, then bind off the remaining 41 (43, 45, 47, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 27 (32, 37, 39, 44, 49) sts, bind off the center 31 (33, 35, 37, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (27, 32, 34, 39, 44) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1914 Intermediate Vests · Worsted weight

Jetty Vest

A sleeveless layer with a rounded neck. Worked in Garter Stitch with worsted weight (#4) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1000	1225	1400	1575	1775	2000
Skeins (approx.)	5	7	7	8	9	10



MATERIALS

- 8 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 41 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (65 (74, 83, 92, 101, 110) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (20, 24, 28, 31, 35) sts at the beginning of the next 2 rows, then bind off the remaining 31 (34, 35, 36, 39, 40) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 22 (25, 29, 33, 36, 40) sts, bind off the center 21 (24, 25, 26, 29, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (20, 24, 28, 31, 35) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1915 Intermediate Vests · DK weight

Inlet Vest

A sleeveless layer with a rounded neck. Worked in Stockinette Stitch with dk weight (#3) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	650	775	900	1025	1150	1275
Skeins (approx.)	3	4	4	5	5	6



MATERIALS

- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 30 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (79 (90, 101, 112, 123, 134) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 34, 38, 42) sts at the beginning of the next 2 rows, then bind off the remaining 39 (42, 45, 44, 47, 50) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (29, 33, 39, 43, 47) sts, bind off the center 29 (32, 35, 34, 37, 40) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 34, 38, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1916 Intermediate Vests · DK weight

Timber Vest

A sleeveless layer with a rounded neck. Worked in 4-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	850	1050	1175	1350	1500	1725
Skeins (approx.)	4	5	6	6	7	8



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (143, 157, 171, 185, 206) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (103 (117, 131, 145, 159, 180) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 26 (31, 36, 44, 49, 57) sts at the beginning of the next 2 rows, then bind off the remaining 51 (55, 59, 57, 61, 66) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 31 (36, 41, 49, 54, 62) sts, bind off the center 41 (45, 49, 47, 51, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (31, 36, 44, 49, 57) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1917 Intermediate Vests · DK weight

Walnut Vest

A sleeveless layer with a rounded neck. Worked in 1x1 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	725	850	975	1100	1250	1400
Skeins (approx.)	4	4	5	5	6	7



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 131 (145, 159, 173, 189, 203) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (105 (119, 133, 147, 163, 177) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 27 (32, 38, 44, 51, 56) sts at the beginning of the next 2 rows, then bind off the remaining 51 (55, 57, 59, 61, 65) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 32 (37, 43, 49, 56, 61) sts, bind off the center 41 (45, 47, 49, 51, 55) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (32, 38, 44, 51, 56) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1918 Intermediate Vests · Worsted weight

Wren Vest

A sleeveless layer with a rounded neck. Worked in 4-Stitch Cable, Wide Purl Ground with worsted weight (#4) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	675	850	975	1075	1225	1400
Skeins (approx.)	4	5	5	6	7	7



MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 3 (RS): P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 5 (RS): P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 7 (RS): P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 101 (115, 129, 136, 150, 164) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (81 (95, 109, 116, 130, 144) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (26, 32, 35, 41, 46) sts at the beginning of the next 2 rows, then bind off the remaining 41 (43, 45, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 25 (31, 37, 40, 46, 51) sts, bind off the center 31 (33, 35, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (26, 32, 35, 41, 46) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1919 Intermediate Vests · Aran weight

Elm Vest

A sleeveless layer with a rounded neck. Worked in Stockinette Stitch with aran weight (#4/5) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	475	575	650	750	850	925
Skeins (approx.)	3	4	4	5	5	6



MATERIALS

- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

16 sts and 22 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (80, 88, 96, 104, 112) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (58 (66, 74, 82, 90, 98) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 15 (18, 21, 25, 28, 31) sts at the beginning of the next 2 rows, then bind off the remaining 28 (30, 32, 32, 34, 36) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 20 (23, 26, 30, 33, 36) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (15 (18, 21, 25, 28, 31) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1920 Intermediate Vests · Aran weight

Knoll Vest

A sleeveless layer with a rounded neck. Worked in Broken Rib with aran weight (#4/5) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	22	24	25	26	27	28
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	600	675	775	875	975
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Aran weight (#4/5) yarn for the middle size (see the yardage row; about 180 yd / 165 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 9 (5.5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

17 sts and 23 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (85, 93, 101, 111, 119) sts. Work 2 in / 5.1 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 9 (5.5 mm). Work the stitch pattern as set until the piece measures 14.5 in (16 in, 16.5 in, 17 in, 17.5 in, 18 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (63 (71, 79, 87, 97, 105) sts remain).
4. Work even until the armholes measure 7.5 in (8 in, 8.5 in, 9 in, 9.5 in, 10 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (20, 22, 26, 30, 33) sts at the beginning of the next 2 rows, then bind off the remaining 29 (31, 35, 35, 37, 39) center sts.

Front


1. Work as for the back until the armholes measure 3.5 in (4 in, 4.5 in, 5 in, 5.5 in, 6 in).
2. Neck: Work 22 (25, 27, 31, 35, 38) sts, bind off the center 19 (21, 25, 25, 27, 29) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (20, 22, 26, 30, 33) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1921 Intermediate Tops · DK weight

Pearl Tank Top

A summery tank with a scoop neck. Worked in Checkerboard 3x3 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	650	800	950	1075	1175	1325
Skeins (approx.)	3	4	5	5	6	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (111, 123, 135, 141, 153) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (79 (91, 103, 115, 121, 133) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (24, 28, 34, 36, 41) sts at the beginning of the next 2 rows, then bind off the remaining 41 (43, 47, 47, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 24 (29, 33, 39, 41, 46) sts, bind off the center 31 (33, 37, 37, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (24, 28, 34, 36, 41) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1922 Intermediate Tops · DK weight

Kale Tank Top

A summery tank with a scoop neck. Worked in 6-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	750	925	1075	1225	1350	1525
Skeins (approx.)	4	5	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 122 (138, 154, 170, 178, 194) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (96 (112, 128, 144, 152, 168) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (29, 35, 43, 45, 51) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 66) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (34, 40, 48, 50, 56) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (29, 35, 43, 45, 51) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1923 Intermediate Tops · Worsted weight

Wisp Tank Top

A summery tank with a scoop neck. Worked in 4-Stitch Right Cable on a Purl Ground with worsted weight (#4) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	600	750	850	975	1100	1250
Skeins (approx.)	3	4	5	5	6	7



MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (78 (90, 102, 114, 126, 138) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 28, 34, 39, 43) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 24 (28, 33, 39, 44, 48) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 28, 34, 39, 43) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1924 Intermediate Tops · Worsted weight

Yarrow Tank Top

A summery tank with a scoop neck. Worked in Basketweave 4x4 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	525	650	725	825	900	1075
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (92, 100, 108, 116, 132) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (68 (76, 84, 92, 100, 116) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (20, 23, 27, 30, 37) sts at the beginning of the next 2 rows, then bind off the remaining 34 (36, 38, 38, 40, 42) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 22 (25, 28, 32, 35, 42) sts, bind off the center 24 (26, 28, 28, 30, 32) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (20, 23, 27, 30, 37) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1925 Intermediate Tops · Sport weight

Honey Tank Top

A summery tank with a scoop neck. Worked in Ladder Lace with sport weight (#2) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	525	650	750	850	975	1100
Skeins (approx.)	4	5	5	6	7	8



MATERIALS

- 6 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 32 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 120, 132, 144, 156) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (78 (90, 100, 112, 124, 136) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 27, 33, 38, 42) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 24 (28, 32, 38, 43, 47) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 27, 33, 38, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1926 Intermediate Tops · Sport weight

Fawn Tank Top

A summery tank with a scoop neck. Worked in 2x2 Rib with sport weight (#2) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	650	800	925	1050	1200	1350
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

31 sts and 32 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 162, 178, 194, 210) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 10 times (102 (118, 134, 150, 166, 182) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 24 (30, 36, 44, 50, 56) sts at the beginning of the next 2 rows, then bind off the remaining 54 (58, 62, 62, 66, 70) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 29 (35, 41, 49, 55, 61) sts, bind off the center 44 (48, 52, 52, 56, 60) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (30, 36, 44, 50, 56) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1927 Intermediate Tops · Worsted weight

Heather Tank Top

A summery tank with a scoop neck. Worked in Chevron Ripple with Purl Rows with worsted weight (#4) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	425	475	575	650	750	800
Skeins (approx.)	3	3	3	4	4	4



MATERIALS

- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (77, 88, 99, 110, 110) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (63 (63, 74, 85, 96, 96) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (16, 20, 26, 30, 29) sts at the beginning of the next 2 rows, then bind off the remaining 29 (31, 34, 33, 36, 38) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 22 (21, 25, 31, 35, 34) sts, bind off the center 19 (21, 24, 23, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (16, 20, 26, 30, 29) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1928 Intermediate Tops · Sport weight

Lark Tank Top

A summery tank with a scoop neck. Worked in Broken Rib with sport weight (#2) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	625	775	900	1000	1150	1300
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

25 sts and 34 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 107 (119, 131, 143, 157, 169) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 7 times (85 (97, 109, 121, 135, 147) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 21 (25, 30, 36, 41, 45) sts at the beginning of the next 2 rows, then bind off the remaining 43 (47, 49, 49, 53, 57) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 26 (30, 35, 41, 46, 50) sts, bind off the center 33 (37, 39, 39, 43, 47) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (21 (25, 30, 36, 41, 45) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1929 Intermediate Tops · Worsted weight

Bramble Tank Top

A summery tank with a scoop neck. Worked in Basketweave 3x3 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	525	650	725	825	925	1050
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (93, 99, 111, 117, 129) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (65 (77, 83, 95, 101, 113) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 16 (21, 22, 28, 30, 35) sts at the beginning of the next 2 rows, then bind off the remaining 33 (35, 39, 39, 41, 43) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 21 (26, 27, 33, 35, 40) sts, bind off the center 23 (25, 29, 29, 31, 33) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (16 (21, 22, 28, 30, 35) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1930 Intermediate Tops · Sport weight

Saffron Tank Top

A summery tank with a scoop neck. Worked in Garter Stitch with sport weight (#2) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	1150	1400	1625	1850	2100	2350
Skeins (approx.)	8	10	11	13	14	16



MATERIALS

- 13 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 54 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (114, 126, 138, 150, 162) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (82 (94, 106, 118, 130, 142) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 29, 35, 40, 44) sts at the beginning of the next 2 rows, then bind off the remaining 42 (46, 48, 48, 50, 54) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (29, 34, 40, 45, 49) sts, bind off the center 32 (36, 38, 38, 40, 44) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 29, 35, 40, 44) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1931 Intermediate Tops · Worsted weight

Russet Tank Top

A summery tank with a scoop neck. Worked in Reverse Stockinette with worsted weight (#4) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	450	550	625	725	800	925
Skeins (approx.)	3	3	4	4	4	5



MATERIALS

- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 24 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (86, 94, 104, 112, 122) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (60 (70, 78, 88, 96, 106) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 14 (18, 21, 26, 29, 33) sts at the beginning of the next 2 rows, then bind off the remaining 32 (34, 36, 36, 38, 40) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 19 (23, 26, 31, 34, 38) sts, bind off the center 22 (24, 26, 26, 28, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (14 (18, 21, 26, 29, 33) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1932 Intermediate Tops · DK weight

Mocha Tank Top

A summery tank with a scoop neck. Worked in Checkerboard 4x4 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	675	800	950	1050	1150	1350
Skeins (approx.)	3	4	5	5	5	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 100 (108, 124, 132, 140, 156) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (80 (88, 104, 112, 120, 136) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (22, 29, 33, 36, 42) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (27, 34, 38, 41, 47) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (22, 29, 33, 36, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1933 Intermediate Tops · Sport weight

Tundra Tank Top

A summery tank with a scoop neck. Worked in Chevron Ripple Lace with sport weight (#2) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	550	650	750	850	975	1075
Skeins (approx.)	4	5	5	6	7	8



MATERIALS

- 6 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 32 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (79 (90, 101, 112, 123, 134) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 28, 33, 37, 41) sts at the beginning of the next 2 rows, then bind off the remaining 41 (44, 45, 46, 49, 52) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 24 (28, 33, 38, 42, 46) sts, bind off the center 31 (34, 35, 36, 39, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 28, 33, 37, 41) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1934 Intermediate Tops · Sport weight

Quartz Tank Top

A summery tank with a scoop neck. Worked in Checkerboard 3x3 with sport weight (#2) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	675	825	950	1100	1275	1425
Skeins (approx.)	5	6	7	8	9	10



MATERIALS


- 8 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

25 sts and 34 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 141, 159, 171) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 7 times (83 (95, 107, 119, 137, 149) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 34, 42, 46) sts at the beginning of the next 2 rows, then bind off the remaining 43 (47, 51, 51, 53, 57) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (29, 33, 39, 47, 51) sts, bind off the center 33 (37, 41, 41, 43, 47) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 34, 42, 46) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1935 Intermediate Tops · DK weight

Hollow Tank Top

A summery tank with a scoop neck. Worked in 2x2 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	600	750	875	975	1125	1250
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 122 (138, 154, 166, 182, 194) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (96 (112, 128, 140, 156, 168) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (29, 35, 41, 47, 51) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 66) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (34, 40, 46, 52, 56) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (29, 35, 41, 47, 51) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1936 Intermediate Tops · DK weight

Aurora Tank Top

A summery tank with a scoop neck. Worked in Zigzag Texture with dk weight (#3) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	600	750	850	975	1125	1250
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 30 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 96 (108, 120, 132, 144, 156) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (76 (88, 100, 112, 124, 136) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 18 (22, 27, 33, 38, 42) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 23 (27, 32, 38, 43, 47) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (18 (22, 27, 33, 38, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1937 Intermediate Tops · Sport weight

Upland Tank Top

A summery tank with a scoop neck. Worked in 6-Stitch Left Cable on a Purl Ground with sport weight (#2) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	775	975	1125	1275	1450	1650
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

31 sts and 32 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 162, 178, 194, 210) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 10 times (102 (118, 134, 150, 166, 182) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 24 (30, 36, 44, 50, 56) sts at the beginning of the next 2 rows, then bind off the remaining 54 (58, 62, 62, 66, 70) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 29 (35, 41, 49, 55, 61) sts, bind off the center 44 (48, 52, 52, 56, 60) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (30, 36, 44, 50, 56) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1938 Intermediate Tops · DK weight

Reed Tank Top

A summery tank with a scoop neck. Worked in Double Seed Stitch with dk weight (#3) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	625	775	875	1000	1125	1275
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 32 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 93 (105, 115, 127, 137, 149) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (73 (85, 95, 107, 117, 129) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (22, 26, 32, 35, 40) sts at the beginning of the next 2 rows, then bind off the remaining 39 (41, 43, 43, 47, 49) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 22 (27, 31, 37, 40, 45) sts, bind off the center 29 (31, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (22, 26, 32, 35, 40) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1939 Intermediate Tops · Sport weight

Coral Tank Top

A summery tank with a scoop neck. Worked in Chevron Ripple with Purl Rows with sport weight (#2) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	550	650	750	850	975	1075
Skeins (approx.)	4	5	5	6	7	8



MATERIALS

- 6 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 32 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (79 (90, 101, 112, 123, 134) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 28, 33, 37, 41) sts at the beginning of the next 2 rows, then bind off the remaining 41 (44, 45, 46, 49, 52) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 24 (28, 33, 38, 42, 46) sts, bind off the center 31 (34, 35, 36, 39, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 28, 33, 37, 41) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1940 **Intermediate** Tops · DK weight

Jasper Tank Top

A summery tank with a scoop neck. Worked in 4-Stitch Cable, Wide Purl Ground with dk weight (#3) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	750	900	1050	1200	1350	1550
Skeins (approx.)	4	4	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 3 (RS): P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 5 (RS): P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 7 (RS): P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 122 (136, 150, 164, 178, 199) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (96 (110, 124, 138, 152, 173) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (28, 33, 40, 45, 54) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 65) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (33, 38, 45, 50, 59) sts, bind off the center 40 (44, 48, 48, 52, 55) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (28, 33, 40, 45, 54) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1941 Intermediate Tops · Worsted weight

Dune Tank Top

A summery tank with a scoop neck. Worked in 3x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	500	600	700	800	900	1000
Skeins (approx.)	3	3	4	4	5	5



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (108, 123, 133, 143, 153) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (78 (88, 103, 113, 123, 133) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (22, 28, 34, 37, 41) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 47, 45, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 24 (27, 33, 39, 42, 46) sts, bind off the center 30 (34, 37, 35, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (22, 28, 34, 37, 41) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1942 Intermediate Tops · Worsted weight

Northern Tank Top

A summery tank with a scoop neck. Worked in Checkerboard 4x4 with worsted weight (#4) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	525	650	725	825	900	1075
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (92, 100, 108, 116, 132) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (68 (76, 84, 92, 100, 116) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (20, 23, 27, 30, 37) sts at the beginning of the next 2 rows, then bind off the remaining 34 (36, 38, 38, 40, 42) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 22 (25, 28, 32, 35, 42) sts, bind off the center 24 (26, 28, 28, 30, 32) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (20, 23, 27, 30, 37) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1943 Intermediate Tops · DK weight

Meadow Tank Top

A summery tank with a scoop neck. Worked in 6-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	725	925	1075	1200	1375	1500
Skeins (approx.)	4	5	5	6	6	7



MATERIALS


- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 120 (138, 156, 165, 183, 192) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (94 (112, 130, 139, 157, 166) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 22 (29, 36, 40, 48, 50) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 59, 61, 66) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 27 (34, 41, 45, 53, 55) sts, bind off the center 40 (44, 48, 49, 51, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (29, 36, 40, 48, 50) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1944 Intermediate Tops · Sport weight

Glacier Tank Top

A summery tank with a scoop neck. Worked in Seed Stitch with sport weight (#2) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	625	775	875	1000	1150	1275
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 34 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 101 (113, 125, 137, 149, 161) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (81 (93, 105, 117, 129, 141) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 34, 39, 44) sts at the beginning of the next 2 rows, then bind off the remaining 41 (45, 49, 49, 51, 53) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (29, 33, 39, 44, 49) sts, bind off the center 31 (35, 39, 39, 41, 43) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 34, 39, 44) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1945 Intermediate Tops · Worsted weight

Orchard Tank Top

A summery tank with a scoop neck. Worked in 2x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	500	600	700	775	900	1000
Skeins (approx.)	3	3	4	4	5	5



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 131, 143, 155) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (78 (90, 102, 111, 123, 135) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 28, 32, 37, 42) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 47, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 24 (28, 33, 37, 42, 47) sts, bind off the center 30 (34, 36, 37, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 28, 32, 37, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1946 Intermediate Tops · Sport weight

Garnet Tank Top

A summery tank with a scoop neck. Worked in Stockinette Stitch with sport weight (#2) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	600	725	850	950	1075	1225
Skeins (approx.)	4	5	6	7	8	9



MATERIALS

- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 32 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (114, 126, 138, 150, 162) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (82 (94, 106, 118, 130, 142) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 29, 35, 40, 44) sts at the beginning of the next 2 rows, then bind off the remaining 42 (46, 48, 48, 50, 54) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (29, 34, 40, 45, 49) sts, bind off the center 32 (36, 38, 38, 40, 44) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 29, 35, 40, 44) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1947 Intermediate Tops · Worsted weight

Wren Tank Top

A summery tank with a scoop neck. Worked in Seed Stitch with worsted weight (#4) yarn. A pebbly texture that lies flat.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	475	575	650	750	850	950
Skeins (approx.)	3	3	4	4	5	5



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 25 rows = 4 in (10 cm) in Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (85, 95, 103, 113, 121) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (61 (69, 79, 87, 97, 105) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 15 (18, 22, 26, 29, 32) sts at the beginning of the next 2 rows, then bind off the remaining 31 (33, 35, 35, 39, 41) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 20 (23, 27, 31, 34, 37) sts, bind off the center 21 (23, 25, 25, 29, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (15 (18, 22, 26, 29, 32) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1948 Intermediate Tops · Worsted weight

Iris Tank Top

A summery tank with a scoop neck. Worked in Feather and Fan with worsted weight (#4) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	400	450	575	600	750	775
Skeins (approx.)	2	3	3	3	4	4



MATERIALS

- 3 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Feather and Fan, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (72, 90, 90, 108, 108) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (58 (58, 76, 76, 94, 94) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 14 (13, 21, 21, 29, 28) sts at the beginning of the next 2 rows, then bind off the remaining 30 (32, 34, 34, 36, 38) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 19 (18, 26, 26, 34, 33) sts, bind off the center 20 (22, 24, 24, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (14 (13, 21, 21, 29, 28) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1949 Intermediate Tops · DK weight

Cinder Tank Top

A summery tank with a scoop neck. Worked in 6-Stitch Right Cable on a Purl Ground with dk weight (#3) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	750	925	1075	1225	1350	1525
Skeins (approx.)	4	5	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 122 (138, 154, 170, 178, 194) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (96 (112, 128, 144, 152, 168) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (29, 35, 43, 45, 51) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 66) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (34, 40, 48, 50, 56) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (29, 35, 43, 45, 51) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1950 Intermediate Tops · Worsted weight

Linden Tank Top

A summery tank with a scoop neck. Worked in 4-Stitch Cable, Wide Purl Ground with worsted weight (#4) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	625	725	850	950	1100	1250
Skeins (approx.)	4	4	5	5	6	7



MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 3 (RS): P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 5 (RS): P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 7 (RS): P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 101 (108, 122, 129, 143, 157) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (81 (88, 102, 109, 123, 137) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (22, 28, 32, 37, 43) sts at the beginning of the next 2 rows, then bind off the remaining 41 (44, 46, 45, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (27, 33, 37, 42, 48) sts, bind off the center 31 (34, 36, 35, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (22, 28, 32, 37, 43) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1951 Intermediate Tops · Worsted weight

Ember Tank Top

A summery tank with a scoop neck. Worked in Stockinette Stitch with worsted weight (#4) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	450	550	625	725	800	925
Skeins (approx.)	3	3	4	4	4	5



MATERIALS

- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 24 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 76 (86, 94, 104, 112, 122) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (60 (70, 78, 88, 96, 106) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 14 (18, 21, 26, 29, 33) sts at the beginning of the next 2 rows, then bind off the remaining 32 (34, 36, 36, 38, 40) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 19 (23, 26, 31, 34, 38) sts, bind off the center 22 (24, 26, 26, 28, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (14 (18, 21, 26, 29, 33) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1952 Intermediate Tops · Worsted weight

Hazel Tank Top

A summery tank with a scoop neck. Worked in Basketweave 5x5 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	550	650	700	800	900	1025
Skeins (approx.)	3	4	4	4	5	6



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 85 (95, 95, 105, 115, 125) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (69 (79, 79, 89, 99, 109) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 18 (22, 20, 26, 29, 33) sts at the beginning of the next 2 rows, then bind off the remaining 33 (35, 39, 37, 41, 43) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 23 (27, 25, 31, 34, 38) sts, bind off the center 23 (25, 29, 27, 31, 33) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (18 (22, 20, 26, 29, 33) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1953 Intermediate Tops · DK weight

Kindle Tank Top

A summery tank with a scoop neck. Worked in Horizontal Ridges with dk weight (#3) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	675	825	950	1075	1225	1350
Skeins (approx.)	3	4	5	5	6	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 36 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (104, 116, 126, 138, 148) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (74 (84, 96, 106, 118, 128) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 18 (21, 26, 31, 36, 39) sts at the beginning of the next 2 rows, then bind off the remaining 38 (42, 44, 44, 46, 50) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 23 (26, 31, 36, 41, 44) sts, bind off the center 28 (32, 34, 34, 36, 40) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (18 (21, 26, 31, 36, 39) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1954 Intermediate Tops · DK weight

Pewter Tank Top

A summery tank with a scoop neck. Worked in 4-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	750	900	1050	1200	1350	1550
Skeins (approx.)	4	4	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 122 (136, 150, 164, 178, 199) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (96 (110, 124, 138, 152, 173) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (28, 33, 40, 45, 54) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 65) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (33, 38, 45, 50, 59) sts, bind off the center 40 (44, 48, 48, 52, 55) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (28, 33, 40, 45, 54) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1955 Advanced Tops · Worsted weight

Umbra Tank Top

A summery tank with a scoop neck. Worked in Mirrored Cables with worsted weight (#4) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	650	800	925	1050	1200	1350
Skeins (approx.)	4	4	5	6	6	7



MATERIALS

- 6 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (78 (90, 102, 114, 126, 138) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 28, 34, 39, 43) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 24 (28, 33, 39, 44, 48) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 28, 34, 39, 43) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1956 Intermediate Tops · DK weight

Isle Tank Top

A summery tank with a scoop neck. Worked in 4-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	750	925	1050	1200	1375	1525
Skeins (approx.)	4	5	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 122 (140, 152, 164, 182, 194) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (96 (114, 126, 138, 156, 168) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (30, 34, 40, 47, 51) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 66) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (35, 39, 45, 52, 56) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (30, 34, 40, 47, 51) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1957 Intermediate Tops · DK weight

Violet Tank Top

A summery tank with a scoop neck. Worked in Feather and Fan with dk weight (#3) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	500	675	700	850	875	1050
Skeins (approx.)	3	3	4	4	4	5



MATERIALS

- 4 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Feather and Fan, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 90 (108, 108, 126, 126, 144) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (72 (90, 90, 108, 108, 126) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 18 (25, 24, 33, 32, 39) sts at the beginning of the next 2 rows, then bind off the remaining 36 (40, 42, 42, 44, 48) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 23 (30, 29, 38, 37, 44) sts, bind off the center 26 (30, 32, 32, 34, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (18 (25, 24, 33, 32, 39) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1958 Intermediate Tops · DK weight

Ivory Tank Top

A summery tank with a scoop neck. Worked in Garter Stitch with dk weight (#3) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	1075	1325	1525	1725	1975	2200
Skeins (approx.)	5	6	7	8	9	10



MATERIALS

- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 51 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (104, 116, 126, 138, 148) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (74 (84, 96, 106, 118, 128) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 18 (21, 26, 31, 36, 39) sts at the beginning of the next 2 rows, then bind off the remaining 38 (42, 44, 44, 46, 50) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 23 (26, 31, 36, 41, 44) sts, bind off the center 28 (32, 34, 34, 36, 40) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (18 (21, 26, 31, 36, 39) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1959 Intermediate Tops · Sport weight

Plum Tank Top

A summery tank with a scoop neck. Worked in Basketweave 5x5 with sport weight (#2) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	675	825	1000	1125	1250	1375
Skeins (approx.)	5	6	7	8	9	10



MATERIALS


- 8 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

25 sts and 34 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (115, 135, 145, 155, 165) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 7 times (83 (93, 113, 123, 133, 143) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (23, 32, 36, 40, 43) sts at the beginning of the next 2 rows, then bind off the remaining 43 (47, 49, 51, 53, 57) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (28, 37, 41, 45, 48) sts, bind off the center 33 (37, 39, 41, 43, 47) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (23, 32, 36, 40, 43) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1960 Intermediate Tops · DK weight

Oasis Tank Top

A summery tank with a scoop neck. Worked in Basketweave 5x5 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	625	775	950	1075	1200	1325
Skeins (approx.)	3	4	5	5	6	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 95 (105, 125, 135, 145, 155) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (75 (85, 105, 115, 125, 135) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (21, 30, 34, 38, 42) sts at the beginning of the next 2 rows, then bind off the remaining 41 (43, 45, 47, 49, 51) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 22 (26, 35, 39, 43, 47) sts, bind off the center 31 (33, 35, 37, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (21, 30, 34, 38, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1961 Intermediate Tops · Sport weight

Beacon Tank Top

A summery tank with a scoop neck. Worked in Double Seed Stitch with sport weight (#2) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	650	800	925	1050	1200	1350
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 34 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 101 (113, 125, 137, 149, 161) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (81 (93, 105, 117, 129, 141) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 34, 39, 44) sts at the beginning of the next 2 rows, then bind off the remaining 41 (45, 49, 49, 51, 53) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (29, 33, 39, 44, 49) sts, bind off the center 31 (35, 39, 39, 41, 43) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 34, 39, 44) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1962 Advanced Tops · Sport weight

Basil Tank Top

A summery tank with a scoop neck. Worked in Mirrored Cables with sport weight (#2) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	875	1050	1175	1400	1575	1725
Skeins (approx.)	6	7	8	10	11	12



MATERIALS

- 10 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

31 sts and 32 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (146, 158, 182, 194, 206) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 10 times (106 (118, 130, 154, 166, 178) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 26 (30, 34, 46, 50, 54) sts at the beginning of the next 2 rows, then bind off the remaining 54 (58, 62, 62, 66, 70) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 31 (35, 39, 51, 55, 59) sts, bind off the center 44 (48, 52, 52, 56, 60) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (30, 34, 46, 50, 54) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1963 Intermediate Tops · Sport weight

Oak Tank Top

A summery tank with a scoop neck. Worked in Feather and Fan with sport weight (#2) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	500	650	800	825	975	1150
Skeins (approx.)	4	5	6	6	7	8



MATERIALS

- 6 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 32 rows = 4 in (10 cm) in Feather and Fan, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 90 (108, 126, 126, 144, 162) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (70 (88, 106, 106, 124, 142) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 15 (22, 30, 30, 38, 45) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 20 (27, 35, 35, 43, 50) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (15 (22, 30, 30, 38, 45) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1964 Intermediate Tops · Sport weight

Lagom Tank Top

A summery tank with a scoop neck. Worked in 3x3 Rib with sport weight (#2) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	650	800	925	1050	1200	1325
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

31 sts and 32 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (147, 165, 177, 195, 207) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 10 times (101 (119, 137, 149, 167, 179) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (30, 38, 44, 51, 55) sts at the beginning of the next 2 rows, then bind off the remaining 55 (59, 61, 61, 65, 69) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (35, 43, 49, 56, 60) sts, bind off the center 45 (49, 51, 51, 55, 59) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (30, 38, 44, 51, 55) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1965 Intermediate Tops · DK weight

Daisy Tank Top

A summery tank with a scoop neck. Worked in Basketweave 4x4 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	675	800	950	1050	1150	1350
Skeins (approx.)	3	4	5	5	5	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 100 (108, 124, 132, 140, 156) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (80 (88, 104, 112, 120, 136) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (22, 29, 33, 36, 42) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (27, 34, 38, 41, 47) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (22, 29, 33, 36, 42) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1966 Intermediate Tops · Sport weight

Briar Tank Top

A summery tank with a scoop neck. Worked in Reverse Stockinette with sport weight (#2) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	600	725	850	950	1075	1225
Skeins (approx.)	4	5	6	7	8	9



MATERIALS

- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 32 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (114, 126, 138, 150, 162) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (82 (94, 106, 118, 130, 142) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 29, 35, 40, 44) sts at the beginning of the next 2 rows, then bind off the remaining 42 (46, 48, 48, 50, 54) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (29, 34, 40, 45, 49) sts, bind off the center 32 (36, 38, 38, 40, 44) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 29, 35, 40, 44) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1967 Intermediate Tops · Sport weight

Fern Tank Top

A summery tank with a scoop neck. Worked in Checkerboard 4x4 with sport weight (#2) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	700	825	975	1100	1250	1450
Skeins (approx.)	5	6	7	8	9	10



MATERIALS


- 8 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

25 sts and 34 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (116, 132, 140, 156, 172) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 7 times (86 (94, 110, 118, 134, 150) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 21 (24, 30, 34, 40, 47) sts at the beginning of the next 2 rows, then bind off the remaining 44 (46, 50, 50, 54, 56) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 26 (29, 35, 39, 45, 52) sts, bind off the center 34 (36, 40, 40, 44, 46) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (21 (24, 30, 34, 40, 47) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1968 Intermediate Tops · Sport weight

Delta Tank Top

A summery tank with a scoop neck. Worked in Zigzag Texture with sport weight (#2) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	675	800	925	1050	1175	1325
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

25 sts and 32 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (120, 132, 144, 156, 168) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 7 times (86 (98, 110, 122, 134, 146) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 21 (26, 30, 36, 40, 45) sts at the beginning of the next 2 rows, then bind off the remaining 44 (46, 50, 50, 54, 56) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 26 (31, 35, 41, 45, 50) sts, bind off the center 34 (36, 40, 40, 44, 46) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (21 (26, 30, 36, 40, 45) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1969 Intermediate Tops · Sport weight

Sienna Tank Top

A summery tank with a scoop neck. Worked in 4-Stitch Left Cable on a Purl Ground with sport weight (#2) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	800	975	1125	1275	1450	1650
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

31 sts and 32 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (146, 164, 176, 194, 212) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 10 times (106 (118, 136, 148, 166, 184) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 26 (30, 37, 43, 50, 57) sts at the beginning of the next 2 rows, then bind off the remaining 54 (58, 62, 62, 66, 70) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 31 (35, 42, 48, 55, 62) sts, bind off the center 44 (48, 52, 52, 56, 60) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (30, 37, 43, 50, 57) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1970 Intermediate Tops · Worsted weight

Clover Tank Top

A summery tank with a scoop neck. Worked in Chevron Ripple Lace with worsted weight (#4) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	425	475	575	650	750	800
Skeins (approx.)	3	3	3	4	4	4



MATERIALS

- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (77, 88, 99, 110, 110) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 3 times (63 (63, 74, 85, 96, 96) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (16, 20, 26, 30, 29) sts at the beginning of the next 2 rows, then bind off the remaining 29 (31, 34, 33, 36, 38) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 22 (21, 25, 31, 35, 34) sts, bind off the center 19 (21, 24, 23, 26, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (16, 20, 26, 30, 29) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1971 Intermediate Tops · Sport weight

Vine Tank Top

A summery tank with a scoop neck. Worked in Basketweave 3x3 with sport weight (#2) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	675	825	950	1100	1275	1425
Skeins (approx.)	5	6	7	8	9	10



MATERIALS


- 8 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

25 sts and 34 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 141, 159, 171) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 7 times (83 (95, 107, 119, 137, 149) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 20 (24, 28, 34, 42, 46) sts at the beginning of the next 2 rows, then bind off the remaining 43 (47, 51, 51, 53, 57) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 25 (29, 33, 39, 47, 51) sts, bind off the center 33 (37, 41, 41, 43, 47) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (20 (24, 28, 34, 42, 46) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1972 Intermediate Tops · Sport weight

Kettle Tank Top

A summery tank with a scoop neck. Worked in 6-Stitch Right Cable on a Purl Ground with sport weight (#2) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	775	975	1125	1275	1450	1650
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

31 sts and 32 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 162, 178, 194, 210) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 10 times (102 (118, 134, 150, 166, 182) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 24 (30, 36, 44, 50, 56) sts at the beginning of the next 2 rows, then bind off the remaining 54 (58, 62, 62, 66, 70) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 29 (35, 41, 49, 55, 61) sts, bind off the center 44 (48, 52, 52, 56, 60) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (30, 36, 44, 50, 56) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1973 Intermediate Tops · Sport weight

Westerly Tank Top

A summery tank with a scoop neck. Worked in 1x1 Rib with sport weight (#2) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	650	800	925	1050	1175	1325
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

31 sts and 32 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 131 (147, 163, 179, 193, 209) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 10 times (103 (119, 135, 151, 165, 181) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 24 (30, 36, 44, 50, 56) sts at the beginning of the next 2 rows, then bind off the remaining 55 (59, 63, 63, 65, 69) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 29 (35, 41, 49, 55, 61) sts, bind off the center 45 (49, 53, 53, 55, 59) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (24 (30, 36, 44, 50, 56) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1974 Intermediate Tops · DK weight

Timber Tank Top

A summery tank with a scoop neck. Worked in Eyelet Rows with dk weight (#3) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	500	625	700	800	925	1025
Skeins (approx.)	3	3	4	4	5	5



MATERIALS

- 4 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 30 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 90 (100, 110, 120, 132, 142) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (72 (82, 92, 102, 114, 124) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 18 (21, 25, 30, 35, 38) sts at the beginning of the next 2 rows, then bind off the remaining 36 (40, 42, 42, 44, 48) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 23 (26, 30, 35, 40, 43) sts, bind off the center 26 (30, 32, 32, 34, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (18 (21, 25, 30, 35, 38) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1975 Intermediate Tops · Worsted weight

Willow Tank Top

A summery tank with a scoop neck. Worked in 4-Stitch Left Cable on a Purl Ground with worsted weight (#4) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	600	750	850	975	1100	1250
Skeins (approx.)	3	4	5	5	6	7



MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (78 (90, 102, 114, 126, 138) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 19 (23, 28, 34, 39, 43) sts at the beginning of the next 2 rows, then bind off the remaining 40 (44, 46, 46, 48, 52) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 24 (28, 33, 39, 44, 48) sts, bind off the center 30 (34, 36, 36, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (19 (23, 28, 34, 39, 43) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1976 Intermediate Tops · DK weight

Frost Tank Top

A summery tank with a scoop neck. Worked in 3x3 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	600	725	875	975	1125	1250
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 123 (135, 153, 165, 183, 195) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (97 (109, 127, 139, 157, 169) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (27, 34, 40, 48, 52) sts at the beginning of the next 2 rows, then bind off the remaining 51 (55, 59, 59, 61, 65) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (32, 39, 45, 53, 57) sts, bind off the center 41 (45, 49, 49, 51, 55) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (27, 34, 40, 48, 52) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1977 Intermediate Tops · DK weight

Alder Tank Top

A summery tank with a scoop neck. Worked in Reverse Stockinette with dk weight (#3) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	550	675	800	900	1025	1125
Skeins (approx.)	3	3	4	4	5	5



MATERIALS

- 4 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 30 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (104, 116, 126, 138, 148) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (74 (84, 96, 106, 118, 128) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 18 (21, 26, 31, 36, 39) sts at the beginning of the next 2 rows, then bind off the remaining 38 (42, 44, 44, 46, 50) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 23 (26, 31, 36, 41, 44) sts, bind off the center 28 (32, 34, 34, 36, 40) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (18 (21, 26, 31, 36, 39) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1978 Intermediate Tops · DK weight

Foxglove Tank Top

A summery tank with a scoop neck. Worked in Chevron Ripple Lace with dk weight (#3) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	500	600	700	800	925	1025
Skeins (approx.)	3	3	4	4	5	5



MATERIALS

- 4 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 88 (99, 110, 121, 132, 143) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 5 times (70 (81, 92, 103, 114, 125) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 17 (21, 25, 30, 35, 39) sts at the beginning of the next 2 rows, then bind off the remaining 36 (39, 42, 43, 44, 47) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 22 (26, 30, 35, 40, 44) sts, bind off the center 26 (29, 32, 33, 34, 37) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (17 (21, 25, 30, 35, 39) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1979 Intermediate Tops · DK weight

Cobble Tank Top

A summery tank with a scoop neck. Worked in 1x1 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	600	750	875	1000	1125	1250
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 123 (137, 153, 167, 181, 195) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (97 (111, 127, 141, 155, 169) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (28, 34, 42, 47, 52) sts at the beginning of the next 2 rows, then bind off the remaining 51 (55, 59, 57, 61, 65) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (33, 39, 47, 52, 57) sts, bind off the center 41 (45, 49, 47, 51, 55) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (28, 34, 42, 47, 52) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1980 Intermediate Tops · DK weight

Bronze Tank Top

A summery tank with a scoop neck. Worked in Diagonal Rib with dk weight (#3) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	625	725	875	975	1125	1225
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 30 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 3 (RS):** *K2, P2*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (112, 128, 136, 152, 160) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 6 times (84 (92, 108, 116, 132, 140) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 21 (24, 30, 34, 40, 43) sts at the beginning of the next 2 rows, then bind off the remaining 42 (44, 48, 48, 52, 54) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 26 (29, 35, 39, 45, 48) sts, bind off the center 32 (34, 38, 38, 42, 44) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (21 (24, 30, 34, 40, 43) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1981 Intermediate Tops · Worsted weight

Prairie Tank Top

A summery tank with a scoop neck. Worked in Zigzag Texture with worsted weight (#4) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	475	600	700	775	900	975
Skeins (approx.)	3	3	4	4	5	5



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 24 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 78 (90, 102, 108, 120, 126) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 4 times (62 (74, 86, 92, 104, 110) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 14 (19, 24, 27, 32, 34) sts at the beginning of the next 2 rows, then bind off the remaining 34 (36, 38, 38, 40, 42) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 19 (24, 29, 32, 37, 39) sts, bind off the center 24 (26, 28, 28, 30, 32) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (14 (19, 24, 27, 32, 34) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1982 Advanced Tops · DK weight

Horizon Tank Top

A summery tank with a scoop neck. Worked in Twin Cables with dk weight (#3) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	800	950	1175	1325	1475	1625
Skeins (approx.)	4	5	6	6	7	8



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 122 (134, 158, 170, 182, 194) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 9 times (96 (108, 132, 144, 156, 168) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (27, 37, 43, 47, 51) sts at the beginning of the next 2 rows, then bind off the remaining 50 (54, 58, 58, 62, 66) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (32, 42, 48, 52, 56) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (27, 37, 43, 47, 51) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1983 Intermediate Tops · Sport weight

Valley Tank Top

A summery tank with a scoop neck. Worked in 4-Stitch Cable, Wide Purl Ground with sport weight (#2) yarn. A rope cable with more room around it.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	775	1000	1125	1275	1450	1600
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

31 sts and 32 rows = 4 in (10 cm) in 4-Stitch Cable, Wide Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE, WIDE PURL GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P3, *K4, P3*; rep from * to end. **Row 2 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 3 (RS): P3, *K4, P3*; rep from * to end. **Row 4 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 5 (RS): P3, *K4, P3*; rep from * to end. **Row 6 (WS):** *K3, P4*; rep from * to last 3 sts, K3.
Row 7 (RS): P3, *C4F, P3*; rep from * to end. **Row 8 (WS):** *K3, P4*; rep from * to last 3 sts, K3.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (150, 164, 178, 192, 206) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 10 times (101 (122, 136, 150, 164, 178) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (32, 37, 44, 49, 54) sts at the beginning of the next 2 rows, then bind off the remaining 55 (58, 62, 62, 66, 70) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (37, 42, 49, 54, 59) sts, bind off the center 45 (48, 52, 52, 56, 60) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (32, 37, 44, 49, 54) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1984 Intermediate Tops · Sport weight

Thistle Tank Top

A summery tank with a scoop neck. Worked in 6-Stitch Cable on a Seeded Ground with sport weight (#2) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	34	38	42	46	50	54
Body length	20	22	23	24	25	26
Armhole depth	7	7.5	8	8.5	9	9.5
Yarn needed (yd)	775	975	1150	1250	1450	1650
Skeins (approx.)	6	7	8	9	10	11



MATERIALS


- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

31 sts and 32 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (147, 165, 174, 192, 210) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set until the piece measures 13 in (14.5 in, 15 in, 15.5 in, 16 in, 16.5 in), ending after a WS row.
3. Armholes: Bind off 4 sts at the beginning of the next 2 rows. Then decrease 1 st at each end of every RS row 10 times (101 (119, 137, 146, 164, 182) sts remain).
4. Work even until the armholes measure 7 in (7.5 in, 8 in, 8.5 in, 9 in, 9.5 in), ending after a WS row.
5. Shoulders and neck: Bind off 23 (30, 38, 42, 49, 56) sts at the beginning of the next 2 rows, then bind off the remaining 55 (59, 61, 62, 66, 70) center sts.

Front


1. Work as for the back until the armholes measure 2 in (2.5 in, 3 in, 3.5 in, 4 in, 4.5 in).
2. Neck: Work 28 (35, 43, 47, 54, 61) sts, bind off the center 45 (49, 51, 52, 56, 60) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (23 (30, 38, 42, 49, 56) sts each shoulder). Work even until the armholes match the back, then bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit around the neck and armholes, work 1 in of 1x1 rib in the round (or 5 rows of garter if worked flat) and bind off loosely in rib. Sew the side seams. Weave in the ends and block.

KB-1985 Intermediate Tops · Worsted weight

Honey Crop Top

A short, boxy top with short sleeves. Worked in 1x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	575	675	775	875	1000
Skeins (approx.)	3	3	4	4	5	5



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 103 (115, 127, 137, 149, 161) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (37, 42, 47, 52, 56) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 45, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 38 (42, 47, 52, 57, 61) sts, bind off the center 27 (31, 33, 33, 35, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (37, 42, 47, 52, 56) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 91 (99, 103, 103, 107, 115) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1986 **Advanced** Tops · DK weight

Wisp Crop Top

A short, boxy top with short sleeves. Worked in Mirrored Cables with dk weight (#3) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	950	1100	1250	1475	1650
Skeins (approx.)	4	5	5	6	7	8



MATERIALS


- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (146, 158, 170, 194, 206) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 43 (48, 52, 58, 68, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 48 (53, 57, 63, 73, 77) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (43 (48, 52, 58, 68, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 120 (124, 132, 132, 140, 148) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1987 Advanced Tops · Worsted weight

Amber Crop Top

A short, boxy top with short sleeves. Worked in Mirrored Cables with worsted weight (#4) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	750	875	1000	1150	1300
Skeins (approx.)	4	4	5	5	6	7



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 39, 45, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 35 (40, 44, 50, 55, 60) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (35, 39, 45, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 93 (97, 105, 105, 109, 113) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1988 Intermediate Tops · DK weight

Tundra Crop Top

A short, boxy top with short sleeves. Worked in 4-Stitch Left Cable on a Purl Ground with dk weight (#3) yarn. Classic rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	750	900	1025	1200	1350	1550
Skeins (approx.)	4	4	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 128 (146, 158, 176, 188, 206) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 40 (48, 52, 61, 65, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 45 (53, 57, 66, 70, 77) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (40 (48, 52, 61, 65, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 120 (124, 132, 132, 140, 148) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1989 Intermediate Tops · DK weight

Crimson Crop Top

A short, boxy top with short sleeves. Worked in 4-Stitch Right Cable on a Purl Ground with dk weight (#3) yarn. The cable crosses to the back, so it leans the other way.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	750	900	1025	1200	1350	1550
Skeins (approx.)	4	4	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 4-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 6 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2*; rep from * to end. **Row 8 (WS):** *K2, P4*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 128 (146, 158, 176, 188, 206) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 40 (48, 52, 61, 65, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 45 (53, 57, 66, 70, 77) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (40 (48, 52, 61, 65, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 120 (124, 132, 132, 140, 148) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1990 Intermediate Tops · DK weight

Umber Crop Top

A short, boxy top with short sleeves. Worked in 3x3 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	600	725	850	950	1100	1225
Skeins (approx.)	3	4	4	5	5	6



chest 44 in (finished)

MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (147, 159, 171, 189, 201) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 52, 58, 66, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 55, 55, 57, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 46 (53, 57, 63, 71, 75) sts, bind off the center 37 (41, 45, 45, 47, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (41 (48, 52, 58, 66, 70) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 118 (126, 134, 134, 138, 146) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1991 Intermediate Tops · Worsted weight

Slate Crop Top

A short, boxy top with short sleeves. Worked in Basketweave 5x5 with worsted weight (#4) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	600	700	825	925	1050
Skeins (approx.)	3	3	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 85 (95, 105, 115, 125, 135) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 10 plus 5) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (31, 35, 40, 44, 47) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 37, 41) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 32 (36, 40, 45, 49, 52) sts, bind off the center 21 (23, 25, 25, 27, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (31, 35, 40, 44, 47) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 80 (84, 88, 88, 92, 100) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1992 Intermediate Tops · Sport weight

Sienna Crop Top

A short, boxy top with short sleeves. Worked in 4-Stitch Cable on a Seeded Ground with sport weight (#2) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	950	1100	1250	1425	1650
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

31 sts and 32 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 143 (157, 171, 185, 199, 220) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 46 (51, 56, 63, 68, 77) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 51 (55, 59, 59, 63, 66) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 51 (56, 61, 68, 73, 82) sts, bind off the center 41 (45, 49, 49, 53, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (46 (51, 56, 63, 68, 77) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 55 (59, 63, 67, 71, 75) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (125, 133, 141, 147, 155) sts (31 (33, 35, 37, 38, 40) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 128 (136, 144, 144, 152, 158) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1993 Intermediate Tops · Worsted weight

Iris Crop Top

A short, boxy top with short sleeves. Worked in Checkerboard 4x4 with worsted weight (#4) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	600	725	825	925	1025
Skeins (approx.)	3	3	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 84 (92, 108, 116, 124, 132) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (29, 36, 40, 43, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 30 (34, 36, 36, 38, 40) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 32 (34, 41, 45, 48, 51) sts, bind off the center 20 (24, 26, 26, 28, 30) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (29, 36, 40, 43, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 78 (86, 90, 90, 94, 98) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1994 Intermediate Tops · Worsted weight

Kettle Crop Top

A short, boxy top with short sleeves. Worked in Broken Rib with worsted weight (#4) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	475	550	650	725	825	950
Skeins (approx.)	3	3	4	4	5	5



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 85 (95, 105, 113, 123, 133) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 27 (31, 35, 39, 42, 46) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 39, 41) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 32 (36, 40, 44, 47, 51) sts, bind off the center 21 (23, 25, 25, 29, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (27 (31, 35, 39, 42, 46) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 80 (84, 88, 88, 96, 100) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1995 Intermediate Tops · Worsted weight

Mist Crop Top

A short, boxy top with short sleeves. Worked in 4-Stitch Cable on a Seeded Ground with worsted weight (#4) yarn. Rope cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	600	725	850	950	1075	1250
Skeins (approx.)	3	4	5	5	6	7



MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 4-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 4-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 7 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K4, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *C4F, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P4*; rep from * to last 3 sts, K1, P1, K1.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 101 (115, 129, 136, 150, 164) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 7 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 43, 46, 52, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 37 (42, 48, 51, 57, 63) sts, bind off the center 27 (31, 33, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 43, 46, 52, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 91 (99, 103, 105, 109, 113) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-


shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1996 **Advanced** Tops · Sport weight

Poppy Crop Top

A short, boxy top with short sleeves. Worked in Twin Cables with sport weight (#2) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	1025	1175	1325	1575	1750
Skeins (approx.)	6	7	8	9	11	12



MATERIALS


- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

31 sts and 32 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (158, 170, 182, 206, 218) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 42 (52, 56, 62, 72, 76) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 50 (54, 58, 58, 62, 66) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 47 (57, 61, 67, 77, 81) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (42 (52, 56, 62, 72, 76) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 55 (59, 63, 67, 71, 75) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (125, 133, 141, 147, 155) sts (31 (33, 35, 37, 38, 40) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 126 (134, 142, 142, 150, 158) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1997 Intermediate Tops · DK weight

Violet Crop Top

A short, boxy top with short sleeves. Worked in Ladder Lace with dk weight (#3) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	600	700	800	900	1025
Skeins (approx.)	3	3	4	4	4	5



chest 44 in (finished)

MATERIALS

- 4 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

21 sts and 30 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (106, 116, 126, 136, 146) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 38, 43, 47, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 35 (40, 43, 48, 52, 56) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (35, 38, 43, 47, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 92 (96, 104, 104, 108, 112) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1998 Intermediate Tops · Sport weight

Rowan Crop Top

A short, boxy top with short sleeves. Worked in Chevron Ripple with Purl Rows with sport weight (#2) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	625	775	875	1000	1100
Skeins (approx.)	4	5	6	6	7	8



chest 44 in (finished)

MATERIALS

- 6 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 32 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 132, 143, 154, 165) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 31 (35, 44, 50, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (40, 44, 43, 46, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 36 (40, 49, 55, 59, 63) sts, bind off the center 27 (30, 34, 33, 36, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (31 (35, 44, 50, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 100 (106, 114, 112, 118, 124) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-1999 Intermediate Tops · DK weight

Walnut Crop Top

A short, boxy top with short sleeves. Worked in Horizontal Ridges with dk weight (#3) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	675	800	925	1050	1200	1350
Skeins (approx.)	3	4	5	5	6	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 36 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 40, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (38, 41, 42, 43, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 37 (41, 45, 50, 55, 59) sts, bind off the center 25 (28, 31, 32, 33, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (36, 40, 45, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 100 (106, 112, 114, 116, 122) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2000 Intermediate Tops · Sport weight

Lark Crop Top

A short, boxy top with short sleeves. Worked in Basketweave 4x4 with sport weight (#2) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	725	825	975	1075	1250	1400
Skeins (approx.)	5	6	7	8	9	10



MATERIALS


- 8 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

25 sts and 34 rows = 4 in (10 cm) in Basketweave 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 8-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** P4, *K4, P4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 116 (124, 140, 148, 164, 172) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 38 (40, 47, 51, 57, 59) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 40 (44, 46, 46, 50, 54) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 43 (45, 52, 56, 62, 64) sts, bind off the center 30 (34, 36, 36, 40, 44) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (38 (40, 47, 51, 57, 59) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 45 (47, 51, 53, 57, 59) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 95 (101, 107, 113, 119, 125) sts (25 (27, 28, 30, 31, 33) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 108 (116, 120, 120, 128, 136) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2001 Intermediate Tops · Sport weight

Dusk Crop Top

A short, boxy top with short sleeves. Worked in Garter Stitch with sport weight (#2) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1150	1350	1575	1825	2075	2325
Skeins (approx.)	8	9	11	13	14	16



chest 44 in (finished)

MATERIALS

- 13 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 54 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (120, 132, 144, 156, 168) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (39, 44, 50, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 40 (42, 44, 44, 48, 52) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 39 (44, 49, 55, 59, 63) sts, bind off the center 30 (32, 34, 34, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (39, 44, 50, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 43 (45, 49, 51, 55, 57) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 91 (97, 103, 109, 115, 121) sts (24 (26, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 131 (135, 139, 139, 147, 155) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2002 **Intermediate** Tops · Sport weight

Nook Crop Top

A short, boxy top with short sleeves. Worked in Double Seed Stitch with sport weight (#2) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	675	800	925	1050	1200	1350
Skeins (approx.)	5	6	7	7	8	9



MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 34 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 109 (121, 133, 145, 157, 169) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (40, 44, 50, 54, 59) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 39 (41, 45, 45, 49, 51) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 40 (45, 49, 55, 59, 64) sts, bind off the center 29 (31, 35, 35, 39, 41) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (40, 44, 50, 54, 59) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 43 (45, 49, 51, 55, 57) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 91 (97, 103, 109, 115, 121) sts (24 (26, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (110, 118, 118, 126, 130) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2003 Intermediate Tops · Sport weight

Fable Crop Top

A short, boxy top with short sleeves. Worked in 6-Stitch Right Cable on a Purl Ground with sport weight (#2) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1100	1275	1450	1625
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

31 sts and 32 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 138 (154, 170, 186, 202, 218) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 44 (50, 56, 64, 70, 76) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 50 (54, 58, 58, 62, 66) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 49 (55, 61, 69, 75, 81) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (44 (50, 56, 64, 70, 76) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 55 (59, 63, 67, 71, 75) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (125, 133, 141, 147, 155) sts (31 (33, 35, 37, 38, 40) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 126 (134, 142, 142, 150, 158) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2004 Intermediate Tops · Worsted weight

Clover Crop Top

A short, boxy top with short sleeves. Worked in Garter Stitch with worsted weight (#4) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	875	1025	1200	1375	1575	1775
Skeins (approx.)	5	6	6	7	8	9



chest 44 in (finished)

MATERIALS

- 7 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 41 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (32, 33, 34, 37, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 31 (34, 38, 42, 45, 49) sts, bind off the center 19 (22, 23, 24, 27, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (29, 33, 37, 40, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 94 (100, 102, 104, 110, 112) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2005 Advanced Tops · Worsted weight

Frost Crop Top

A short, boxy top with short sleeves. Worked in Twin Cables with worsted weight (#4) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	750	875	1000	1150	1300
Skeins (approx.)	4	4	5	5	6	7



chest 44 in (finished)

MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 98 (110, 122, 134, 146, 158) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 39, 45, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 35 (40, 44, 50, 55, 60) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (35, 39, 45, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 93 (97, 105, 105, 109, 113) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2006 Intermediate Tops · Sport weight

Velvet Crop Top

A short, boxy top with short sleeves. Worked in Chevron Ripple Lace with sport weight (#2) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	625	775	875	1000	1100
Skeins (approx.)	4	5	6	6	7	8



chest 44 in (finished)

MATERIALS

- 6 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 32 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 132, 143, 154, 165) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 31 (35, 44, 50, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (40, 44, 43, 46, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 36 (40, 49, 55, 59, 63) sts, bind off the center 27 (30, 34, 33, 36, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (31 (35, 44, 50, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 100 (106, 114, 112, 118, 124) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2007 Intermediate Tops · Worsted weight

Marsh Crop Top

A short, boxy top with short sleeves. Worked in Chevron Ripple Lace with worsted weight (#4) yarn. Soft zigzag ripples made with paired decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	425	500	525	625	725	825
Skeins (approx.)	3	3	3	4	4	5



chest 44 in (finished)

MATERIALS

- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Chevron Ripple Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE LACE (A MULTIPLE OF 11 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (88, 88, 99, 110, 121) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (29, 28, 34, 38, 42) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (30, 32, 31, 34, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 30 (34, 33, 39, 43, 47) sts, bind off the center 17 (20, 22, 21, 24, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (29, 28, 34, 38, 42) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 71 (77, 81, 79, 85, 91) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2008 **Intermediate** Tops · DK weight

Quartz Crop Top

A short, boxy top with short sleeves. Worked in Eyelet Rows with dk weight (#3) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	600	700	800	900	1025
Skeins (approx.)	3	3	4	4	4	5



chest 44 in (finished)

MATERIALS

- 4 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

21 sts and 30 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 94 (106, 116, 126, 136, 146) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 30 (35, 38, 43, 47, 51) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 34 (36, 40, 40, 42, 44) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 35 (40, 43, 48, 52, 56) sts, bind off the center 24 (26, 30, 30, 32, 34) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (30 (35, 38, 43, 47, 51) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 37 (39, 43, 45, 47, 51) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 79 (85, 89, 95, 101, 105) sts (21 (23, 23, 25, 27, 27) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 92 (96, 104, 104, 108, 112) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2009 Intermediate Tops · Sport weight

Jewel Crop Top

A short, boxy top with short sleeves. Worked in Zigzag Texture with sport weight (#2) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	675	775	900	1025	1175	1325
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

25 sts and 32 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 114 (126, 138, 150, 162, 174) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 6) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 37 (41, 46, 52, 56, 60) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 40 (44, 46, 46, 50, 54) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 42 (46, 51, 57, 61, 65) sts, bind off the center 30 (34, 36, 36, 40, 44) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (37 (41, 46, 52, 56, 60) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 45 (47, 51, 53, 57, 59) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 95 (101, 107, 113, 119, 125) sts (25 (27, 28, 30, 31, 33) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (114, 118, 118, 126, 134) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2010 Intermediate Tops · DK weight

Sage Crop Top

A short, boxy top with short sleeves. Worked in 3x2 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	725	850	975	1100	1250
Skeins (approx.)	3	4	4	5	5	6



chest 44 in (finished)

MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 133 (143, 158, 173, 188, 203) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 5 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 43 (46, 52, 59, 65, 71) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 54, 55, 58, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 48 (51, 57, 64, 70, 76) sts, bind off the center 37 (41, 44, 45, 48, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (43 (46, 52, 59, 65, 71) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 118 (126, 132, 134, 140, 146) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2011 Intermediate Tops · Sport weight

Willow Crop Top

A short, boxy top with short sleeves. Worked in 2x2 Rib with sport weight (#2) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	650	775	900	1025	1175	1325
Skeins (approx.)	5	6	6	7	8	9



chest 44 in (finished)

MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

31 sts and 32 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 138 (154, 170, 186, 202, 218) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 44 (50, 56, 64, 70, 76) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 50 (54, 58, 58, 62, 66) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 49 (55, 61, 69, 75, 81) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (44 (50, 56, 64, 70, 76) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 55 (59, 63, 67, 71, 75) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (125, 133, 141, 147, 155) sts (31 (33, 35, 37, 38, 40) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 126 (134, 142, 142, 150, 158) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2012 Intermediate Tops · DK weight

Fawn Crop Top

A short, boxy top with short sleeves. Worked in 6-Stitch Right Cable on a Purl Ground with dk weight (#3) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	750	900	1050	1200	1325	1525
Skeins (approx.)	4	4	5	6	6	7



MATERIALS

- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 162, 178, 186, 202) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 54, 62, 64, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 46 (53, 59, 67, 69, 75) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (41 (48, 54, 62, 64, 70) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 120 (124, 132, 132, 140, 148) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2013 Intermediate Tops · Sport weight

Oasis Crop Top

A short, boxy top with short sleeves. Worked in Reverse Stockinette with sport weight (#2) yarn. Purl on the right side, knit on the wrong side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	600	700	825	950	1075	1200
Skeins (approx.)	4	5	6	7	8	8



chest 44 in (finished)

MATERIALS

- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 32 rows = 4 in (10 cm) in Reverse Stockinette, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: REVERSE STOCKINETTE (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Purl all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (120, 132, 144, 156, 168) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (39, 44, 50, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 40 (42, 44, 44, 48, 52) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 39 (44, 49, 55, 59, 63) sts, bind off the center 30 (32, 34, 34, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (39, 44, 50, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 43 (45, 49, 51, 55, 57) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 91 (97, 103, 109, 115, 121) sts (24 (26, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (110, 114, 114, 122, 130) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2014 Intermediate Tops · DK weight

Oatmeal Crop Top

A short, boxy top with short sleeves. Worked in Diagonal Rib with dk weight (#3) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	725	850	975	1100	1250
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 30 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 3 (RS):** *K2, P2*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (120, 132, 144, 156, 168) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 4) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (39, 44, 50, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 40 (42, 44, 44, 48, 52) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 39 (44, 49, 55, 59, 63) sts, bind off the center 30 (32, 34, 34, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (39, 44, 50, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 43 (45, 49, 51, 55, 57) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 91 (97, 103, 109, 115, 121) sts (24 (26, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 104 (108, 112, 112, 120, 128) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2015 Intermediate Tops · Worsted weight

Rain Crop Top

A short, boxy top with short sleeves. Worked in Chevron Ripple with Purl Rows with worsted weight (#4) yarn. Ripples separated by garter ridges.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	425	500	525	625	725	825
Skeins (approx.)	3	3	3	4	4	5



MATERIALS

- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Chevron Ripple with Purl Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHEVRON RIPPLE WITH PURL ROWS (A MULTIPLE OF 11 STITCHES; 8-ROW REPEAT)

Row 1 (RS): *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** *k2tog x2, yo, K1, yo, K1, yo, K1, yo, ssk x2*; rep from * to end. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Purl all sts. **Row 8 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 77 (88, 88, 99, 110, 121) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 11) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 25 (29, 28, 34, 38, 42) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 27 (30, 32, 31, 34, 37) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 30 (34, 33, 39, 43, 47) sts, bind off the center 17 (20, 22, 21, 24, 27) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (25 (29, 28, 34, 38, 42) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 71 (77, 81, 79, 85, 91) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2016 Intermediate Tops · Sport weight

Timber Crop Top

A short, boxy top with short sleeves. Worked in Diagonal Rib with sport weight (#2) yarn. Ribs that slant across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	650	775	900	1025	1175	1350
Skeins (approx.)	5	6	6	7	8	9



chest 44 in (finished)

MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

26 sts and 32 rows = 4 in (10 cm) in Diagonal Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DIAGONAL RIB (A MULTIPLE OF 4 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *P2, K2*; rep from * to end. **Row 2 (WS):** *K1, P2, K1*; rep from * to end. **Row 3 (RS):** *K2, P2*; rep from * to end. **Row 4 (WS):** *P1, K2, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 116 (128, 144, 156, 168, 184) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 4) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 37 (41, 48, 54, 58, 64) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 42 (46, 48, 48, 52, 56) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 42 (46, 53, 59, 63, 69) sts, bind off the center 32 (36, 38, 38, 42, 46) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (37 (41, 48, 54, 58, 64) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 47 (49, 53, 55, 59, 63) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 99 (105, 111, 117, 125, 131) sts (26 (28, 29, 31, 33, 34) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 110 (118, 122, 122, 130, 138) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2017 Intermediate Tops · DK weight

Mulberry Crop Top

A short, boxy top with short sleeves. Worked in Stockinette Stitch with dk weight (#3) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	575	650	775	875	1000	1125
Skeins (approx.)	3	3	4	4	5	5



chest 44 in (finished)

MATERIALS

- 4 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 30 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 40, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (38, 41, 42, 43, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 37 (41, 45, 50, 55, 59) sts, bind off the center 25 (28, 31, 32, 33, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (36, 40, 45, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 94 (100, 106, 108, 110, 116) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2018 Intermediate Tops · Sport weight

Mocha Crop Top

A short, boxy top with short sleeves. Worked in 6-Stitch Cable on a Seeded Ground with sport weight (#2) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1125	1250	1450	1650
Skeins (approx.)	6	7	8	9	10	11



chest 44 in (finished)

MATERIALS


- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

31 sts and 32 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 138 (156, 174, 183, 201, 219) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 9 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 44 (51, 58, 62, 70, 77) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 50 (54, 58, 59, 61, 65) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 49 (56, 63, 67, 75, 82) sts, bind off the center 40 (44, 48, 49, 51, 55) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (44 (51, 58, 62, 70, 77) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 55 (59, 63, 67, 71, 75) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (125, 133, 141, 147, 155) sts (31 (33, 35, 37, 38, 40) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 126 (134, 142, 144, 148, 156) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2019 Intermediate Tops · DK weight

Sparrow Crop Top

A short, boxy top with short sleeves. Worked in 1x1 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	725	850	975	1100	1250
Skeins (approx.)	3	4	4	5	5	6



chest 44 in (finished)

MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 1x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 1X1 RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 131 (145, 159, 173, 189, 203) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 42 (47, 52, 59, 66, 71) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 55, 55, 57, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 47 (52, 57, 64, 71, 76) sts, bind off the center 37 (41, 45, 45, 47, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (42 (47, 52, 59, 66, 71) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 118 (126, 134, 134, 138, 146) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2020 Intermediate Tops · Worsted weight

Ginger Crop Top

A short, boxy top with short sleeves. Worked in 3x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	575	675	775	875	1000
Skeins (approx.)	3	3	4	4	5	5



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 103 (113, 128, 138, 148, 163) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 5 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (36, 42, 47, 51, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 44, 44, 46, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 38 (41, 47, 52, 56, 62) sts, bind off the center 27 (31, 34, 34, 36, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (36, 42, 47, 51, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 91 (99, 105, 105, 109, 115) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2021 Intermediate Tops · Worsted weight

Kestrel Crop Top

A short, boxy top with short sleeves. Worked in Checkerboard 3x3 with worsted weight (#4) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	525	600	700	800	925	1050
Skeins (approx.)	3	3	4	4	5	6



chest 44 in (finished)

MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

19 sts and 25 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 87 (93, 105, 111, 123, 135) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 28 (30, 35, 38, 42, 47) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 31 (33, 35, 35, 39, 41) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 33 (35, 40, 43, 47, 52) sts, bind off the center 21 (23, 25, 25, 29, 31) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (28 (30, 35, 38, 42, 47) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (37, 39, 41, 43, 45) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 71 (77, 81, 87, 91, 95) sts (19 (20, 21, 23, 24, 25) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 80 (84, 88, 88, 96, 100) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2022 Intermediate Tops · DK weight

Jetty Crop Top

A short, boxy top with short sleeves. Worked in Garter Stitch with dk weight (#3) yarn. Knit every row. Lies flat and is reversible.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	1100	1275	1500	1725	1950	2200
Skeins (approx.)	5	6	7	8	9	10



MATERIALS

- 8 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

22 sts and 51 rows = 4 in (10 cm) in Garter Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: GARTER STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 99 (110, 121, 132, 143, 154) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (36, 40, 45, 50, 54) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 35 (38, 41, 42, 43, 46) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 37 (41, 45, 50, 55, 59) sts, bind off the center 25 (28, 31, 32, 33, 36) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (36, 40, 45, 50, 54) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 39 (41, 45, 47, 51, 53) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 83 (89, 95, 99, 105, 111) sts (22 (24, 25, 26, 27, 29) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 117 (123, 129, 131, 133, 139) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2023 Intermediate Tops · Sport weight

Kindle Crop Top

A short, boxy top with short sleeves. Worked in Checkerboard 3x3 with sport weight (#2) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	700	800	950	1075	1275	1425
Skeins (approx.)	5	6	7	8	9	10



chest 44 in (finished)

MATERIALS


- 8 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

25 sts and 34 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 111 (123, 135, 147, 165, 177) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (40, 44, 50, 58, 62) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 41 (43, 47, 47, 49, 53) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 40 (45, 49, 55, 63, 67) sts, bind off the center 31 (33, 37, 37, 39, 43) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (40, 44, 50, 58, 62) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 45 (47, 51, 53, 57, 59) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 95 (101, 107, 113, 119, 125) sts (25 (27, 28, 30, 31, 33) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 110 (114, 122, 122, 126, 134) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2024 Intermediate Tops · DK weight

Horizon Crop Top

A short, boxy top with short sleeves. Worked in Basketweave 5x5 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	675	775	900	1025	1150	1350
Skeins (approx.)	3	4	4	5	5	6



chest 44 in (finished)

MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 5x5, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 5X5 (A MULTIPLE OF 10 STITCHES PLUS 5; 10-ROW REPEAT)

Row 1 (RS): K5, *P5, K5*; rep from * to end. **Row 2 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 3 (RS):** K5, *P5, K5*; rep from * to end. **Row 4 (WS):** *P5, K5*; rep from * to last 5 sts, P5. **Row 5 (RS):** K5, *P5, K5*; rep from * to end. **Row 6 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 7 (RS):** P5, *K5, P5*; rep from * to end. **Row 8 (WS):** *K5, P5*; rep from * to last 5 sts, K5. **Row 9 (RS):** P5, *K5, P5*; rep from * to end. **Row 10 (WS):** *K5, P5*; rep from * to last 5 sts, K5.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (115, 125, 135, 145, 165) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 10 plus 5) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (37, 41, 46, 50, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 45, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 39 (42, 46, 51, 55, 63) sts, bind off the center 27 (31, 33, 33, 35, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (37, 41, 46, 50, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 100 (108, 112, 112, 116, 124) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2025 Intermediate Tops · DK weight

Bramble Crop Top

A short, boxy top with short sleeves. Worked in Zigzag Texture with dk weight (#3) yarn. Knit and purl diagonals that zigzag across the fabric.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	600	725	850	975	1100	1250
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 30 rows = 4 in (10 cm) in Zigzag Texture, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: ZIGZAG TEXTURE (A MULTIPLE OF 6 STITCHES; 6-ROW REPEAT)

Row 1 (RS): *P3, K3*; rep from * to end. **Row 2 (WS):** *K1, P3, K2*; rep from * to end. **Row 3 (RS):** *P1, K3, P2*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to end. **Row 5 (RS):** *K2, P3, K1*; rep from * to end. **Row 6 (WS):** *P2, K3, P1*; rep from * to end.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (114, 126, 138, 150, 162) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 47, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 52, 57, 62) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 47, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 100 (104, 112, 112, 116, 120) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2026 Intermediate Tops · Worsted weight

Saffron Crop Top

A short, boxy top with short sleeves. Worked in Feather and Fan with worsted weight (#4) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	400	500	550	675	725	850
Skeins (approx.)	2	3	3	4	4	5



chest 44 in (finished)

MATERIALS

- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

17 sts and 24 rows = 4 in (10 cm) in Feather and Fan, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 72 (90, 90, 108, 108, 126) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 18) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 22 (30, 29, 38, 37, 45) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 28 (30, 32, 32, 34, 36) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 27 (35, 34, 43, 42, 50) sts, bind off the center 18 (20, 22, 22, 24, 26) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (22 (30, 29, 38, 37, 45) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 31 (33, 35, 37, 39, 41) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 65 (69, 73, 77, 81, 85) sts (17 (18, 19, 20, 21, 22) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 73 (77, 81, 81, 85, 89) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2027 Intermediate Tops · Worsted weight

Heather Crop Top

A short, boxy top with short sleeves. Worked in Horizontal Ridges with worsted weight (#4) yarn. Stockinette with a garter ridge every eighth row.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	550	650	750	850	975	1100
Skeins (approx.)	3	4	4	5	5	6



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 29 rows = 4 in (10 cm) in Horizontal Ridges, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: HORIZONTAL RIDGES (A MULTIPLE OF 1 STITCHES; 8-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts. **Row 5 (RS):** Knit all sts. **Row 6 (WS):** Purl all sts. **Row 7 (RS):** Knit all sts. **Row 8 (WS):** Knit all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (32, 33, 34, 37, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 31 (34, 38, 42, 45, 49) sts, bind off the center 19 (22, 23, 24, 27, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (29, 33, 37, 40, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 81 (87, 89, 91, 97, 99) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2028 Intermediate Tops · Worsted weight

Jade Crop Top

A short, boxy top with short sleeves. Worked in 3x3 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	600	700	775	875	1000
Skeins (approx.)	3	3	4	4	5	5



chest 44 in (finished)

MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 3x3 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X3 RIB (A MULTIPLE OF 6 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (38, 43, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 39 (43, 48, 51, 55, 60) sts, bind off the center 27 (31, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (38, 43, 46, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 91 (99, 103, 103, 111, 115) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2029 **Advanced** Tops · DK weight

Lagoon Crop Top

A short, boxy top with short sleeves. Worked in Twin Cables with dk weight (#3) yarn. Two 4-stitch cables that cross to the front, side by side.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	950	1100	1250	1475	1650
Skeins (approx.)	4	5	5	6	7	8



MATERIALS


- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in Twin Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: TWIN CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4F, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (146, 158, 170, 194, 206) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 43 (48, 52, 58, 68, 72) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 48 (53, 57, 63, 73, 77) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (43 (48, 52, 58, 68, 72) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 120 (124, 132, 132, 140, 148) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2030 Intermediate Tops · Worsted weight

Vista Crop Top

A short, boxy top with short sleeves. Worked in 6-Stitch Right Cable on a Purl Ground with worsted weight (#4) yarn. A broad cable crossing to the back.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	700	850	950	1075	1225
Skeins (approx.)	4	4	5	5	6	7



MATERIALS

- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 24 rows = 4 in (10 cm) in 6-Stitch Right Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH RIGHT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6B, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 106 (114, 130, 138, 146, 162) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (37, 43, 47, 50, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 39 (42, 48, 52, 55, 62) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (37, 43, 47, 50, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 93 (97, 105, 105, 109, 113) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2031 Intermediate Tops · Sport weight

Thistle Crop Top

A short, boxy top with short sleeves. Worked in 6-Stitch Left Cable on a Purl Ground with sport weight (#2) yarn. A broad rope cable framed by purl stitches.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	800	950	1100	1275	1450	1625
Skeins (approx.)	6	7	8	9	10	11



MATERIALS

- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

31 sts and 32 rows = 4 in (10 cm) in 6-Stitch Left Cable on a Purl Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH LEFT CABLE ON A PURL GROUND (A MULTIPLE OF 8 STITCHES PLUS 2; 10-ROW REPEAT)

Row 1 (RS): P2, *K6, P2*; rep from * to end. **Row 2 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K6, P2*; rep from * to end. **Row 4 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K6, P2*; rep from * to end. **Row 6 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *K6, P2*; rep from * to end. **Row 8 (WS):** *K2, P6*; rep from * to last 2 sts, K2. **Row 9 (RS):** P2, *C6F, P2*; rep from * to end. **Row 10 (WS):** *K2, P6*; rep from * to last 2 sts, K2.

C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 138 (154, 170, 186, 202, 218) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 44 (50, 56, 64, 70, 76) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 50 (54, 58, 58, 62, 66) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 49 (55, 61, 69, 75, 81) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (44 (50, 56, 64, 70, 76) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 55 (59, 63, 67, 71, 75) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (125, 133, 141, 147, 155) sts (31 (33, 35, 37, 38, 40) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 126 (134, 142, 142, 150, 158) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2032 Intermediate Tops · Sport weight

Copper Crop Top

A short, boxy top with short sleeves. Worked in Broken Rib with sport weight (#2) yarn. Soft ridges, less stretchy than ribbing.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	650	750	875	1000	1150	1275
Skeins (approx.)	5	5	6	7	8	9



chest 44 in (finished)

MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

25 sts and 34 rows = 4 in (10 cm) in Broken Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BROKEN RIB (A MULTIPLE OF 2 STITCHES PLUS 1; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 113 (125, 137, 149, 163, 175) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 36 (41, 45, 51, 56, 61) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 41 (43, 47, 47, 51, 53) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 41 (46, 50, 56, 61, 66) sts, bind off the center 31 (33, 37, 37, 41, 43) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (36 (41, 45, 51, 56, 61) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 45 (47, 51, 53, 57, 59) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 95 (101, 107, 113, 119, 125) sts (25 (27, 28, 30, 31, 33) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 110 (114, 122, 122, 130, 134) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2033 Intermediate Tops · DK weight

Acorn Crop Top

A short, boxy top with short sleeves. Worked in Checkerboard 4x4 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	650	775	875	1050	1175	1350
Skeins (approx.)	3	4	4	5	6	6



chest 44 in (finished)

MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 4x4, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 4X4 (A MULTIPLE OF 8 STITCHES PLUS 4; 10-ROW REPEAT)

Row 1 (RS): K4, *P4, K4*; rep from * to end. **Row 2 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 3 (RS):** K4, *P4, K4*; rep from * to end. **Row 4 (WS):** *P4, K4*; rep from * to last 4 sts, P4. **Row 5 (RS):** K4, *P4, K4*; rep from * to end. **Row 6 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 7 (RS):** P4, *K4, P4*; rep from * to end. **Row 8 (WS):** *K4, P4*; rep from * to last 4 sts, K4. **Row 9 (RS):** P4, *K4, P4*; rep from * to end. **Row 10 (WS):** *K4, P4*; rep from * to last 4 sts, K4.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 100 (116, 124, 140, 148, 164) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 8 plus 4) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 31 (38, 40, 48, 51, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 36 (43, 45, 53, 56, 63) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (31 (38, 40, 48, 51, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 102 (106, 114, 114, 118, 122) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2034 Intermediate Tops · Worsted weight

Juniper Crop Top

A short, boxy top with short sleeves. Worked in 2x1 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	600	675	775	875	1000
Skeins (approx.)	3	3	4	4	5	5



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x1 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X1 RIB (A MULTIPLE OF 3 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P1, K2*; rep from * to end. **Row 2 (WS):** *P2, K1*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (116, 128, 137, 149, 161) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 3 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (38, 42, 47, 52, 56) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 43, 45, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 38 (43, 47, 52, 57, 61) sts, bind off the center 28 (30, 34, 33, 35, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (38, 42, 47, 52, 56) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 93 (97, 105, 103, 107, 115) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2035 **Intermediate** Tops · Sport weight

Knoll Crop Top

A short, boxy top with short sleeves. Worked in 3x2 Rib with sport weight (#2) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	650	775	900	1050	1175	1325
Skeins (approx.)	5	6	6	7	8	9



MATERIALS


- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

31 sts and 32 rows = 4 in (10 cm) in 3x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 3X2 RIB (A MULTIPLE OF 5 STITCHES PLUS 3; 2-ROW REPEAT)

Row 1 (RS): K3, *P2, K3*; rep from * to end. **Row 2 (WS):** *P3, K2*; rep from * to last 3 sts, P3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 138 (153, 173, 188, 203, 218) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 5 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 44 (49, 57, 65, 70, 76) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 50 (55, 59, 58, 63, 66) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 49 (54, 62, 70, 75, 81) sts, bind off the center 40 (45, 49, 48, 53, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (44 (49, 57, 65, 70, 76) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 55 (59, 63, 67, 71, 75) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (125, 133, 141, 147, 155) sts (31 (33, 35, 37, 38, 40) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 126 (136, 144, 142, 152, 158) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2036 Intermediate Tops · Sport weight

Primrose Crop Top

A short, boxy top with short sleeves. Worked in Ladder Lace with sport weight (#2) yarn. Open eyelet rows separated by stockinette.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	550	625	725	850	975	1100
Skeins (approx.)	4	5	5	6	7	8



chest 44 in (finished)

MATERIALS

- 6 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 32 rows = 4 in (10 cm) in Ladder Lace, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: LADDER LACE (A MULTIPLE OF 2 STITCHES PLUS 2; 4-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (114, 126, 138, 150, 162) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (37, 41, 47, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 38 (42, 46, 52, 57, 62) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (37, 41, 47, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 102 (106, 114, 114, 118, 122) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2037 Intermediate Tops · Worsted weight

Quarry Crop Top

A short, boxy top with short sleeves. Worked in Stockinette Stitch with worsted weight (#4) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	450	525	625	700	800	900
Skeins (approx.)	3	3	4	4	4	5



chest 44 in (finished)

MATERIALS

- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 24 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (90, 99, 108, 117, 126) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 37, 40, 44) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (32, 33, 34, 37, 38) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 31 (34, 38, 42, 45, 49) sts, bind off the center 19 (22, 23, 24, 27, 28) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (29, 33, 37, 40, 44) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 75 (81, 83, 85, 91, 93) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2038 **Intermediate** Tops · DK weight

Valley Crop Top

A short, boxy top with short sleeves. Worked in 6-Stitch Cable on a Seeded Ground with dk weight (#3) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	750	900	1025	1200	1375	1525
Skeins (approx.)	4	4	5	6	6	7



MATERIALS


- 6 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 129 (147, 156, 174, 192, 201) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 9 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 51, 60, 67, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 47 (51, 54, 54, 58, 61) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 46 (53, 56, 65, 72, 75) sts, bind off the center 37 (41, 44, 44, 48, 51) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (41 (48, 51, 60, 67, 70) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.


3. Finishing: Sew the shoulder seams. Pick up and knit about 118 (126, 132, 132, 140, 146) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2039 Intermediate Tops · Sport weight

Lantern Crop Top

A short, boxy top with short sleeves. Worked in Feather and Fan with sport weight (#2) yarn. Wavy scallops made by decreases and yarn overs.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	550	600	725	875	925	1100
Skeins (approx.)	4	4	5	6	7	8



chest 44 in (finished)

MATERIALS

- 6 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle


GAUGE

23 sts and 32 rows = 4 in (10 cm) in Feather and Fan, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: FEATHER AND FAN (A MULTIPLE OF 18 STITCHES; 4-ROW REPEAT)

Row 1 (RS): *k2tog x3, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, yo, K1, k2tog x3*; rep from * to end. **Row 2 (WS):** Purl all sts. **Row 3 (RS):** Knit all sts. **Row 4 (WS):** Knit all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (108, 126, 144, 144, 162) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 18) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 35 (34, 41, 50, 49, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 40 (39, 46, 55, 54, 62) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (35 (34, 41, 50, 49, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 102 (106, 114, 114, 118, 122) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2040 Intermediate Tops · Worsted weight

Kale Crop Top

A short, boxy top with short sleeves. Worked in 2x2 Rib with worsted weight (#4) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	575	675	775	900	1000
Skeins (approx.)	3	3	4	4	5	5



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (114, 126, 138, 150, 162) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (37, 41, 47, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 37 (42, 46, 52, 57, 62) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (37, 41, 47, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 93 (97, 105, 105, 109, 113) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2041 Intermediate Tops · DK weight

Fennel Crop Top

A short, boxy top with short sleeves. Worked in Basketweave 3x3 with dk weight (#3) yarn. Blocks of knit and purl that alternate like a woven basket.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	675	775	925	1025	1150	1325
Skeins (approx.)	3	4	5	5	5	6



chest 44 in (finished)

MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Basketweave 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: BASKETWEAVE 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 6-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (38, 43, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 39 (43, 48, 51, 55, 60) sts, bind off the center 27 (31, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (38, 43, 46, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 100 (108, 112, 112, 120, 124) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2042 Advanced Tops · Sport weight

Upland Crop Top

A short, boxy top with short sleeves. Worked in Mirrored Cables with sport weight (#2) yarn. Two cables that lean toward and away from each other.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	825	1025	1175	1325	1575	1750
Skeins (approx.)	6	7	8	9	11	12



MATERIALS


- 9 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

31 sts and 32 rows = 4 in (10 cm) in Mirrored Cables, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: MIRRORED CABLES (A MULTIPLE OF 12 STITCHES PLUS 2; 8-ROW REPEAT)

Row 1 (RS): P2, *K4, P2, K4, P2*; rep from * to end. **Row 2 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 3 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 4 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 5 (RS):** P2, *K4, P2, K4, P2*; rep from * to end. **Row 6 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2. **Row 7 (RS):** P2, *C4B, P2, C4F, P2*; rep from * to end. **Row 8 (WS):** *K2, P4, K2, P4*; rep from * to last 2 sts, K2.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 134 (158, 170, 182, 206, 218) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 12 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 42 (52, 56, 62, 72, 76) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 50 (54, 58, 58, 62, 66) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 47 (57, 61, 67, 77, 81) sts, bind off the center 40 (44, 48, 48, 52, 56) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (42 (52, 56, 62, 72, 76) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 55 (59, 63, 67, 71, 75) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 117 (125, 133, 141, 147, 155) sts (31 (33, 35, 37, 38, 40) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 126 (134, 142, 142, 150, 158) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2043 Intermediate Tops · Sport weight

Dahlia Crop Top

A short, boxy top with short sleeves. Worked in Stockinette Stitch with sport weight (#2) yarn. Knit on the right side, purl on the wrong side. The edges curl, so add a border.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	600	700	825	950	1075	1200
Skeins (approx.)	4	5	6	7	8	8



chest 44 in (finished)

MATERIALS

- 7 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

24 sts and 32 rows = 4 in (10 cm) in Stockinette Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: STOCKINETTE STITCH (A MULTIPLE OF 1 STITCHES; 2-ROW REPEAT)

Row 1 (RS): Knit all sts. **Row 2 (WS):** Purl all sts.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 108 (120, 132, 144, 156, 168) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (39, 44, 50, 54, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 40 (42, 44, 44, 48, 52) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 39 (44, 49, 55, 59, 63) sts, bind off the center 30 (32, 34, 34, 38, 42) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (39, 44, 50, 54, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 43 (45, 49, 51, 55, 57) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 91 (97, 103, 109, 115, 121) sts (24 (26, 27, 29, 30, 32) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 106 (110, 114, 114, 122, 130) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2044 Intermediate Tops · Worsted weight

Almond Crop Top

A short, boxy top with short sleeves. Worked in Double Seed Stitch with worsted weight (#4) yarn. Larger pebbles than seed stitch.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	500	575	675	775	875	1000
Skeins (approx.)	3	3	4	4	5	5



MATERIALS


- 4 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

18 sts and 25 rows = 4 in (10 cm) in Double Seed Stitch, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: DOUBLE SEED STITCH (A MULTIPLE OF 2 STITCHES PLUS 1; 4-ROW REPEAT)

Row 1 (RS): K1, *P1, K1*; rep from * to end. **Row 2 (WS):** *K1, P1*; rep from * to last 1 st, K1. **Row 3 (RS):** P1, *K1, P1*; rep from * to end. **Row 4 (WS):** *P1, K1*; rep from * to last 1 st, P1.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 81 (89, 99, 109, 117, 125) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 1) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 26 (29, 33, 38, 40, 43) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 29 (31, 33, 33, 37, 39) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 31 (34, 38, 43, 45, 48) sts, bind off the center 19 (21, 23, 23, 27, 29) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (26 (29, 33, 38, 40, 43) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 33 (35, 37, 39, 41, 43) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 69 (73, 77, 81, 87, 91) sts (18 (19, 20, 21, 23, 24) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 76 (80, 84, 84, 92, 96) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2045 Intermediate Tops · DK weight

Umbra Crop Top

A short, boxy top with short sleeves. Worked in Checkerboard 3x3 with dk weight (#3) yarn. A checkerboard of knit and purl squares.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	675	775	925	1025	1150	1325
Skeins (approx.)	3	4	5	5	5	6



chest 44 in (finished)

MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Checkerboard 3x3, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: CHECKERBOARD 3X3 (A MULTIPLE OF 6 STITCHES PLUS 3; 8-ROW REPEAT)

Row 1 (RS): K3, *P3, K3*; rep from * to end. **Row 2 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 3 (RS):** K3, *P3, K3*; rep from * to end. **Row 4 (WS):** *P3, K3*; rep from * to last 3 sts, P3. **Row 5 (RS):** P3, *K3, P3*; rep from * to end. **Row 6 (WS):** *K3, P3*; rep from * to last 3 sts, K3. **Row 7 (RS):** P3, *K3, P3*; rep from * to end. **Row 8 (WS):** *K3, P3*; rep from * to last 3 sts, K3.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 105 (117, 129, 135, 147, 159) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 6 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 34 (38, 43, 46, 50, 55) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 37 (41, 43, 43, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 39 (43, 48, 51, 55, 60) sts, bind off the center 27 (31, 33, 33, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (34 (38, 43, 46, 50, 55) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 100 (108, 112, 112, 120, 124) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2046 Intermediate Tops · Sport weight

Yarrow Crop Top

A short, boxy top with short sleeves. Worked in Eyelet Rows with sport weight (#2) yarn. Rows of tiny holes. Work rows 1 and 2 as set, then repeat with 2 stockinette rows between.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	550	625	725	850	975	1100
Skeins (approx.)	4	5	5	6	7	8



chest 44 in (finished)

MATERIALS

- 6 skeins of Sport weight (#2) yarn for the middle size (see the yardage row; about 150 yd / 137 m per 50 g ball). Any yarn that matches the gauge works.
- Needles: US 5 (3.75 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 32 rows = 4 in (10 cm) in Eyelet Rows, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: EYELET ROWS (A MULTIPLE OF 2 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K1, *k2tog, yo*; rep from * to last 1 st, K1. **Row 2 (WS):** Purl all sts.

Yarn overs are always balanced by a decrease in the same row, so the stitch count stays the same at the end of every row.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 104 (114, 126, 138, 150, 162) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 5 (3.75 mm). Work the stitch pattern as set (the cast-on is a multiple of 2 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 33 (37, 41, 47, 52, 57) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (40, 44, 44, 46, 48) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 38 (42, 46, 52, 57, 62) sts, bind off the center 28 (30, 34, 34, 36, 38) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (33 (37, 41, 47, 52, 57) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 5 (3.75 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 102 (106, 114, 114, 118, 122) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2047 Intermediate Tops · DK weight

Olive Crop Top

A short, boxy top with short sleeves. Worked in 2x2 Rib with dk weight (#3) yarn. Stretchy and snug. Measure gauge relaxed, not stretched.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	625	725	850	975	1100	1250
Skeins (approx.)	3	4	4	5	5	6



chest 44 in (finished)

MATERIALS


- 5 skeins of DK weight (#3) yarn for the middle size (see the yardage row; about 230 yd / 210 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 6 (4 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

29 sts and 30 rows = 4 in (10 cm) in 2x2 Rib, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 2X2 RIB (A MULTIPLE OF 4 STITCHES PLUS 2; 2-ROW REPEAT)

Row 1 (RS): K2, *P2, K2*; rep from * to end. **Row 2 (WS):** *P2, K2*; rep from * to last 2 sts, P2.



INSTRUCTIONS

Back

1. With the smaller needles, cast on 130 (146, 158, 174, 190, 202) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 6 (4 mm). Work the stitch pattern as set (the cast-on is a multiple of 4 plus 2) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 41 (48, 52, 60, 66, 70) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 48 (50, 54, 54, 58, 62) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 46 (53, 57, 65, 71, 75) sts, bind off the center 38 (40, 44, 44, 48, 52) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (41 (48, 52, 60, 66, 70) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)


1. With the smaller needles, cast on 51 (55, 59, 63, 65, 69) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 6 (4 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 109 (117, 123, 131, 139, 145) sts (29 (31, 32, 34, 37, 38) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.
3. Finishing: Sew the shoulder seams. Pick up and knit about 120 (124, 132, 132, 140, 148) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.

KB-2048 Intermediate Tops · Worsted weight

Moss Crop Top

A short, boxy top with short sleeves. Worked in 6-Stitch Cable on a Seeded Ground with worsted weight (#4) yarn. Broad cable with a seed-stitch ground.

SIZE	XS	S	M	L	XL	2XL
Finished chest	36	40	44	48	52	56
Body length	16	17	18	19	20	21
Sleeve length	5	5.5	6	6.5	7	7.5
Armhole depth	7.5	8	8.5	9	9.5	10
Yarn needed (yd)	600	700	850	950	1075	1250
Skeins (approx.)	3	4	5	5	6	7



MATERIALS


- 5 skeins of Worsted weight (#4) yarn for the middle size (see the yardage row; about 200 yd / 183 m per 100 g skein). Any yarn that matches the gauge works.
- Needles: US 8 (5 mm) or the size that gives the correct gauge, plus needles one size smaller for ribbing.
- Circular and straight needles: smaller size for ribbing, size in gauge for the body
- Stitch markers and stitch holders
- Tapestry needle

GAUGE

23 sts and 24 rows = 4 in (10 cm) in 6-Stitch Cable on a Seeded Ground, worked flat, after blocking. Knit a swatch and adjust your needle size if needed.

STITCH PATTERN: 6-STITCH CABLE ON A SEEDED GROUND (A MULTIPLE OF 9 STITCHES PLUS 3; 10-ROW REPEAT)

Row 1 (RS): P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 2 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 3 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 4 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 5 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 6 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 7 (RS):** P1, K1, P1, *K6, P1, K1, P1*; rep from * to end. **Row 8 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1. **Row 9 (RS):** P1, K1, P1, *C6F, P1, K1, P1*; rep from * to end. **Row 10 (WS):** *K1, P1, K1, P6*; rep from * to last 3 sts, K1, P1, K1.



C4F: slip 2 sts to a cable needle, hold in front, K2, then K2 from the cable needle. **C4B:** slip 2 sts to a cable needle, hold in back, K2, then K2 from the cable needle. **C6F / C6B:** same with 3 sts held.

INSTRUCTIONS

Back

1. With the smaller needles, cast on 102 (111, 129, 138, 147, 165) sts. Work 1.5 in / 3.8 cm in 1x1 rib: Row 1 (RS): *K1, P1*; rep from * to end (if you have an odd number of sts, end with K1). Following rows: work the sts as they appear (knit the knits, purl the purls).
2. Change to US 8 (5 mm). Work the stitch pattern as set (the cast-on is a multiple of 9 plus 3) until the piece measures 16 in (17 in, 18 in, 19 in, 20 in, 21 in) from the cast-on edge, ending after a WS row.
3. Shoulders and neck: Bind off 32 (35, 43, 47, 50, 58) sts at the beginning of the next 2 rows (working in pattern); bind off the remaining 38 (41, 43, 44, 47, 49) center back neck sts.

Front

1. Work as for the back until the piece measures 13 in (14 in, 15 in, 16 in, 17 in, 18 in), ending after a WS row.
2. Neck: Work 37 (40, 48, 52, 55, 63) sts, bind off the center 28 (31, 33, 34, 37, 39) sts, work to end. Working both sides at once with separate balls, decrease 1 st at each neck edge every RS row 5 times (32 (35, 43, 47, 50, 58) sts for each shoulder). Work even until the front matches the back length, then bind off all sts.

Sleeves (make 2)

1. With the smaller needles, cast on 41 (43, 47, 49, 53, 55) sts. Work 2 in of 1x1 rib as for the hem, ending after a WS row.
2. Change to US 8 (5 mm). Work in stockinette stitch (or the stitch pattern as set once there are sts for a full repeat), increasing 1 st at each end of the next RS row and then every 4 rows until you have 87 (93, 99, 105, 109, 115) sts (23 (25, 26, 28, 28, 30) increase rows in total). Work even until the sleeve measures 5 in (5.5 in, 6 in, 6.5 in, 7 in, 7.5 in). Bind off all sts.

3. Finishing: Sew the shoulder seams. Pick up and knit about 93 (99, 103, 105, 111, 115) sts around the neck (adjust to an even number), work 1 in of 1x1 rib in the round and bind off loosely in rib. Set in the sleeves flat between the shoulder seam and the armhole depth line (drop-shoulder style), then sew the sleeve and side seams. Weave in the ends and block.