

[Home](#) [Site Settings](#) [Domains](#) [Select Query](#) [Modify Attributes](#) [Get Attributes](#) [Email](#) [Users](#) [comet](#)

Edit Select Query

Nickname for this query:
(no spaces or special chars)

Domain

 *

Item Name:
leave blank to make it a
parameter, or use a token to make
it secure. Tokens:
[%currentuserid%],
[%ipaddress%], [%guid%]

Delete:
check to make this a delete
operation

Batch:
Check to allow batch operations
(currently only support the same
set of attributes for each item in
the batch, though you can leave
some values blank)

Attributes

List of current attributes, feel free to add new ones. (SimpleDB is **case sensitive**)

roomid
message
userid
ip
Time
name

[- Remove Attribute](#)

Enter attribute name:

Constant Value: Leave blank to keep it a parameter. Tokens:
[%currentuserid%],
[%ipaddress%],
[%currentusername%], [%guid%],
[%smallguid%] , [%currenttime%]

Replace:
check to replace an existing value, otherwise it will turn into a multi-valued attribute.

[- Remove Attribute](#)

Enter attribute name:

Constant Value: Leave blank to keep it a parameter. Tokens:
[%currentuserid%],
[%ipaddress%],
[%currentusername%], [%guid%],
[%smallguid%] , [%currenttime%]

Replace:
check to replace an existing value, otherwise it will turn into a multi-valued attribute.

[- Remove Attribute](#)

Enter attribute name:

Constant Value: Leave blank to keep it a parameter. Tokens:
[%currentuserid%],
[%ipaddress%],
[%currentusername%], [%guid%],
[%smallguid%] , [%currenttime%]

Replace:
check to replace an existing value, otherwise it will turn into a multi-valued attribute.

+ Add Attribute

Conditions

+ Add Condition (where clause)

Cancel

Save

Company

Leadership
Partners
Investors

Tweet, Plus, Like Us

0

0

5

Like

ServerCyde.

Minneapolis **612.234.7429**
Chicago **612.805.0241**
support@servercyde.com