

[Home](#) [Site Settings](#) [Domains](#) [Select Query](#) [Modify Attributes](#) [Get Attributes](#) [Email](#) [Users](#) [comet](#)

## Edit Select Query

**Nickname for this query:**  
(no spaces or special chars)

**Domain**

 \*

**Item Name:**  
leave blank to make it a  
parameter, or use a token to make  
it secure. Tokens:  
[%currentuserid%],  
[%ipaddress%], [%guid%]

**Delete:**  
check to make this a delete  
operation

**Batch:**  
Check to allow batch operations  
(currently only support the same  
set of attributes for each item in  
the batch, though you can leave  
some values blank)

Attributes

List of current attributes, feel free to add new ones. (SimpleDB is case sensitive)

description  
name  
userid

- Remove Attribute

Enter attribute name:

Constant Value: Leave blank to keep it a parameter. Tokens:  
[%currentuserid%],  
[%ipaddress%],  
[%currentusername%], [%guid%],  
[%smallguid%] , [%currenttime%]

Replace:  
check to replace an existing value, otherwise it will turn into a multi-valued attribute.

- Remove Attribute

Enter attribute name:

Constant Value: Leave blank to keep it a parameter. Tokens:  
[%currentuserid%],  
[%ipaddress%],  
[%currentusername%], [%guid%],  
[%smallguid%] , [%currenttime%]

Replace:  
check to replace an existing value, otherwise it will turn into a multi-valued attribute.

- Remove Attribute

Enter attribute name:

Constant Value: Leave blank to keep it a parameter. Tokens:  
[%currentuserid%],  
[%ipaddress%],  
[%currentusername%], [%guid%],  
[%smallguid%] , [%currenttime%]

Replace:  
check to replace an existing value, otherwise it will turn into a multi-valued attribute.

+ Add Attribute

Conditions

+ Add Condition (where clause)

Cancel

Save

Company

Leadership  
Partners  
Investors

Tweet, Plus, Like Us

0

0

5  
Like

ServerCyde.

Minneapolis **612.234.7429**  
Chicago **612.805.0241**  
[support@servercyde.com](mailto:support@servercyde.com)