

ConnectopusController

colorStyle: Object  
configModel: ConfigModel  
connectionsModel: ConnectionsModel  
currentFilePath: String  
diff: diff  
dragFolderName: String  
dragId: String  
fileModel: FileModel  
generalStatus: String  
isDraggingConnection: Boolean  
isDraggingFolder: Boolean  
lastUpdate: String  
newsModel: NewsModel  
pathsModel: PathsModel  
projectsModel: ProjectsModel  
settingsModel: SettingsModel  
themesModel: ThemesModel  
viewController: ViewController

addNewConnection(connection): null  
compareFiles(conId, path): null  
connectTo(id): null  
createConfigFolder(name): null  
createProject(name): null  
deleteConnection(id): null  
deleteFolder(name): null  
disconnectFrom(id): null  
getColorStyle(): Object  
getConnectionName(id): String  
getDirectories(connections, path): Array  
getFiles(connections, path): Object  
getPrimId(): String  
getSettings(): Object  
handleConfigData(data): null  
handleConnectionsStatus(data): null  
handleDragConnectionEnd(): null  
handleDragFolderEnd(): null  
handleError(obj): null  
handleExternalCall(args): null  
handleFileModelUpdate(data): null  
handleHideAllLabels(): null

ViewController

views: Object  
callViewMethod(type, methodName, data): null  
getViews(type): Array  
registerView(type, instance): null

Controllers

EventEmitter




listeners: Object  
addListener(eventName, handler): null  
dispatchEvent(eventName, data): null  
\_strip(Object): Object

EventEmitter

listeners: Object  
addListener(eventName, handler): null  
dispatchEvent(eventName, data): null  
\_strip(Object): Object

fs: fs-e  
md5: n

# Data Sources



Use

AbstractModel

extra

nd5



handleMissingDirectory(con, path): null

handleNewsUpdate(data): null

handlePathChange(data): null

handleProjectNameConflict(data): null

handleProjectSaved(data): null

handleProjectsUpdate(data): null

handleSelectedFilesChange(): null

handleSettingsData(data): null

handleShowAllLabels(): null

hideModal(): Object

moveConnectionTo(told): null

moveConnectionToFolder(name): null

moveFolderTo(name): null

openProject(path): null

saveCurrentProject(args): null

setContextVisible(bool): null

setCurrentProject(id): null

setDragFolderName(name): null

setDragId(id): null

setFilePath(path, forceRefresh): null

setLeftFooterLabel(str): null

setHideFilesInSync(bool): null

setMaximizeContrast(bool): null

setMaxRowsRequested(num): null

setProjectName(index, name): null

setStatus(status): null

setTheme(name): null

showAddConnection(): null

showAddFolder(): null

showAddProject(): null

showConnectionDetail(id): null

showConnectionsPage(): null

showDataPage(): null

showDeleteProject(index): null

showFilesPage(): null

showHomePage(): null

syncSelectedFiles(): null

toggleViewSettings(): null

updateConnection(connection): null

\_addDirectories(arr, path, data): Array

\_addFiles(arr, path, data): Array

\_call(views, method, params): null

### ConfigModel

addConnection(connection): null

addConnectionAfter(con, id): null

createFolder(name): null

deleteConnection(id): null

deleteFolder(name): null

getConfig(): Object

getConnection(id): Object

getFolder(name): Object

loadConfig(): null

moveConnectionToFolder(conId, name): null

moveFolderTo(dragFolderName, name): null

moveTo(moveId, told): null

removeFolder(name): null

saveConfig(): null

updateConnection(id, connection): null

\_assignIds(obj): Object

\_assignConnectionId(connection): Object

\_assignServerIds(servers): Object

### PathsModel

\_currentProject: int

\_indexes: Object

\_paths: Object

getPathData(): Object

isAtBeginning(): Boolean

isAtEnd(): Boolean

nextPath(): null

previousPath(): null

setCurrentProject(id): null

setPath(path): null

### NewsModel

\_feed: Object

\_feedUri: String


\_request: request

getFeed(): Object

getNews(): Array

getStatus(): String

# Models



: null

`_getFiles(con, path, callback): null`  
`_hasDirectory(arr, name): Boolean`  
`_hasFile(arr, name): Boolean`





