

ConnectopusController

colorStyle: Object

configModel: ConfigModel

connectionsModel: ConnectionsModel

currentFilePath: String

diff: diff

dragFolderName: String

dragId: String

fileModel: FileModel

generalStatus: String

isDraggingConnection: Boolean

isDraggingFolder: Boolean

lastUpdate: String

newsModel: NewsModel

pathsModel: PathsModel

projectsModel: ProjectsModel

settingsModel: SettingsModel

themesModel: ThemesModel

viewController: ViewController

addNewConnection(connection): null

compareFiles(conId, path): null

connectTo(id): null

createConfigFolder(name): null

createProject(name): null

deleteConnection(id): null

deleteFolder(name): null

disconnectFrom(id): null

getColorStyle(): Object

getConnectionName(id): String

getDirectories(connections, path): Array

getFiles(connections, path): Object

getPrimId(): String

getSettings(): Object

handleConfigData(data): null

handleConnectionsStatus(data): null

handleDragConnectionEnd(): null

handleDragFolderEnd(): null

handleError(obj): null

handleExternalCall(args): null

handleFileModelUpdate(data): null

handleHideAllLabels(): null

ViewController

views: Object

callViewMethod(type, methodName, data): null

getViews(type): Array

registerView(type, instance): null

EventEmitter



listeners: Object

addListener(eventName, handler): null




dispatchEvent(eventName, data): null

_strip(Object): Object

Controllers



Data Sources



Use

AbstractModel

extra

nd5

handleMissingDirectory(con, path): null

handleNewsUpdate(data): null

handlePathChange(data): null

handleProjectNameConflict(data): null

handleProjectSaved(data): null

handleProjectsUpdate(data): null

handleSelectedFilesChange(): null

handleSettingsData(data): null

handleShowAllLabels(): null

hideModal(): Object

moveConnectionTo(told): null

moveConnectionToFolder(name): null

moveFolderTo(name): null

openProject(path): null

saveCurrentProject(args): null

setContextVisible(bool): null

setCurrentProject(id): null

setDragFolderName(name): null

setDragId(id): null

setFilePath(path, forceRefresh): null

setLeftFooterLabel(str): null

setHideFilesInSync(bool): null

setMaximizeContrast(bool): null

setMaxRowsRequested(num): null

setProjectName(index, name): null

setStatus(status): null

setTheme(name): null

showAddConnection(): null

showAddFolder(): null

showAddProject(): null

showConnectionDetail(id): null

showConnectionsPage(): null

showDataPage(): null

showDeleteProject(index): null

showFilesPage(): null

showHomePage(): null

syncSelectedFiles(): null

toggleViewSettings(): null

updateConnection(connection): null

_addDirectories(arr, path, data): Array

_addFiles(arr, path, data): Array

_call(views, method, params): null

ConfigModel

addConnection(connection): null

addConnectionAfter(con, id): null

createFolder(name): null

deleteConnection(id): null

deleteFolder(name): null

getConfig(): Object

getConnection(id): Object

getFolder(name): Object

loadConfig(): null

moveConnectionToFolder(conId, name): null

moveFolderTo(dragFolderName, name): null

moveTo(moveId, told): null

removeFolder(name): null

saveConfig(): null

updateConnection(id, connection): null

_assignIds(obj): Object

_assignConnectionId(connection): Object

_assignServerIds(servers): Object

PathsModel

_currentProject: int

_indexes: Object

_paths: Object

getPathData(): Object

isAtBeginning(): Boolean

isAtEnd(): Boolean

nextPath(): null

previousPath(): null

setCurrentProject(id): null

setPath(path): null

NewsModel

_feed: Object

_feedUri: String


_request: request

getFeed(): Object

getNews(): Array

getStatus(): String

Models



: null

_getFiles(con, path, callback): null

_hasDirectory(arr, name): Boolean

_hasFile(arr, name): Boolean

