

Re: Scape Data Capture

1 message

Rene Dencker Eriksen <rde@scapesolutions.eu>

Sun, Jun 21, 2026 at 8:22 PM

To: Rune Larsen <rune.k.larsen@scapesolutions.eu>

Cc: John Erland Østergaard <jeo@scapesolutions.eu>


Hej

Tænker nogle af problemerne jeg har set kræver, at vi sidder sammen. Kan være jeg har overset nogle ting.

Mht. om jeg har prøvet AI assistenten, så ved jeg ikke, om du mener Advice for en user (for her er det vel også en AI, der laver det) eller du mener evalueringen for en evaluator, for det sidste har jeg rigtignok ikke prøvet før nu.

Det virker så ikke.

Jeg vælger at skifte fra "User" til "Evaluator" og så får jeg mulighed for at vælge at generere en AI evaluering.(Evaluator AI Draft). Men det virker ikke, jeg får denne fejl:



Yours sincerely

René Dencker Eriksen
CTO
Scape Solutions ApS
www.scapesolutions.eu
Mobile: +45 2530 8949 Profile: [LinkedIn](#)



On Sun, Jun 21, 2026 at 6:03 PM Rune Larsen <rune.k.larsen@scapesolutions.eu> wrote:

Hej René

Tak for kommentarerne. En del af dem virker som om du ikke har fundet ud af hvordan man navigere i dataene ... lad os lige se hvad John og Per siger når de har prøvet - og tage en snak om hvordan det evt. kan gøres mere intuitivt.

Jeg tror heller ikke du har prøvet med Ai assistenten endnu - korrekt?

Jeg får dine kommentarer fra side sidste mails samlet sammen til opfølgning

søn. 21. jun. 2026 kl. 16.53 skrev Rene Dencker Eriksen <rde@scapesolutions.eu>:

Hej

OK; flere ting virker i hvert fald bedre.

Her lidt kommentarer:

Feltet, hvor man skal uploade STP (eller anden type) CAD filer ligner et felt, hvor man kan lave drag and drop. Så det gjorde jeg, men det åbner STP filen som en text fil i et nyt faneblad og den bliver altså ikke uploaded. Klikker man på feltet, så får man en fil-browser dialog og det virker fint.

>> jeg kan finde ud af hvor svært det er at lave drag and drop, hvis det er bøvlet ændrer jeg symbolerne.

Jeg forstår ikke, hvorfor det hedder "Data capture". Eller jo, det gør jeg jo nok, men det lyder meget akademisk og jeg tror ikke de fleste brugere vil forstå det. Kunne det ikke hedde "Bin-Picking Project Information", det tror jeg flere vil kunne forholde sig til - og så skal dialogen her sige "Bin-Picking Information Advice":

>> ja, det kan fint hedde noget i den retning

Data Capture Advice

HIDE ADVICE

Of course. Here is a review of your project evaluation form to help you provide the information we need for a thorough evaluation.

QUICK ACTION SUMMARY

Thank you for filling out the form for your "FG Automatyka Male Rails 2" project. To proceed with a full evaluation, we need a few more key details. Please prioritize the following actions:

- **Provide the bin's internal dimensions** (Width x Length x Height) in millimeters for the "plastic-box" (field 1.04).
- **Add the weight of a single part** in kilograms (field 2.03).
- **Upload photos of the parts**, especially showing them inside the bin, to help us understand the shiny surface and how they might entangle.

DETAILED ANALYSIS

Below is a more detailed breakdown of the information that will help us give you the best possible project assessment.

Missing or Incomplete Fields

- **1.04 Bin internal dimensions [mm]:** You've specified the bin type as "plastic-box." Since plastic boxes come in many different sizes, we need the specific internal width, length, and height in millimeters to

Og det første der står er "Of course.". Det giver ikke mening.

>> tjaa, det kan vi vist ikke diskutere :-)

I denne kommentar:

1.04 Bin internal dimensions [mm]: You've specified the bin type as "plastic-box." Since plastic boxes come in many different sizes, we need the specific internal width, length, and height in millimeters to evaluate the picking process correctly.

Bør man nok tilføje, at det blot skal være ca. mål (måske indenfor 5%).

>> så tænker jeg heller ikke vi skal bede om målene i mm :-)

Det her bliver lidt kryptisk:

You have specified a cycle time of 9 seconds (2.04). In field 2.05, you've noted "1". To help us understand the requirement fully, could you please clarify if this 9-second cycle time is an absolute maximum time for every single part, or if it is an average time calculated across the entire bin? This distinction is important for the solution design.

Det er korrekt, hvad der står, men jeg mener stadig, at brugeren burde have mulighed for at vælge mellem "Absolute cycle time (no cycle can exceed the provided value)" or "Average cycle time based on ...".

>> ja, lad os ændre dem til det - jeg har bare taget dem der stod i skemaet

Angående emnerne:

Jeg angav, at projektet har 8 forskellige emner, men indtastede kun information om ét emne. Kommentaren jeg får i dialogen ovenfor er:

General Completeness

Are all part types that need to be picked described in the form? Sometimes a project involves handling multiple similar variants. Please make sure each distinct part type has its own entry in the form.

Men jeg opdagede ikke nogen steder, at jeg kunne opgive informationer om hvert emne separat.

>> hvis du at skrevet 8 og kun angivet et, så tænker jeg faktisk reminderen er fin, det jo også kunne have været 8 varianter af det ene du har lagt ind

>> der er en knap, hvor der står "add part" - i venstre side på computer, og nederst på telefon

I slutningen valgte jeg "unsubmit" fordi jeg gerne ville ændre nogle ting. Der kommer så også en kommentar om, at nu er det unsubmitted og jeg kan editere i det igen. Men det kan jeg ikke se, hvordan jeg kan gøre. Jeg klikker på "Dashboar" for at få oversigten over de projekter, jeg har submitted.

>> hvis ikke du bruger filtre får du både submitted og drafts

Når jeg så vælger det her projekt, så tager den mig bare til slusiden, hvor jeg så kan vælge at submitte igen.

>> kan du ikke se menuen i venstre side af skærmen eller afsnitvælgeren i toppen (hvis det er telefon/smalt vindue på computer) hvor du kan vælge hvilke felter du vil se/editere - det lyder ikke sådan?

--

Yours sincerely

René Dencker Eriksen

CTO

Scape Solutions ApS

www.scapesolutions.eu

Mobile: +45 2530 8949 Profile: [LinkedIn](#)

SCAPE

IMAGINE. CREATE. AUTOMATE.

On Sun, Jun 21, 2026 at 8:56AM Rune Larsen <rune.k.larsen@scapesolutions.eu> wrote:

Hej Rene,

Så er det mandag morgen :-)

Det bør virke nu - det gør det for mig.

1. log ud
2. refresh browseren
3. login igen
4. vælg user i profilen, hvis ikke den starter der
5. lav projekt

hvis du burger telefon - virker det bedst hvis du sætter den på hjemmeskærmen som en app (jeg tror jeg har beskrevet hvordan et andet sted)

Hvis du kan nå at prøve i dag, så har jeg tid til at rep. flere fejl hvis/når du finder dem i morgen formiddag

Hilsen Rune

On Sat, Jun 20, 2026 at 10:16 PM Rene Dencker Eriksen <rde@scapesolutions.eu> wrote:
På PC med Chrome browser.

--

Yours sincerely

René Dencker Eriksen

CTO

Scape Solutions ApS

www.scapesolutions.eu

Mobile: +45 2530 8949 Profile: [LinkedIn](#)

SCAPE

IMAGINE. CREATE. AUTOMATE.

On Sat, Jun 20, 2026, 21:56 Rune Larsen <rune.k.larsen@scapesolutions.eu> wrote:

Hej René

Ok tak og underligt, Jeg kigger på det i morgen aften, så der bliver en chance mandag morgen. Jeg prøver at oprette en ny scape solution mail konto og prøver selv.

Det er mærkeligt, da min virker fint

Hvilken telefon har du eller har du prøvet fra computer?

Hilsen Rune

Lør. 20. jun. 2026 kl. 21.46 skrev Rene Dencker Eriksen <rde@scapesolutions.eu>:

Hej

Jeg kan ikke ændre min profil fra Evaluator til User selvom det ser ud til at være muligt. Efter at have klikket "User" i denne dialog:



Contact Profile

Ret dine kontaktoplysninger



ADMIN VIEW MODE

EVALUATOR

USER

NAVN / FULL NAME

Rene Dencker Eriksen

FIRMA / COMPANY

Scape Solutions ApS

TELEFON / PHONE (VALGFRI)

+4525308949

ROLLE / POSITION

Integrator / Forhandler



Cancel

Save Changes

Så står der stadig Evaluator:

EVALUATOR

Rene Dencker Eriksen

rene.dencker.eriksen@scapesolutions.eu



og jeg kan ikke se nogen muligheder for at oprette et nyt projekt.

--

Yours sincerely

René Dencker Eriksen

CTO

Scape Solutions ApS

www.scapesolutions.eu

Mobile: +45 2530 8949 Profile: [LinkedIn](#)

SCAPE

IMAGINE. CREATE. AUTOMATE.

On Sat, Jun 20, 2026 at 11:33AM Rune Larsen <rune.k.larsen@scapesolutions.eu> wrote:

Hej René

Super - og læs lige mailen fra i går til dig, John og Per først, hvis ikke du har gjort det.

Ja, du har ret i at det er lidt forvirrende, men det skal ses ud fra eksterne brugeres perspektiv - de er enten slutbrugere eller scape partnere. Grundlæggende er det information til evaluatoren der så kan se hvilken type bruger der har lavet projektet.

Hilsen Rune

Lør. 20. jun. 2026 kl. 11.28 skrev Rene Dencker Eriksen <rde@scapesolutions.eu>:

Hej

Jeg får testet i dag. Jeg var i tvivl om valget på forsiden mht. user eller evaluator. Jeg havde jo valgt, hvilken type bruger jeg var (valgte Partner), så jeg tænkte at det med evaluator bare gav mig nogle ekstra muligheder ved evalueringen. Men jeg prøver som User.

--

Yours sincerely

René Dencker Eriksen

CTO

Scape Solutions ApS

www.scapesolutions.eu

Mobile: +45 2530 8949 Profile: [LinkedIn](#)

SCAPE

IMAGINE. CREATE. AUTOMATE.

On Sat, Jun 20, 2026 at 11:00AM Rune Larsen <rune.k.larsen@scapesolutions.eu> wrote:

Hej Rene,

Jeg har lige fjernet bestyrrelsen fra listen, Jeg havde ikke lige set de var på den første, jeg troede du svarede på mailen fra igår til jer 3 :-)

Jeg har rettet fejlen og testet så meget jeg kan, så Rene vil du ikke lige tjekke ved lejlighed - og giv besked, så John og Per ikke begynder en test før den er klar.

Du kan evt. køre den på telefonen, lave et nyt projekt, udfylde et eller 2 felter, tage et billede ... logge ud og ind igen for at se om billedet er der 3min :-)

<https://scape-data-capture.web.app/>

Jeg har også fjernet muligheden for at starte et projekt som evaluator - det var meget af problemet med din oplevelse i går

Hilsen Rune

On Fri, Jun 19, 2026 at 4:20 PM Rune Larsen <rune.k.larsen@scapesolutions.eu> wrote:

Hi Rene

Thanks a lot for testing it out - see notes below.

First just to remove doubt: did you use <https://scape-data-capture.web.app> and not the first one I sent ?

A pity with the error in the beginning - I'll check and hope the others will not get the error

A pity that you did not change to User before documenting - you were Evaluator and that messed the flow up :-)

!!!!!! John and Per : remember taht

Best regards

Rune

On Fri, Jun 19, 2026 at 3:04 PM Rene Dencker Eriksen <rde@scapesolutions.eu> wrote:

Hi Rune,

I had a tour in the "AI Evaluator".

I put everyone else on cc in case you are curious about my experience but otherwise I believe this is mainly a mail for Rune.

Login experience was good and you are presented with the dashboard right away. Now I chose to be an "Evaluator" during my account setup so I'm not sure what different people will see on the dashboard but it seems to me like I see all the projects.

>> only selected people in Scape are Evaluators - right now all 3 of you (to see the different interfaces)

I do get an error message that (so far) doesn't seem to have any affect:

SCAPE Info

Error: Permission Denied (Failed to write projects/a7sZvess6bxkfCS2qhgW): You do not have the required access rights.

Dashboard

>> OK Ill check --> burde være løst nu

Next step for me was to try to create a new project. Here are my experiences:

About the bin: At this point I only have the information that it is a large bin made of plastic. I don't know the exact dimensions. However, I can choose "Plastic box" but to me that sounds like a smaller box and not a big bin. Since I don't know the exact dimensions I cannot provide anything. It could be nice if I could type dimensions and check a box that says they are "best guesses" for now. I ended up choosing "Plastic box" and not type any dimensions.

>> OK let us figure out here. I guess if you haad used the AI assistant it would have put the information in the notes field

Uploading images: I did this on my laptop. It shows a file dialog, you cannot drag and drop image files into this area. Would have been nice.

>> you are right - but for now a minor thing - i'll put it to the ToDoLater

I don't know if an option for taking pictures directly with the camera is available if using it on the phone? But that would make it very convenient. If it shows some kind of a file dialog on the phone I don't think it will work for everybody. I'm always in doubt about where files are saved on the Android system because they make an effort out of not telling me the path to things I save. Instead they give me some bogus storage name which I sometimes can't find when I need it from another app. I prefer paths in the old fashioned way because they leave no doubt or ambiguity. Anyway, acquiring pictures directly with the camera at this point would be the best.

>> you can take an image directly or upload from the images folder which it opens by itself

About "[2.05] Average Cycle Time Based On":

[2.05] Average Cycle Time Based On OPTIONAL

e.g. 1 bin, 1 shift, or 50 cycles

I think it should also mention "1 cycle". Because that means we are talking about absolute cycle times and not an average. Maybe people don't understand that but then the alternative would be that the user can choose if it is a max cycle time for every single cycle or if it is an average. In the latter case then the "e.g. 1 bin...." are good examples.

I ended up writing 1 here because in this project the customer needs a part every 9 seconds and it is not an average.

(the reason this is important is because with bin-picking you have varying cycle times - it is fundamentally impossible to guarantee a max cycle for each part. So in case the customer needs absolute cycle times, the only way it to introduce a buffer in the system - and that is often a costly solution).

>> You could write it in the [2.05] Average Cycle Time Based On field. The AI would hav written it here as an explanation

>> Let us talk about the best solution

Uploading CAD files: It says max. 200 KB. That is an unrealistic small file size for a CAD file. I would say 20 MB. They can be smaller but most users wouldn't know how to make them smaller. And they certainly don't want to mess with it.

>> Agree, not done yet because it gets a bit difficult

It does state "💡 Is your CAD file too large? If your file exceeds 200 KB, please take screenshots of the CAD model from different angles and upload them under the next tab ("Visual Evidence") instead" but I still think the limit must be much higher than 200 KB.

>> Can we live with autogenerated images of the cad file (assume it is stl files) ?

>> can we live with asking the customer (as it does now) to upload screen shots of the CAD in different positions?

>> or is it because we need the CAD file for the evaluation?

>> I think it can handle more (500kb maybe) and if they are too big it compresses the images

Regarding "[2.08] Are the parts separated by a slip sheet?": In our original evaluation sheet we ask:

Random

Layers with Sheets

Stacks

I think it is important information Especially because the two latter ones often makes it possible to perform precision grip directly in the bin.

>>

2.06	CAD file available for the part? See description for preferred formats.	☐ Yes ☐ No	2.07
2.08	Are the parts separated by a slip sheet?	☐ Yes ☐ No	2.09
2.10	Any temperature	☐ Yes	2.11

>> OK we will change it but in the evaluation sheet I looked in these was not in the question

>> let us have a look together to agree on the format

About "[2.12] Short description of place requirements":

I don't understand why this one is optional. It is important information to me. That often tells us whether we need a precision grip or if we can just drop the part somewhere with being 100% sure about how it was gripped.

It's missing an option for uploading images. It is in most cases easier to take a picture of the part in the fixture in the machine or whatever it is than it is to describe it in words.

>> Optional -> OK, I'll change it

>> I can enable the upload of the placement images if it is beneficial

>>

There is a field "Visual evidence". It says upload part images. I think it should state that it should be both some images of a single part on a table but also images from the parts in the bin (if available).

>> Agree. The AI should have asked you to do so in the Data Capture Advice report.

>> **Did you switch to User before you started the new project?** User is the normal mode for making new projects.

>> I think the error you saw initially prevented you from saving the images; I can see no images. Can you see them?

When I was done with this I thought it would take me through the same questions for the remaining 7 parts in the project (8 in total). But it didn't so I only uploaded information about one part but did attach 5 images of different parts (by a mistake I did on purpose to test the system).

>> If you are inserting manually you have to press the "+ add part" to get more placeholders

>> if you are using the IA it will make the parts as you describe them

>> Good idea with testing the 5 different images in one upload, but since it could not save them I guess you did not get much feedback

Next steps were ROI calculator and additional info. I skipped both.

Then I got to this one:



Project is in Draft State

This project has not been submitted by the user. Evaluators cannot perform evaluations, write verdicts, or approve/reject/specify projects until the case is officially submitted.



DOWNLOAD ALL MEDIA FILES



Evaluator AI Draft

HIDE DRAFT

No draft generated yet.



GENERATE EVALUATOR DRAFT

>> It is because you are in Evaluator mode - you should be in User mode to document projects. The User does not see this screen but this

Dashboard

STRUCTURE

Project & Cell Info 1/9

Part #1: kugle DELETE

Part #2: stang DELETE

Add Part

EXTENDED ANALYSIS

Business Case

Additional Opportunities

Review / Submit



Data Capture Advice

HIDE ADVICE



ANALYZING DATA...



GET ADVICE ON DATA

Parts Summary

Part #01: kugle

0 Images

Part #02: stang

0 Images

Submit to Scape Solutions

Mark as Fully Specified


>> maybe it is worth preventing starting documenting in Evaluator mode, but then the evaluator can not update projects after a call to the integrator - what is best?

I'm confused about the text at the top. What does it mean that the project "has not been submitted by the user"? How do I submit it? Do I need to log in as a user to submit (and not an evaluator)?

>> wrong User mode --> yes, and you can switch by clicking the profile image


I clicked on "Generate Evaluator Draft" but it gave me a busy mouse icon for a little while and then just showed the same as above. So nothing happened.

At the bottom of the page I see:



I'm confused if I as a user should click that button. Because I know I didn't submit all the necessary information (some parts were never described) and a few other things I didn't submit.
>> It says it is awaiting submission - and as a Evaluator you should not do anything
>> if submitted and you as an evaluator see this and agree it is fully specified you can push it

When I click the button disappear and it just says:



>> you can not evaluate the project before it is submitted


I don't understand this step.

Just above this button it says:



But I did upload some images earlier. Just not at the point where I should have uploaded images instead of the CAD file (because my CAD file was too large). But with this message I get in doubt if I remembered to upload images at all.
>> error from earlier

Turns out, after I clicked the "Mark as fully specified" I could generate an AI draft evaluation further up on the page even though this message at the top is still there:



>> Yes, but no point in running an evaluation if not submitted -- you will have to run it again after fully specified and submitted :-)

The AI evaluation result I got is shown here - I comment further down below the evaluation:

...

EVALUATION DRAFT — FG Automatyka - mail rails
Date: 2024-05-24
Verdict: 🟡 YELLOW
Evaluation level: Rough pre-evaluation only
Images available: Yes
CAD available: Yes (stated, not uploaded)

SCOPE

****Scape's responsibility:**** Vision system, software, robot programming, scanner configuration.
****Partner's responsibility:**** Gripper design and production, Part Turner (if needed), PLC programming, fixtures, buffers.
****Scope note (if applicable):**** No scope deviations noted. Standard responsibility split applies.

DATA COMPLETENESS

****General:****

- 1.01 Project name:  Complete
- 1.02 Number of parts:  Complete
- 1.03 Bin type:  Complete ("plastic-box")
- 1.04 Bin dimensions:  MISSING
- 1.05 Robot brand:  Complete
- 1.06 General notes:  Not critical (field not present)

****Part 1: 3432073_AJ__ASM TRACK 3000...****

- 2.01 Part name:  Complete
- 2.02 Part dimensions:  Complete
- 2.03 Part weight/material:  MISSING (weight not specified)
- 2.04 Cycle time:  Complete
- 2.05 Cycle time basis:  NOT CRITICAL
- 2.06 CAD file available:  Present but ambiguous (stated 'Yes' but no file uploaded)
- 2.07 Oil/lubrication:  Complete
- 2.08 Slip sheets:  Complete
- 2.09 Entanglement risk:  Complete
- 2.10 Temperature issues:  Complete
- 2.11 Shininess:  Complete
- 2.12 Placement/destination:  MISSING
- 2.13 Side determination:  Complete
- 2.14 Special gripper requirements:  Complete
- 2.15 Additional notes:  Not critical (field not present)

****Stop rule result:**** 3 critical fields missing (1.04, 2.03_weight, 2.12). Proceeding in normal mode, but evaluation is limited to a rough pre-evaluation.

RED FLAGS

- R01 — Entanglement risk: Re-classified as Yellow Flag based on geometry.
- R02 — Unrealistic cycle time: Not triggered (but cycle time is tight, see G08).
- R03 — Extreme temperature: Not triggered (2.10=No).
- R04 — No visual input available: Not triggered (Images are available).
- R05 — Very small part: Not triggered (Smallest dimension is 25 mm).
- R06 — Mirror-like or transparent surface: Not triggered (Part is shiny, not mirror-like).

YELLOW FLAGS

****G07 — Many parts in project****

- Issue: The project involves 8 different part types.
- Context: Each part type requires separate CAD processing, vision configuration, recipe setup, and testing. This significantly increases project complexity, duration, and cost compared to a single-part project. The provided images confirm several distinct variants.
- Recommended clarification: Are all 8 parts to be handled in the same cell? Will changeovers be manual or automatic? Are all parts represented by the single part form submitted?

****R01 — Entanglement risk****

- Issue: The form states a risk of entanglement (2.09=Yes), and the part geometry from the images supports this.
- Context: The parts are long, profiled rails with holes and bent features. They have a high potential to hook, interlock, or wedge together in the bin, which can make them impossible to pick. This is not a

definite show-stopper but requires validation.

- Recommended clarification: A physical test with a significant number of parts in a bin is strongly recommended to assess the severity of entanglement.

****G05 — Side must be determined****

- Issue: The form states the part's side (up/down) must be determined (2.13=Yes).
- Context: This requires a Handling Station for re-gripping and the SCAPE 3D Orientation Control software module (SW20-01). If parts can rest in both orientations in the bin, a Part Turner (partner responsibility) will also be required after the Handling Station to flip parts.
- Recommended clarification: Confirm that a Part Turner can be integrated into the cell layout and budget.

****G08 — Tight cycle time (possible two-robot)****

- Issue: The desired cycle time is 9 seconds for a 400 mm long part, with side determination required.
- Context: This is a demanding cycle time. The sequence includes picking from a deep bin, moving to a Handling Station, re-gripping, and placing. The basis for the cycle time (absolute vs. average) is unknown (2.05 is empty). A two-robot solution (Bin-Picker + Line-Feeder) may be needed to meet an absolute requirement, significantly increasing cost.
- Recommended clarification: Is the 9-second cycle time an absolute requirement or an average over a shift? Is there space and budget for a second robot if required?

****G01 — Shiny surface (alone)****

- Issue: The part is described as very shiny/reflective (2.11=Yes).
- Context: Shiny surfaces can create reflections that challenge the 3D scanner. While manageable, it may impact recognition performance. Suction cups are also less reliable on shiny surfaces.
- Recommended clarification: None immediately, but this supports the need for a mechanical (finger) gripper.

****G-NY2 — Mirrored variants (LH/RH)****

- Issue: One of the provided images is for a "LH" (Left-Hand) variant.
- Context: Distinguishing between geometrically mirrored Left-Hand and Right-Hand variants requires the SCAPE 3D Orientation Control software (SW20-01), which is already triggered by G05. This adds complexity to the recognition and handling logic.
- Recommended clarification: Confirm how many of the 8 part types have LH/RH variants.

****G-NY3 — SCAPE 3D Orientation Control (SW20-01 / OP11-03)****

- Issue: This software module is required.
- Context: It is mandatory because side determination is required (2.13=Yes) and the project includes mirrored (LH/RH) variants.
- Recommended clarification: This is a required component; inform the customer/partner.

****G-NY1 — Scanner configuration****

- Issue: Bin dimensions are missing (1.04).
- Context: Without bin dimensions, the correct scanner model and mounting position cannot be determined. The solution (e.g., one stationary scanner vs. a robot-mounted scanner) depends heavily on the bin size and depth.
- Recommended clarification: Please provide the internal dimensions (width x length x height) of the plastic boxes used.

****G-NY6 — Backlit Handling Station (SL13-01)****

- Issue: A backlit Handling Station is likely beneficial.
- Context: The parts have complex profiles which may present gradually curved edges to the 2D camera on the standard Handling Station. The tight cycle time also means minimizing false rejects is critical. A backlit plate provides a high-contrast silhouette, improving detection robustness and speed.
- Recommended clarification: This is a recommended hardware option to ensure cycle time and reliability.

****G-NY7 — Cobot warning****

- Issue: The robot brand is ABB, which produces both industrial robots and cobots (collaborative robots).
- Context: If a cobot is planned, the customer must be aware that it will be significantly slower than an industrial robot, which could make the 9-second cycle time impossible to achieve.
- Recommended clarification: Please clarify if the intended ABB robot is a standard industrial model or a cobot.

****G09 — Precise placement required****

- Issue: — CANNOT BE ASSESSED (Missing field 2.12).

****G11 — Heavy part (> 5 kg)****

- Issue: — CANNOT BE ASSESSED (Missing field 2.03_weight).

KEY QUESTIONS — always include if not already answered in the form

1. ****Complete part overview:**** The form details one part but mentions eight. Can you please provide details (or at least photos/CAD) for the other seven variants?
2. ****Delivery specification:**** Exactly how must the parts be placed at the destination? Is it into a fixture,

onto a conveyor, or into a machine? What are the placement tolerances?
3. **Cycle time clarification:** Is the 9-second cycle time an absolute maximum per part, or is it an average calculated over a longer period (e.g., a full shift)?

EVALUATOR NOTES

The primary challenges are the high number of part variants (8) and the potential for entanglement. The combination of a tight cycle time (9s) with the need for side determination (adds time at Handling Station) is a major risk that needs careful review. Critical data is missing: bin dimensions, part weight, and placement details are required to proceed to a full technical evaluation and pricing. The entanglement risk makes a physical demo test highly advisable before quoting.

DEMO RECOMMENDATION *(if relevant)*

⚡ Consider a physical demo test before quoting.

Reason: To accurately assess the entanglement risk (R01). The complex geometry of the rails makes them very likely to interlock, and the severity of this can only be determined with physical parts.

DRAFT CUSTOMER REPLY

Starting point for the evaluator's reply. Edit before sending.

Dear FG Automatyka,

Thank you for submitting your project for evaluation. This involves bin-picking up to eight different variants of metal rails for your production line.

Based on the information provided, we see good potential to support this project. However, due to the complexity of handling multiple, long parts that may interlock, we need to clarify a few points before we can complete a full technical review.

To move forward, we would appreciate:

- * **Details on all 8 part variants:** Information (or just photos) for the other seven parts would be very helpful.
- * **Bin dimensions:** The internal width, length, and height of the plastic boxes you use.
- * **Part weight:** The weight of the part described in the form.
- * **Placement details:** A description or drawing of where the robot needs to place the part (e.g., into a machine fixture, onto a conveyor).
- * **Cycle time basis:** An understanding of whether the 9-second cycle time is an absolute maximum or an average time.

Resolving these points will allow us to confirm the feasibility and move towards a system configuration. The risk of the parts tangling in the bin is something we should also discuss; a physical test is often the best way to be certain.

We look forward to discussing the project further.

The first part is very good - it gives an overview of what was provided and what is missing and there is a summary just below it showing some "red and yellow" flags but the way they are described I think is quite code-specific, not user-friendly to read:

RED FLAGS

- R01 — Entanglement risk: Re-classified as Yellow Flag based on geometry.
- R02 — Unrealistic cycle time: Not triggered (but cycle time is tight, see G08).
- R03 — Extreme temperature: Not triggered (2.10=No).
- R04 — No visual input available: Not triggered (Images are available).
- R05 — Very small part: Not triggered (Smallest dimension is 25 mm).
- R06 — Mirror-like or transparent surface: Not triggered (Part is shiny, not mirror-like).

Looks like this parts **"Stop rule result:"** should not have been part of the output?

>> fully agree - the two of us need to sit together to figure what is the best output

I will not go into all the yellow-flag comments. Most of them are good and relevant. But this one:

****G07 — Many parts in project****

- Issue: The project involves 8 different part types.
- Context: Each part type requires separate CAD processing, vision configuration, recipe setup, and testing. This significantly increases project complexity, duration, and cost compared to a single-part project. The provided images confirm several distinct variants.
- Recommended clarification: Are all 8 parts to be handled in the same cell? Will changeovers be manual or automatic? Are all parts represented by the single part form submitted?

Should have been handled somehow while filling out the form. The system only asked me for one part. I believe it should have asked me for all 7 parts.

>> ... and would have been so in the right mode :-)

****G09 — Precise placement required****

- Issue: — CANNOT BE ASSESSED (Missing field 2.12).

It should have been a requirement to fill out.

>> and i think it will or the User report will clearly say so

Most of my comments were minor confusions and things that I think can be fixed fairly easy. I think this has potential.

One question: Can a user edit/add to an existing project? Sometimes they don't have all the parts at hand while filling it out but when they have them later on they would like to fill out information about them.

>> if you as an evaluator has not taken it after they submitted it they can unsibmit

>> if you have taken it you can "release "it again and he can unsubmit

Best regards,
[Evaluator name]
Scape Solutions

--

Yours sincerely

René Dencker Eriksen
CTO
Scape Solutions ApS
www.scapesolutions.eu
Mobile: +45 2530 8949 Profile: [LinkedIn](#)

SCAPE
IMAGINE. CREATE. AUTOMATE.

On Fri, Jun 19, 2026 at 12:25 PM Rune Larsen <rune.k.larsen@scapesolutions.eu> wrote:
Hi Again

Just a small update: if you want to try - use <https://scape-data-capture.web.app/> instead of the previously supplied link

Have a good weekend when it is time for that :-)

Best regards

On Wed, Jun 17, 2026 at 5:27 PM Rune Larsen <rune.k.larsen@scapesolutions.eu> wrote:
Hi All

Thanks for a good meeting today.

I did not have much time to illustrate where I am in the process with the "Scape Data Capture" Tool.

The presentation from the meeting includes a small timeline and some screenshots.

I have also attached a Teaser of the app. By the way entirely produced by two prompts in Antigavity, which is the application i have used to program the App, and "who" knows everything we (I and antigravity :-)) have discussed over the last month or so. It's not fantastic but good as an introduction.

There is a link and a demo account described in the Teaser, and I hope you will take the time to try it out. This is a slightly risky request, as you are the very first testers outside my home office (me), Expect some inconveniences and please take your time to provide feedback - this will help.

John, Rene and Jesper should maybe use their @scapesolutions.eu emails.

Here is some context to give you an idea of what it takes to get to a prototype like this:

- I started programming it in early/mid-May, and
- I've used about the 10 hours a week I'm employed + some private sweat equity (free time)
- I'm by no means an experienced programmer

If we are as far as I hope we are (now that it gets tested), I think this demonstrates how far we can get if we fully embrace the new AI world and its opportunities.

Best regards
Rune