



NatureTint Base

Product Overview

NatureTint Base is a premium, zero-VOC (Volatile Organic Compound) interior wall paint with a modern matte finish. This odorless and environmentally responsible formula is engineered for excellent coverage and a healthy indoor environment.

Ideal For:

- Living rooms
- Bedrooms
- Hallways
- Low-traffic interior walls

Use NatureTint Base for spaces where clean air, elegant matte style, and easy application are top priorities.

Surface Preparation

Proper preparation is essential for a beautiful and lasting finish.

1. Priming:
 - For porous surfaces (fresh drywall, new plaster, unpainted wood) or any walls with stains, apply EcoGuard Primer and allow it to dry fully.
2. Cleaning:
 - Remove all dust, dirt, and debris from the surface using a soft bristle brush, tack cloth, or vacuum.
 - Ensure the surface is dry and free of loose particles.
3. Repairs:
 - Patch and sand any holes, cracks, or imperfections.
 - Remove sanding dust before painting.

Proper prep maximizes paint adhesion and guarantees optimal results.



NatureTint Base

Application Instructions

Tools Needed:

- Standard roller (3/8" nap recommended for smooth walls)
- Synthetic-bristle brush for cutting in edges and corners

Mixing:

- Stir NatureTint Base thoroughly with a clean paint paddle or stir stick before and occasionally during use to maintain consistency.

How to Apply:

1. Use a synthetic brush to cut in along ceilings, corners, and trim.
2. Use a roller to apply paint to large wall areas, working in small, manageable sections.
3. Maintain a wet edge and use long, even strokes for a smooth, uniform matte finish.
4. Apply a second coat if needed for full coverage and color depth.

Environmental Recommendations:

- Apply in temperatures between 60°F and 80°F.
- For best results, keep humidity below 60% during application and drying.

Coverage

- Approximate Coverage: 400 sq. ft. per gallon on smooth, primed surfaces.
- Coverage will be lower on rough or textured walls or over previously unpainted surfaces.

Dry & Recoat Times

- Touch Dry: 1 hour (under standard indoor conditions: 70°F, <60% RH)
- Ready to Recoat: 4 hours

Dry time may be extended by low temperatures or high humidity.



NatureTint Base

Cleanup & Disposal

- Clean brushes, rollers, and pans promptly with soap and warm water before the paint dries.
- Wash hands and any drips or splatters with warm, soapy water.
- Close the paint container tightly after each use to preserve freshness and prevent spills.
- Never pour unused paint down the drain. Allow leftover paint to dry and dispose of it according to local regulations, or take it to a household hazardous waste facility.

Maintenance & Care

- To clean walls finished with NatureTint Base, gently wipe with a soft, damp cloth.
- Avoid abrasive scrubbers, strong detergents, or excessive moisture to preserve the beautiful matte finish.
- Promptly touch up any nicks or marks with leftover product for flawless results.

Tips for Success

- Test Color First: Paint a small, inconspicuous section and allow it to dry to confirm color, especially when using bold or deep shades.
- Maintain Good Airflow: Ventilate the area while painting and drying for faster results and a healthier environment.
- Seal When Not in Use: Always reseal the paint container tightly to prevent drying or contamination.
- Watch Humidity: High moisture can delay drying and affect coverage. Dehumidify if needed.
- Regular Stirring: Stir during longer painting sessions for color and texture uniformity.

Frequently Asked Questions

Do I need a primer?



NatureTint Base

- For porous, stained, or unpainted surfaces, prime with EcoGuard Primer.

Can I use NatureTint Base in kitchens or bathrooms?

- This paint is designed for low-traffic, low-moisture spaces. For kitchens or baths, choose a moisture-resistant finish.

Is this paint safe for homes with children or sensitive individuals?

- Yes. NatureTint Base is zero-VOC and ideal for use in homes with children, pets, or sensitivity to odors.

For assistance, contact our product support team or visit our website for expert guidance and troubleshooting resources.