



BRAND IDENTITY

Property of FORTIFIED

Email: office@fortified.pro
website



fortified_ny

34 Elton St
Rochester, New York
14607

	1	
	2	Our Name
	3	
Rendering	4	
Conventions	5	
	6	Logo use
	7	
	8	Typography
	9	
Website	10	
Organization	11	
	12	
Stationary	13	Project
	14	Polishing
	15	Floor plan
	16	Presentation
	17	
	18	Signage
	19	
Merchandise	20	

What is FORTIFIED?

FORTIFIED is an interdisciplinary real estate development, architecture, and design practice based in Rochester, New York. By approaching real estate as an evolving system, we reveal opportunities through the means of our attention to detail and commitment to community. Spanning from historic adaptive reuse to new constructions including multi-family housing, creative workspaces, and restaurants, we fortify our projects to create architecture that is timeless in character yet responsive to change.

FORTIFIED started in 2015, with it's first major projects including: Woodbury Place and the Metropolitan building. Since then, our firm has breached into multiple avenues widening the span our of work greatly. We specialize in architecture, real-estate development, Web Design, brokerage, interior design, 3D rendering, and permitting with a focus in adaptive re-use of historic structures.

Architecture	The Factory		
	Eyesite Optometry		
	The Bevier Building	FTS INC	
	Woodbury Lofts	DITONDO Buffalo	
	2017-18	2019	2020-21
Development			

Our People

Patrick Dutton Partner

Patrick is a real estate developer and licensed real estate broker specializing in the quickly advancing downtown Rochester marketplace. He and his affiliated firms, Dutton & Company, Dutton Properties, and FORTIFIED, have a particular focus on mixed-use developments and therefore have extensive experience in apartments, condominiums, office space, retail, restaurants, light industrial, and maker's spaces.

Mauro Cringoli Director of Architecture

Mauro is a licensed architect in the State of New York and leads the architectural division of FORTIFIED. He has extensive experience in both redevelopment and new construction projects and has worked on several signature projects in Rochester and Buffalo, including the redevelopment of The Metropolitan (former Chase Tower), The Glenn Building, and more, with over 25 years of experience managing all aspects of design, code review, and construction administration.

Raine Cerankosky


Marketing,
Web Design

Brett DeLola

Director of
Design

			GreenSpark Solar HQ
			Hotel Saint Andrews
			The Granite Building
			The Edwards Building
The Metropolitan Building Renovation	The Glenn Building		Canterbury Monroe
Bar Bantam	CareerStart	Nota Salon	Noma Lofts
2022	2023	2024	On deck
			Fedder Maker's Campus

Elton Street Restaurant



Here, each texture is configured to realistically reflect the global lighting, with tones that meld together rather than clash.

Hotel Saint Andrew



Here, the weather is set a high noon position, casting long shadows and pure light on the facade, and the foliage planted is congruent to the local environment.

Visual language

Camera

In our renderings, the camera is most often at a height to simulate human perspective. Extreme angles are avoided, and the focal length remains consistent.

Lighting

Renderings are lit to accurately depict textures and architectural features rather than to create a certain visual style.

Processing

Renderings receive minimal post-processing effects, with more exaggerated presets such as bloom, haze or vignettes avoided entirely. The skybox remains consistent across projects, and the same goes for tonal balances, to create an unified web of design.

Entourage

Foliage is region accurate and variegated. People are uniform and used only to depict the scale of our spaces.

Materials

Textures are accurately lustered with life-like reflections, scaled to avoid any immersion-breaking pixelation. The hue of textures, is consistent regardless of materials.

Color


Heavy cinematic filters and LUT's are used sparingly in the interest of emulating natural tones. The overall palette is neutral rather than saturated.

Files

Files are named according to a concrete format to preserve group work and organization.

Files ex.

040_St Andrews



The do's




The minimum amount of space allowed around the logo is double the 'I' width.



For larger uses, the horizontal gutters should be equivalent.




The logo is to be filled in black, white or metallic gradients, though it's background color should be gray scale and dependent on each choice. Rare exceptions can be made for merchandise.



The F can be cut out and used in square ratio formats where the logo is squashed ex. favicon- fortified.pro. The width on each side should be equivalent to the height of the middle stem of the F.

Synthesis

The logotype is inspired by the typeface 'Imagine' by Jens Insensee, and was created based off of the inverse of the 'FORTIFIED' character order. The font was converted into a transparent silhouette, with a black/white responsive fill placed behind it. The fill was then scaled to create the signature shape.



The don'ts



Our old logo is not to be used.



Our logo is not to be scaled non-proportionally, stacked, non-horizontally aligned or shaded.



Our logo is not to be aligned on a small enough space that it's silhouette is undermined, or next to text to suggest a longer title.



While it's tastily vivid, our logo is not to be colored or placed on a colored background.

Filetypes- The FORTIFIED logo should not be utilized in any file type besides SVG or PNG. It should be vectorized in a vast majority of uses to prevent rasterization. For web uses, a JPEG is suitable for load optimization, and for branding PNG's are suitable for transparency and conventionality.

JPEG



SVG



PNG




FORTIFIED, as a title, should always be set in all-caps whenever referred to, except for file naming or URL's.

Swiss721 BT Bold

pt 9,18,50,70,220

abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789!@#%&'()*




Swiss721

This typeface is to only be set in ALL CAPS. It is to be used for individual **floor plan room** labels, and enlarged for **sheet page numbers**. It can be further enlarged for **titles**, and set under a textured overlay.

SIMPLEX 5° OBLIQUE

pt 8

abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789!@#%&'()*



Simplex

Also, this typeface is to only be set in ALL CAPS, and always with a 5° oblique applied. It is primarily used for **floor plan descriptions**, material descriptions, and for **general notes** aligned above the title block, comprising a majority of the text on our floor plans. It is also used for building feature captions, and safety label keys, solidifying it as one of our most conventional typefaces.


Tracking is to be increased by up to 20pt for larger uses of any of the above typefaces- there should be no custom Kerning.

Leading is to be increased for any of the above typefaces in order to maintain consistent vertical and horizontal alignment.

Calibri Light + bld

pt 99

abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789!@#%&'()*




Calibri

This typeface is most often set in ALL CAPS, though for the rare exception can be place in standard punctuation. Styles can be interchanged, but the **light style** is to be used for the bulk of the text in our title block, while the **bold style** is reserved for the identifying details. The font is also used for symbol legends, vertical dimension labels, and general orientation labels.

Noto Mono

pt 10,12,14,20,50


abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789!@#%&'()*



Noto Mono

This font is to be almost exclusively set in standard **uppercase punctuation** except for exceptions such as **headings and titles**. It is the primary typeface for our digital interface- all website pages, support pages, contact forms and policy documents. It is configured to be responsive, meaning the size changes depending on the device it's accessed from. A bold or italicized version is not to be used.

Hierarchy



Homepage
var4 (navbar
on all pages
except
Ventures)
/
Drone footage
of downtown
projects

Typography mobile/desktop

All type used on our domain is Noto (sans) Mono,
exceptions allow for preformatted text in images.

Style variable 1- *Responsive body text 10/12pt
Style var 2- *Responsive header 16/30pt
Style var 3- *Unique about page text 14/20pt
Style var 4- *Nav bar sizing 12/14pt

Projects
/projectindex



var1,4

AA

Project
portfolio
Photo gallery

About
/about-us



var1,3,4

AAA

Mission
statement
Personal bios
Client list

Contact
/contact




var1,4

AA

Form
submission
Instagram
Mail-to office@
fortified.pro

Ventures
/explore



var2

A

Visual guide
leading to
canterbury
monroe.com +
nomalofts.com

Design

Serving as the primary digital interface of FORTIFIED,
the site serves content through a cinematic,
minimalistic style, allowing visual information to
dominate with sparse supporting text. Responsivity is
the upmost priority, ensuring the experience is uniform
across devices. Pages are modular- they allow the
addition of more content as our portfolio grows, and as
our digital utilities become more advanced.

Function

Load times

*HTML for relevant pages is preloaded through PHP code
*Videos are **compressed** and formatted properly to ensure
a consistent experience across devices
*Any included file size is to be under 12mb to avoid
freezing

Features

Hold ctrl to speed up animation on homepage
Hold right-click nav bar arrow to collapse page list

Spacing

Navbar- *18pt/24px from left/right (when **arrow** is
toggled) *36pt/48px from top on all pages
Project index- *18pt/24px space after each description
*30pt/40px space from left side for text
Contact/About- *450pt/600px content/form width
Ventures- *375pt/500px content width



Letter template



Letter head template



Title block

34 ELTON ST
ROCHESTER NY 14607
fortified.pro
PHONE #

THIS IS A SINGLE SHEET OF A COHESIVE SET OF CONSTRUCTION DOCUMENTS (INCLUDING DRAWINGS & SPECIFICATIONS). INTERPRETATION OF THE INFORMATION AS PRESENTED SHOULD BE BASED ON THE ENTIRE SET OF DOCUMENTS.

PROJECT TITLE:

ADDRESS:

PROJECT #:
ISSUE DATE:
DRAWN BY:
MANAGER :

REVISIONS:

#D	ATE	DESCRIPTION
1-	-----	-----
2		
3		
4		
5		

SHEET CONTENTS:


SHEET NO.:

-- DESIGN DEVELOPMENT--
(NOT FOR CONSTRUCTION)

Firm ID	Phone #, website, location
Line weights	2" x 1/16" / 144 x 4.5 pt 2" x 1/720" / 144 x .1 pt
Typography	Calibri light + bold in 9pt Swiss721 Bt Bold 18pt
General notes	
Project details	Title, #, date address, Assigned architect
Revisions	Order, subject, description
Sheet Contents	Location, status, orientation
Sheet No.	According to floor number, + details of permit set



Case Study Fedder Maker's campus



Alignment

The vertical space between each letter is equivalent to their horizontal margin on each side within the boxes, which they are centered inside of. Every letter sits or hangs from an **2 X-axes**, with the space between them equivalent to the width of the bottom arms of each 'E', this space also equivalent to the vertical spacing between each character.

Color

Directly correlated to the lilac hues of the campus's largest mural, the cool tones provided are designed to reflect the tranquility achieved in the ease of iteration.



Primary Shape
Inspired by factory boxes, and windows, the black square beyond each letter creates and equidistant 2 x 3 grid.



Horizontal space around lettering is equivalent to space from the top cornice.




Color inspiration, mural on NW facade.

Legible from up to 1640ft/500m away

Note- this logotype based on 'Barber' in the fill sub-variant by Republic Foundry.



Case Study Noma lofts



Alignment


The 'n' and 'l', 'o,o' and 'a' and 's' are directly parallel across the **x axis**. The upper stem of the 'f' lands at the middle leg of the 'm', in which it's first stem is aligned to the 'f's'. The 'T' stalk is skewed to align to the latter stem of the 'm', and the first leg of the 'a' vertically initiates the lean of the 's'.

Note- this logotype is not based on any particular typeface, the lettering was created by hand.

Ancillary shape

Iterated off of the first to create harmony and consistency.

Primary Shape
Inspired by the sleek modularity of Art Moderne architecture, repeated to create a gestalt logotype.



Logo centered within the pier, placed proportional to the door frame.



Legible from up to 165ft/50m away

Note- The 'NOMA LOFTS' is designed to be 3D, forged in thin metal bars.

Floor plan processing

In the interest of creating a more consumer friendly experience, mass-presented floor plans are converted into detailed versions.

Design


Outer walls are shaded fully black, encapsulating the unit's finer details. Inner fixtures, appliances, sub-spaces, and details are shaded with four separate Ben Day gray patterns, and floor textures are rendered in four separate patterns. A scale-guide (.03 foot = 1 foot), and floor-key are created for spacial reference, and the entire unit is shaded in different levels of gray.



Wood panel



Marmoreal



Tile



Carpet




Ben Day light 8% opacity Ben Day depth 15% opacity Ben Day shadow 35% opacity Ben Day void 50% opacity

Kitchen = Kit Bathroom= BA Bedroom = BR Living room= LR


Typography

The floor plan's text is set in Swiss721 BT Bold, derived from the initial labels on the plans themselves. 3 weights are used, **20pt**, **70pt**, and an extra large **220pt** for the unit numbers. Labels are also shortened to their abbreviated forms to eliminate redundancies. To establish unity further, other typefaces present in the original plans are removed.


Initial



Processed



NOMA
LOFTS



1443
square
feet

2BR
2.5BA

.03' = 1'



Signage example
Fedder Building available sign



Design

A black background is used to replicate the style of the logo, which is the most important element on the sign besides the contact information. Accordingly, it is the only colored element to draw attention, and the contact email is the widest and last element, achieving a similar importance.

Alignment

The 'SPACE' line is **horizontally centered** within the background, and it's 'S' is used the commence the 'Available' and FEDDER logo, while it's 'E' concludes the **space list diagonal**.

Typography

'SPACE' is set in the Barber 'fill' sub-variant typeface by Republic Foundry, in a rhetorical alignment accentuating the main idea- there's space that needs filling. The rest of the type is in various font variants of Helvetica Neue by Linotype, in the interest of visible cleanliness and recognizability.

Spec Signage example
FORTIFIED site sign



Alignment

The logotype is **centered horizontally** and including the spacing and size of the bottom list, is **vertically centered** upon the sign background.

Typography

The bottom list is set in Swiss721 Bt Bold, with a hierarchy established by first three items filled in a lower opacity white.

Design

The design is crafted to be visible from long distances and from behind natural textures- chain-link fences, railings, or windows. The most important element here is our name, hence the large size, followed by the second most important being a means of contact (our website).



Merchandise



Carpenter
pencil
\$2
Mug
\$15
Triangle
ruler
\$15
Hat
\$20
Water bottle
\$25
Wireless
Mouse
\$25
T-shirt
\$25



*First 2
pieces of
merchandise
are free for
clients



