

Problem 1.

Solve Equation 3.1 for x, y, z, t in terms of x', y', z', t' , and check that you recover Equation 3.3.

Solution

Equation 3.1

- i. $x' = \gamma(x - vt)$
- ii. $y' = y$
- iii. $z' = z$
- iv. $t' = \gamma(t - \frac{v}{c^2}x)$

Equation 3.3

- i'. $x = \gamma(x' + vt')$
- ii'. $y = y'$
- iii'. $z = z'$
- iv'. $t = \gamma(t' + \frac{v}{c^2}x')$

i', ii', iii' are obvious.

for iv', from iv,

$$\begin{aligned} t &= \frac{v}{c^2}x + \frac{t'}{\gamma} \\ &= \frac{1}{\gamma}(t' + \frac{\gamma}{c^2}v(\frac{x'}{\gamma} + vt)) \\ &= \frac{1}{\gamma}(t' + \frac{\gamma}{c^2}v(\frac{x'}{\gamma}) + \frac{v^2\gamma t}{c^2}) \\ t(1 - \frac{v^2}{c^2}) &= \frac{1}{\gamma}(t' + \frac{vx'}{c^2}) \end{aligned}$$

Therefore, $t = \gamma(t' + \frac{vx'}{c^2})$

This is the iv'.

Problem 2.

- (a) Derive Equation 3.4.
- (b) According to clocks on the ground (system S), steetlights A and B (situated 4km apart) were both turned on at precisely 8:00 P.M. which one went on first

according to an observer on a train (system S'), which moves from A toward B at $\frac{3}{5}$ the speed of light? How much later (in seconds) did the other light go on? Note: As always in relativity, we are talking here about what S' observed, after correcting for the time it took the light to reach her, not what she actually saw (which would depend on where she was located on the train).

Solution

From Equation 3.1 iv. $t' = \gamma(t - \frac{v}{c^2}x)$,

$$t'_a = \gamma(t_a - \frac{v}{c^2} x_a),$$

$$t'_b = \gamma(t_b - \frac{v}{c^2} x_b),$$

$$t'_b - t'_a = \gamma(t_b - t_a - \frac{v}{c^2} x_a + \frac{v}{c^2} x_b)$$

Here, $t_b = t_a$ by the condition, and $x_a \neq x_b$,

$$\text{So, } t'_a = t'_b + \frac{\gamma v}{c^2}(x_b - x_a)$$