K-SPEAKER

Audio System
K2 User Manual



BLUETOOTH 3” WEATHER RATED SPEAKER AND AMPLIFIER SYSTEM

1. Features

Bluetooth Audio
FM radio
USB MP3/WAV/ FLAC Lossless Format Playback

2. Package content

Please check whether the accessories are complete after receiving the goods.



Host



Power cord



User's manual



M6 M4 M3



7/8 in 1 in 1-1/4 in



Nylon tie

Host x1. Power cord x1.
M3 hexagonal screwdriver x1.
M4 hexagonal screwdriver x1.
M6 hexagonal screwdriver x1.
Rubber pad x6. Nylon tie x10.
User's manual x1.

3. Wiring

First the red end of the power cord is connected to the positive battery of the power supply, while the black end is connected to the negative. Then connect the power cord to the host.









The audio wiring should not be close to the high-voltage package and spark plug.

4. Instructions



1.POWER

Short press to turn on, long press for about 2 seconds to shut down.

In the power on state and in radio mode, short press to mute, and then short press to unmute; In Bluetooth/USB mode, short press to pause and short press again to unlock the pause.

2.PREV

Short press to reduce the volume. In radio mode, long press to search for stations at the low end; In Bluetooth/USB mode, long press up to select music.

3.DISPLAY

Displays the current audio rate and current playback information.

4.NEXT

Short press to increase the volume. Long press in radio mode to search for stations, and long press in Bluetooth/USB mode to select music.

5.MODE

Short press in the power-on state to switch radio/Bluetooth/USB mode.

6.Bluetooth connection

To pair the Bluetooth devices and connect them to the K2 input, short press the mode to switch to Bluetooth mode and voice prompt “Bluetooth” with displays "BT" on the display screen and flashes.

Then turn on the Bluetooth function of the phone, search for the Bluetooth device “K2-SPEAKER”, and click on the successful connection with a tone, at the same time, the display screen shows "BT" permanently on, indicating that the Bluetooth connection is successful. You can open the mobile music player software to play music.

5. Installation Instructions



Remove the bracket



Mounting position of calibration bracket



Fixed bracket



Installing the host



Tighten the screws



Loosen the steering fixing screws



Reorientation of the host



Complete

6. Technical Parameters

Operating voltage----------10V-16V

Standby current----------＜2mA

THD----------＜1%

S/N----------＞85dB

Frequency response ----------50Hz-15KHz

FM radio frequency range----------87.5-108MHz

Bluetooth connection distance----------＞15m

K-SPEAKER AUDIO

www.kspeaker.com

vip@kspeaker.com