





DUAL PURPOSE RANGE



The dual purpose range feature a sealed double lid with flame arrestor with a reinforced container. This strong construction means they can handle the tough conditions of travelling and camping. Every trip is different, that's where ALCO Batteries can help build a power storage solution for your

particular needs.












- 3 Advanced centre lug technology and cast-on strap
- Sealed double lid with flame arrestor
- 5 Integrated, computer-designed and reinforced container
- 6 Magic Eye Indicator (Conveniently displays state of charge)

#### **DUAL PURPOSE D2000**

						OVERALL DIMENSION (MM)			WET					WADDANTY	
BATTERY TYPE	VOLT	TECHNOLOGY	AH	RC	CCA	L	w	Н	TH	WEIGHT (KG)	ASSEMBLY	POST	LEDGE	HYDR0	(MONTHS)
4WD/SUV/CARAVAN & CAMPERVAN APPLICATION															
DC24MF	12	SMF_Ca/Ca	80	140	650	257	172	200	220	18.2	D	TM	FL	YES	12
DC27MF	12	SMF_Ca/Ca	90	170	750	302	172	200	220	20.7	D	TM	FL	YES	12
DC27LMF	12	SMF_Ca/Ca	90	170	750	302	172	200	220	20.7	С	TM	FL	YES	12
DC31MF	12	SMF_Ca/Ca	100	180	825	330	172	218	242	23.2	D	TM	NL	YES	12

# ABBREVIATIONS DF Dual Fit EL End Ledge FL Front Ledge NL No Ledge OLT Offset Lug Terminal TM Twin Marine Terminal STD Standard Terminal







## **SALES & SUPPORT**

At ALCO Batteries we strive to partner with you in driving success for your business. The ALCO Batteries Connect Sales & Support Centre is available to answer any query you may have. In addition to our local team members, the ALCO Batteries Connect team can assist with all sales orders, used battery collections and product/technical inquiries.

Timely and accurate deliveries are critical in providing the best service to you customers. The team can work through the product range with you to deliver an optimal sales experience. Combining the functions of our local team members and ALCO Batteries Connect ensure you get the right product for your customer when you need it!

### **WARRANTY TERMS &** CONDITIONS

At ALCO Batteries we are committed to total customer satisfaction by providing quality products and quality service at all times. Our batteries are warranted against any manufacturing fault for the stated period.

Warranty terms and conditions appear within this warranty card and also on the top label of your battery.

Possible causes of battery failure that are not the result of faulty manufacture:

- Incorrect or under-specified battery type fitted to car.
- Charge system problem (low or high voltage) creating an overcharge or under-charge situation. A low voltage causes the battery to sulphate whilst a high voltage will literally cook the internal components of the battery.
- Repeated deep discharge (heavy accessory loads, car phones, lighting, boat accessories, etc).
- Prolonged storage of the car or very minimal use. A battery will generally sulphate and will never recover its full state of charge.
- Electrical faults, Shorts, Excessive loads etc.
- Any battery modifications such as acid additives, lead terminal changes, or any other contaminates.
- · Damage to the battery caused by the consumer or other in-car fault.

## **USED BATTERY COLLECTIONS**

As legislation addresses the processes surrounding used batteries, ALCO Batteries ensures safe, prompt and legal transportation of used batteries. Lead based batteries are processed in our own Australian EPA compliant recycling facility. Our team are ready to book your collections today.



- · Australia's only full lifecycle battery partner with over 12,000 collection points
- · World-class, modern facility in New South Wales recycles 97% of a used lead acid battery
- · Largest nationally compliant used battery recycling program
- Australia's only ISO14001 Environmental sustainability accredited recycling facility

For sales enquiries, call us on 1300 ALCO88