

ALCOTM
BATTERIES



MARINE RANGE

MARINE RANGE



ADVANCED TECHNOLOGY MARINE BATTERY RANGE

Your boat can experience harsh and unexpected conditions, ALCO Batteries' wide range of marine application batteries ensure high performance in any situation.

ALCO Batteries' range of Marine Starting batteries are designed to endure the rigours of boating. The X-Frame™ Grid technology guarantees reliable starting power while the vibration resistant design ensures longevity. Safety is maximised with the premium spill proof and maintenance free design.

At ALCO Batteries Your Battery Specialists can supply the right battery solution to ensure you're ready for your next boating adventure!



Basic Accessories:
Standard Instruments, 2-way radio



Standard Accessories:
Bilge pump, GPS, Fish finder, Lighting





BATTERY STRUCTURE

- 1 X-Frame Grid Technology and Grid Protection Technology
- 2 Enveloped separator for low electric resistance
- 3 Advanced centre lug technology and cast-on strap
- 4 Sealed double lid with flame arrestor
- 5 Integrated, computer-designed and reinforced container
- 6 Magic Eye Indicator (Conveniently displays state of charge)

MARINE RANGE M2000

BATTERY TYPE	VOLT	TECHNOLOGY	AH	RC	CCA	OVERALL DIMENSION (MM)				WET WEIGHT (KG)	ASSEMBLY	POST	LEDGE	HYDRO	WARRANTY (MONTHS)
						L	W	H	TH						
MARINE APPLICATION															
XV24MF	12	SMF_Ca/Ca	80	140	640	257	172	200	220	18.5	D	TM	FL	YES	24
XV27MF	12	SMF_Ca/Ca	80	160	720	302	172	200	220	20.5	D	TM	FL	YES	24
XV31MF	12	SMF_Ca/Ca	90	180	800	330	172	218	242	23.3	D	TM	NL	YES	24

DUAL PURPOSE D2000


BATTERY TYPE	VOLT	TECHNOLOGY	AH	RC	CCA	OVERALL DIMENSION (MM)				WET WEIGHT (KG)	ASSEMBLY	POST	LEDGE	HYDRO	WARRANTY (MONTHS)
						L	W	H	TH						
DUAL PURPOSE MARINE APPLICATION															
DC24MF	12	SMF_Ca/Ca	80	140	650	257	172	200	220	18.2	D	TM	FL	YES	12
DC27MF	12	SMF_Ca/Ca	90	170	750		172	200	220	20.7	D	TM	FL	YES	12
DC27LMF	12	SMF_Ca/Ca	90	170	750	302	172	200	220	20.7	C	TM	FL	YES	12
DC31MF	12	SMF_Ca/Ca	100	180	825	330	172	218	242	23.2	D	TM	NL	YES	12

ABBREVIATIONS

DF	Dual Fit
EL	End Ledge
FL	Front Ledge
NL	No Ledge
OLT	Offset Lug Terminal
TM	Twin Marine Terminal
STD	Standard Terminal

BATTERY ASSEMBLIES

12 VOLT



ALCO
BATTERIES



SALES & SUPPORT

At ALCO Batteries we strive to partner with you in driving success for your business. The ALCO Batteries Connect Sales & Support Centre is available to answer any query you may have. In addition to our local team members, the ALCO Batteries Connect team can assist with all sales orders, used battery collections and product/technical inquiries.

Timely and accurate deliveries are critical in providing the best service to you customers. The team can work through the product range with you to deliver an optimal sales experience. Combining the functions of our local team members and ALCO Batteries Connect ensure you get the right product for your customer when you need it!

WARRANTY TERMS & CONDITIONS

At ALCO Batteries we are committed to total customer satisfaction by providing quality products and quality service at all times. Our batteries are warranted against any manufacturing fault for the stated period.

Warranty terms and conditions appear within this warranty card and also on the top label of your battery.

Possible causes of battery failure that are not the result of faulty manufacture:

- Incorrect or under-specified battery type fitted to car.
- Charge system problem (low or high voltage) creating an overcharge or under-charge situation. A low voltage causes the battery to sulphate whilst a high voltage will literally cook the internal components of the battery.
- Repeated deep discharge (heavy accessory loads, car phones, lighting, boat accessories, etc).
- Prolonged storage of the car or very minimal use. A battery will generally sulphate and will never recover its full state of charge.
- Electrical faults, Shorts, Excessive loads etc.
- Any battery modifications such as acid additives, lead terminal changes, or any other contaminates.
- Damage to the battery caused by the consumer or other in-car fault.

USED BATTERY COLLECTIONS

As legislation addresses the processes surrounding used batteries, ALCO Batteries ensures safe, prompt and legal transportation of used batteries. Lead based batteries are processed in our own Australian EPA compliant recycling facility. Our team are ready to book your collections today.



Recycle with Enirgi
1300 783 879 | enirgipower.com.au

For sales enquiries,
call us on

1300 ALC088

- Australia's only full lifecycle battery partner with over 12,000 collection points
- World-class, modern facility in New South Wales recycles 97% of a used lead acid battery
- Largest nationally compliant used battery recycling program
- Australia's only ISO14001 Environmental sustainability accredited recycling facility