

ALCOTM

BATTERIES



LAWN MOWER RANGE

LAWN MOWER RANGE

ADVANCED TECHNOLOGY LAWN MOWER BATTERY RANGE

Your Lawn Mower can experience harsh conditions and irregular starting. ALCO Batteries' range of Lawn and Garden batteries are built tough to last through the long work days.

X-Frame™ technology employs a full framed grid design which prevents grid growth. The advanced grid design is built for maximum flow of current which allows for faster recharge and optimal conductivity.



Ultimate Performance



High Performance





BATTERY STRUCTURE

- 1 X-Frame Grid Technology and Grid Protection Technology
- 2 Enveloped separator for low electric resistance
- 3 Advanced centre lug technology and cast-on strap
- 4 Sealed double lid with flame arrestor
- 5 Integrated, computer-designed and reinforced container
- 6 Magic Eye Indicator (Conveniently displays state of charge)

LAWN MOWER RANGE


BATTERY TYPE	VOLT	TECHNOLOGY	AH	RC	CCA	OVERALL DIMENSION (MM)				WET WEIGHT (KG)	ASSEMBLY	POST	LEDGE	HYDRO	WARRANTY (MONTHS)
						L	W	H	TH						
ALCO 2000															
U1RMF-X	12	SMF Ca/Ca	30	40	300	205	132	160	185	7.7	C	OLT	NL	YES	12
U1MF-X	12	SMF Ca/Ca	30	40	300	205	132	160	185	7.7	D	OLT	NL	YES	12
ALCO 1000															
12N24-3	12	Main Ca	27	35	250	184	125	160	174	8.1	C	FT	NL	NO	12
12N24-4	12	Main Ca	27	35	250	184	125	160	174	8.1	D	FT	NL	NO	12

ABBREVIATIONS

DF	Dual Fit
EL	End Ledge
FL	Front Ledge
NL	No Ledge
OLT	Offset Lug Terminal
FT	Flag Terminal
STD	Standard Terminal

BATTERY ASSEMBLIES

12 VOLT



ALCO
BATTERIES



SALES & SUPPORT

At ALCO Batteries we strive to partner with you in driving success for your business. The ALCO Batteries Connect Sales & Support Centre is available to answer any query you may have. In addition to our local team members, the ALCO Batteries Connect team can assist with all sales orders, used battery collections and product/technical inquiries.

Timely and accurate deliveries are critical in providing the best service to you customers. The team can work through the product range with you to deliver an optimal sales experience. Combining the functions of our local team members and ALCO Batteries Connect ensure you get the right product for your customer when you need it!

WARRANTY TERMS & CONDITIONS

At ALCO Batteries we are committed to total customer satisfaction by providing quality products and quality service at all times. Our batteries are warranted against any manufacturing fault for the stated period.

Warranty terms and conditions appear within this warranty card and also on the top label of your battery.

Possible causes of battery failure that are not the result of faulty manufacture:

- Incorrect or under-specified battery type fitted to car.
- Charge system problem (low or high voltage) creating an overcharge or under-charge situation. A low voltage causes the battery to sulphate whilst a high voltage will literally cook the internal components of the battery.
- Repeated deep discharge (heavy accessory loads, car phones, lighting, boat accessories, etc).
- Prolonged storage of the car or very minimal use. A battery will generally sulphate and will never recover its full state of charge.
- Electrical faults, Shorts, Excessive loads etc.
- Any battery modifications such as acid additives, lead terminal changes, or any other contaminates.
- Damage to the battery caused by the consumer or other in-car fault.

USED BATTERY COLLECTIONS

As legislation addresses the processes surrounding used batteries, ALCO Batteries ensures safe, prompt and legal transportation of used batteries. Lead based batteries are processed in our own Australian EPA compliant recycling facility. Our team are ready to book your collections today.



Recycle with Enirgi
1300 783 879 | enirgipower.com.au

For sales enquiries,
call us on

1300 ALC088

- Australia's only full lifecycle battery partner with over 12,000 collection points
- World-class, modern facility in New South Wales recycles 97% of a used lead acid battery
- Largest nationally compliant used battery recycling program
- Australia's only ISO14001 Environmental sustainability accredited recycling facility