Stress Analysis Report 2

Analyzed File:	ENSAMBLE GENERAL.iam
Autodesk Inventor Version:	2015 (Build 190159000, 159)
Creation Date:	31/12/2016, 11:25 a.m.
Simulation Author:	DOCUMENTOS
Summary:	

⊟ Project Info (iProperties)

⊟ Summary

Author	DOCUMENTOS

⊟ Project

Part Number	ENSAMBLE GENERAL
Designer	DOCUMENTOS
Cost	S/. 0.00
Date Created	31/12/2016

⊟ Status

Design Status	WorkInProgress

⊟ Physical

Mass	686.139 kg
Area	67517700 mm^2
Volume	686139000 mm^3
Center of Gravity	x=368.817 mm y=-534.213 mm z=354.259 mm

Note: Physical values could be different from Physical values used by FEA reported below.

⊟ SIMULACION ENSAYO

General objective and settings:

Design Objective	Single Point
Simulation Type	Static Analysis
Last Modification Date	31/12/2016, 11:22 a.m.
Detect and Eliminate Rigid Body Modes	No
Separate Stresses Across Contact Surfaces	No
Motion Loads Analysis	No

Mesh settings:

Avg. Element Size (fraction of model diameter)	0.1
Min. Element Size (fraction of avg. size)	0.2
Grading Factor	1.5
Max. Turn Angle	60 deg

Create Curved Mesh Elements	No
Use part based measure for Assembly mesh	Yes

Material(s)


Name	Steel	
General	Mass Density	7.85 g/cm^3
	Yield Strength	207 MPa
	Ultimate Tensile Strength	345 MPa
Stress	Young's Modulus	210 GPa
	Poisson's Ratio	0.3 ul
	Shear Modulus	80.7692 GPa
Part Name(s)	ESQUELETO 2 TANQUE COMBUSTIBLE CUERPO 1 TAPA 1 TAPA 1 CUERPO 2 TAPA 2 EJE PIN EJE PIN	


Operating conditions

Gravity

Load Type	Gravity
Magnitude	9810.000 mm/s^2
Vector X	0.000 mm/s^2
Vector Y	-9810.000 mm/s^2
Vector Z	0.000 mm/s^2

Selected Face(s)







⊟ Force:1

Load Type	Force
Magnitude	88200.000 N
Vector X	0.000 N
Vector Y	-88200.000 N
Vector Z	0.000 N

⊟ Selected Face(s)







⊟ Remote Force:1

Load Type	Remote Force
Magnitude	88200.000 N
Vector X	-17099.795 N
Vector Y	86526.511 N
Vector Z	0.000 N
Remote Point X	0.000 mm
Remote Point Y	0.000 mm
Remote Point Z	0.000 mm

⊟ Selected Face(s)







⊟ Fixed Constraint:1

Constraint Type	Fixed Constraint

⊟ Selected Face(s)





Contacts (Bonded)

Name	Part Name(s)
Bonded:1	ESQUELETO 2:1 TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1
Bonded:2	TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/CUERPO 1_8
Bonded:3	TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_9
Bonded:4	TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_10
Bonded:5	TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/CUERPO 2_6
Bonded:6	TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/TAPA 2_7
Bonded:7	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/CUERPO 1_8 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_9
Bonded:8	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/CUERPO 1_8 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_9
Bonded:9	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/CUERPO 1_8 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_10
Bonded:10	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/CUERPO 1_8 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_10
Bonded:11	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/CUERPO 2_6 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/TAPA 2_7
Bonded:12	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/CUERPO 2_6 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/TAPA 2_7

Results

Reaction Force and Moment on Constraints

Constraint Name	Reaction Force		Reaction Moment	
	Magnitude	Component (X,Y,Z)	Magnitude	Component (X,Y,Z)
Fixed Constraint:1	57115.9 N	17099.8 N	88454.9 N m	-13486.9 N m
		54496 N		3426.82 N m
		0 N		87353.5 N m


Result Summary


Name	Minimum	Maximum
Volume	686139000 mm^3	

Mass	5386.19 kg	
Von Mises Stress	0.00000579188 MPa	131.688 MPa
1st Principal Stress	-20.3792 MPa	41.4119 MPa
3rd Principal Stress	-154.852 MPa	3.88798 MPa
Displacement	0 mm	3517.83 mm
Safety Factor	1.57189 ul	15 ul
Stress XX	-47.8519 MPa	19.2757 MPa
Stress XY	-10.1605 MPa	52.5278 MPa
Stress XZ	-18.8326 MPa	8.06918 MPa
Stress YY	-120.83 MPa	25.5228 MPa
Stress YZ	-17.5065 MPa	25.0024 MPa
Stress ZZ	-35.0782 MPa	20.6811 MPa
X Displacement	-21.416 mm	21.7659 mm
Y Displacement	-3517.83 mm	0.0466419 mm
Z Displacement	-37.3652 mm	36.8066 mm
Equivalent Strain	0.000000000024127 ul	0.000572764 ul
1st Principal Strain	-0.00000106062 ul	0.000219728 ul
3rd Principal Strain	-0.000670939 ul	0.00000387183 ul
Strain XX	-0.000140328 ul	0.000106401 ul
Strain XY	-0.0000628984 ul	0.000325172 ul
Strain XZ	-0.000116583 ul	0.0000499521 ul
Strain YY	-0.000460327 ul	0.000107784 ul
Strain YZ	-0.000108374 ul	0.000154777 ul
Strain ZZ	-0.0000836718 ul	0.000113239 ul
Contact Pressure	0 MPa	106.77 MPa
Contact Pressure X	-72.1221 MPa	104.44 MPa
Contact Pressure Y	-25.3022 MPa	21.4789 MPa
Contact Pressure Z	-11.3562 MPa	9.55096 MPa


⊟ Figures


⊟ Von Mises Stress







1st Principal Stress







3rd Principal Stress







Displacement







⊟ Safety Factor







Stress XX







Stress XY





Type: Stress XY
Unit: MPa
31/12/2016, 11:25:46 a.m.
52.53 Max
39.99
27.45
14.91
2.38
-10.16 Min
Min: -10.16 MPa
Max: 52.53 MPa


Stress XZ


Type: Stress XZ
Unit: MPa
31/12/2016, 11:25:48 a.m.
8.07 Max
2.69
-2.69
-8.07
-13.45
-18.83 Min



Type: Stress XZ
Unit: MPa
31/12/2016, 11:25:48 a.m.
8.07 Max
2.69
-2.69
-8.07
-13.45
-18.83 Min
Max: 8.07 MPa
Min: -18.83 MPa


Stress YY







Stress YZ





Type: Stress YZ
Unit: MPa
31/12/2016, 11:25:50 a.m.
25 Max
16.5
8
-0.5
-9
-17.51 Min
Min: -17.51 MPa
Max: 25 MPa


⊟ Stress ZZ


Type: Stress ZZ
Unit: MPa
31/12/2016, 11:25:51 a.m.
20.68 Max
9.53
-1.62
-12.77
-23.93
-35.08 Min
Min: -35.08 MPa
Max: 20.68 MPa



Type: Stress ZZ
Unit: MPa
31/12/2016, 11:25:51 a.m.
20.68 Max
9.53
-1.62
-12.77
-23.93
-35.08 Min
Max: 20.68 MPa
Min: -35.08 MPa


X Displacement







Y Displacement







Z Displacement







Equivalent Strain







1st Principal Strain







3rd Principal Strain







Strain XX







Strain XY





Type: Strain XY
Unit: ul
31/12/2016, 11:26:05 a.m.
3.252e-004 Max
2.476e-004
1.699e-004
9.233e-005
1.472e-005
-6.29e-005 Min
Min: -6.29e-005 ul
Max: 3.252e-004 ul


⊟ Strain XZ


Type: Strain XZ
Unit: ul
31/12/2016, 11:26:06 a.m.
4.995e-005 Max
1.665e-005
-1.666e-005
-4.997e-005
-8.328e-005
-1.166e-004 Min



Type: Strain XZ
Unit: ul
31/12/2016, 11:26:06 a.m.
4.995e-005 Max
1.665e-005
-1.666e-005
-4.997e-005
-8.328e-005
-1.166e-004 Min
Max: 4.995e-005 ul
Min: -1.166e-004 ul


Strain YY







Strain YZ





Type: Strain YZ
Unit: ul
31/12/2016, 11:26:09 a.m.
1.548e-004 Max
1.021e-004
4.952e-005
-3.113e-006
-5.574e-005
-1.084e-004 Min
Min: -1.084e-004 ul
Max: 1.548e-004 ul


⊟ Strain ZZ


Type: Strain ZZ
Unit: ul
31/12/2016, 11:26:11 a.m.
1.132e-004 Max
7.386e-005
3.447e-005
-4.907e-006
-4.429e-005
-8.367e-005 Min



Type: Strain ZZ
Unit: ul
31/12/2016, 11:26:11 a.m.
1.132e-004 Max
7.386e-005
3.447e-005
-4.907e-006
-4.429e-005
-8.367e-005 Min
Min: -8.367e-005 ul
Max: 1.132e-004 ul


Contact Pressure







Contact Pressure X







⊟ Contact Pressure Y





Contact Pressure Z





Simulation Ensayo 2

General objective and settings:

Design Objective	Single Point
Simulation Type	Static Analysis
Last Modification Date	31/12/2016, 10:55 a.m.
Detect and Eliminate Rigid Body Modes	No
Separate Stresses Across Contact Surfaces	No
Motion Loads Analysis	No

Mesh settings:

Avg. Element Size (fraction of model diameter)	0.1
Min. Element Size (fraction of avg. size)	0.2
Grading Factor	1.5
Max. Turn Angle	60 deg
Create Curved Mesh Elements	No
Use part based measure for Assembly mesh	Yes

Material(s)


Name	Steel	
General	Mass Density	7.85 g/cm^3
	Yield Strength	207 MPa
	Ultimate Tensile Strength	345 MPa
Stress	Young's Modulus	210 GPa
	Poisson's Ratio	0.3 ul
	Shear Modulus	80.7692 GPa
Part Name(s)	ESQUELETO 2 TANQUE COMBUSTIBLE CUERPO 1 TAPA 1 TAPA 1 CUERPO 2 TAPA 2 EJE PIN EJE PIN	


Operating conditions

Gravity

Load Type	Gravity
Magnitude	9810.000 mm/s^2
Vector X	0.000 mm/s^2
Vector Y	-9810.000 mm/s^2
Vector Z	0.000 mm/s^2

Selected Face(s)







⊟ Force:1

Load Type	Force
Magnitude	88200.000 N
Vector X	0.000 N
Vector Y	-88200.000 N
Vector Z	0.000 N

⊟ Selected Face(s)







⊟ Force:2

Load Type	Force
Magnitude	88200.000 N
Vector X	17099.795 N
Vector Y	-86526.511 N
Vector Z	-0.000 N

⊟ Selected Face(s)







⊟ Remote Force:1

Load Type	Remote Force
Magnitude	88200.000 N
Vector X	-0.000 N
Vector Y	88200.000 N
Vector Z	0.000 N
Remote Point X	0.000 mm
Remote Point Y	0.000 mm
Remote Point Z	0.000 mm

⊟ Selected Face(s)







⊟ Fixed Constraint:1

Constraint Type	Fixed Constraint

⊟ Selected Face(s)





Contacts (Bonded)

Name	Part Name(s)
Bonded:1	ESQUELETO 2:1 TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1
Bonded:2	TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/CUERPO 1_8
Bonded:3	TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_9
Bonded:4	TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_10
Bonded:5	TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/CUERPO 2_6
Bonded:6	TANQUE COMB. GENERAL 1:1/TANQUE COMBUSTIBLE_1 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/TAPA 2_7
Bonded:7	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/CUERPO 1_8 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_9
Bonded:8	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/CUERPO 1_8 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_9
Bonded:9	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/CUERPO 1_8 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_10
Bonded:10	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/CUERPO 1_8 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 01_4/TAPA 1_10
Bonded:11	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/CUERPO 2_6 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/TAPA 2_7
Bonded:12	TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/CUERPO 2_6 TANQUE COMB. GENERAL 1:1/ENSAMBLE CAJON 02_5/TAPA 2_7

Results

Reaction Force and Moment on Constraints

Constraint Name	Reaction Force		Reaction Moment	
	Magnitude	Component (X,Y,Z)	Magnitude	Component (X,Y,Z)
Fixed Constraint:1	140394 N	-17099.8 N	149460 N m	-20534.5 N m
		139349 N		968.664 N m
		0 N		148040 N m


Result Summary


Name	Minimum	Maximum
Volume	686139000 mm^3	

Mass	5386.19 kg	
Von Mises Stress	0.00000397188 MPa	91.5293 MPa
1st Principal Stress	-13.345 MPa	60.1526 MPa
3rd Principal Stress	-107.084 MPa	10.1959 MPa
Displacement	0 mm	3517.86 mm
Safety Factor	2.26157 ul	15 ul
Stress XX	-26.6768 MPa	13.2612 MPa
Stress XY	-6.06549 MPa	32.0339 MPa
Stress XZ	-9.87063 MPa	9.23259 MPa
Stress YY	-90.6338 MPa	54.0458 MPa
Stress YZ	-15.9286 MPa	15.0621 MPa
Stress ZZ	-34.9971 MPa	35.8052 MPa
X Displacement	-21.4164 mm	21.7624 mm
Y Displacement	-3517.86 mm	0.0452763 mm
Z Displacement	-37.3655 mm	36.8086 mm
Equivalent Strain	0.0000000000166942 ul	0.000397647 ul
1st Principal Strain	-0.00000117335 ul	0.000277827 ul
3rd Principal Strain	-0.000465235 ul	0.00000386723 ul
Strain XX	-0.0000982477 ul	0.0000753744 ul
Strain XY	-0.0000375482 ul	0.000198305 ul
Strain XZ	-0.0000611039 ul	0.0000571542 ul
Strain YY	-0.000363401 ul	0.000240024 ul
Strain YZ	-0.0000986055 ul	0.0000932414 ul
Strain ZZ	-0.000159977 ul	0.000157142 ul
Contact Pressure	0 MPa	106.705 MPa
Contact Pressure X	-71.8119 MPa	104.253 MPa
Contact Pressure Y	-25.1967 MPa	21.9462 MPa
Contact Pressure Z	-11.3518 MPa	9.72351 MPa


⊟ Figures


⊟ Von Mises Stress







1st Principal Stress







3rd Principal Stress







Displacement







Safety Factor







Stress XX







Stress XY





Type: Stress XY
Unit: MPa
31/12/2016, 11:26:24 a.m.
32.03 Max
24.41
16.79
9.17
1.55
-6.07 Min
Min: -6.07 MPa
Max: 32.03 MPa


⊟ Stress XZ


Type: Stress XZ
Unit: MPa
31/12/2016, 11:26:32 a.m.
9.233 Max
5.412
1.591
-2.229
-6.05
-9.871 Min
Max: 9.233 MPa
Min: -9.871 MPa



Type: Stress XZ
Unit: MPa
31/12/2016, 11:26:32 a.m.
9.233 Max
5.412
1.591
-2.229
-6.05
-9.871 Min
Min: -9.871 MPa
Max: 9.233 MPa


Stress YY







Stress YZ





Type: Stress YZ
Unit: MPa
31/12/2016, 11:26:35 a.m.
15.06 Max
8.86
2.67
-3.53
-9.73
-15.93 Min
Min: -15.93 MPa
Max: 15.06 MPa


⊟ Stress ZZ


Type: Stress ZZ
Unit: MPa
31/12/2016, 11:26:36 a.m.
35.81 Max
21.64
7.48
-6.68
-20.84
-35 Min
Max: 35.81 MPa
Min: -35 MPa



Type: Stress ZZ
Unit: MPa
31/12/2016, 11:26:36 a.m.
35.81 Max
21.64
7.48
-6.68
-20.84
-35 Min
Min: -35 MPa
Max: 35.81 MPa


X Displacement







Y Displacement







Z Displacement







Equivalent Strain







1st Principal Strain







3rd Principal Strain







Strain XX







Strain XY





Type: Strain XY
Unit: ul
31/12/2016, 11:26:48 a.m.
1.983e-004 Max
1.511e-004
1.04e-004
5.679e-005
9.622e-006
-3.755e-005 Min
Min: -3.755e-005 ul
Max: 1.983e-004 ul


⊟ Strain XZ


Type: Strain XZ
Unit: ul
31/12/2016, 11:26:49 a.m.
5.715e-005 Max
3.35e-005
9.851e-006
-1.38e-005
-3.745e-005
-6.11e-005 Min
Max: 5.715e-005 ul
Min: -6.11e-005 ul



Type: Strain XZ
Unit: ul
31/12/2016, 11:26:49 a.m.
5.715e-005 Max
3.35e-005
9.851e-006
-1.38e-005
-3.745e-005
-6.11e-005 Min
Min: -6.11e-005 ul
Max: 5.715e-005 ul


Strain YY







Strain YZ





Type: Strain YZ
Unit: ul
31/12/2016, 11:26:52 a.m.
9.324e-005 Max
5.487e-005
1.65e-005
-2.187e-005
-6.024e-005
-9.861e-005 Min
Min: -9.861e-005 ul
Max: 9.324e-005 ul


⊟ Strain ZZ


Type: Strain ZZ
Unit: ul
31/12/2016, 11:26:54 a.m.
1.571e-004 Max
9.372e-005
3.029e-005
-3.313e-005
-9.655e-005
-1.6e-004 Min
Max: 1.571e-004 ul
Min: -1.6e-004 ul



Type: Strain ZZ
Unit: ul
31/12/2016, 11:26:54 a.m.
1.571e-004 Max
9.372e-005
3.029e-005
-3.313e-005
-9.655e-005
-1.6e-004 Min
Min: -1.6e-004 ul
Max: 1.571e-004 ul


Contact Pressure







Contact Pressure X







⊟ Contact Pressure Y





Contact Pressure Z





C:\Users\DOCUMENTOS\Desktop\SIMULACION\ENSAMBLE GENERAL.iam