



NOTES:


- 1. DIMENSIONING AND TOLERANCING PER ANSI Y14.5-1982.
- 2. ALL DIMENSIONS IN INCHES.

3 TO BE DETERMINED	ΑТ	THE	SEATING	PLANE	-C-	
--------------------	----	-----	---------	-------	-----	--









- 8 EXACT DESIGN OF THIS FEATURE IS OPTIONAL.
- N IS THE MAXIMUM NUMBER OF LEADS.
- FOR LEAD IDENTIFICATION PURPOSES ONLY, LEADS BETWEEN N1 AND N2, AND BETWEEN N3 AND N4 WILL BE OMITTED WHEN VALUES FOR N1, N2, N3, AND N4 ARE LISTED IN THE VARIATION TABLE. N5 IS THE ACTUAL LEAD COUNT.
- THE DESIGN OF THE PLASTIC BODY IN THIS REGION IS OPTIONAL AND MAY INCLUDE RIDGES. CASTELLATIONS OR OTHER FEATURES TO PROTECT THE LEADS.
- DISTANCE OF SECTION B-B ABOVE SEATING PLANE.

JEDEC	TITLE SMALL OUTLINE J-LEAD PACKAGE	ISSUE	DATE	MS-027	SHEET
SOLID STATE PRODUCT OUTLINES	FAMILY (SOJ), .400 WIDE BODY	Α	JUNE 95	M5-027	3 OF 4

	COMMON DIMENSIONS									
ı	S Y	ALL DIMENSIONS IN INCHES								
	SY MBOL	MUMINIM	NOMINAL	MAXIMUM	M-102					
l	Α	. 128	. 138	. 148						
ı	ΑI	. 082								
ı	b	.015		. 020	3					
1	b!	.015		.018						
1	b2	. 026	. 028	. 032	6					
ı	С	. 007	`	.013						
i	c i	. 007	.008	.011						
ı	e		.050 BSC.							
	Ε	. 435	. 440 .	. 445						
l	EI	. 395	. 400	. 405	4,5					
ı	E2		.370 BSC.		3					
	R1	. 030	. 035	. 040	•					
	θ	3°		16°						
	NOTE	_								
L	REF. 11-404S									
L	ISSUE A									

NOTE		4.5		9							
VARIATIONS		D		N	NI	N2	10 N3	N4	N5	I CCI II	CEEEE
	MINIMUM	NOMINAL	MAXIMUM	1_		112	143	144	NS	ISSUE	REFERENCE
AA AB AC AE AF AH	.720 .720 .820 .870 .920 1.020 1.070 1.120	.725 .725 .825 .875 .925 1.025 1.075 1.125	.730 .730 .830 .880 .930 1.030 1.080 1.130	28 28 32 34 36 40 42 44	6	9	20	23	28 24 32 34 36 40 42 44	A A A A A	ITEM 11-16 ITEM 11-32 ITEM 11-32 ITEM 11-32 ITEM 11-30 ITEM 11-32 ITEM 11-34
SOLID STAT	JEDEC TITLE SOLID STATE PRODUCT SMALL OUTLINE J-1 OUTLINES FAMILY(SOJ) .400			LEAD P	ACKAGE	Iss A	1	DATE IUNE 95	MS	5-C	27 SHEET