





NOTES:

- 1. REFER TO APPLICABLE SYMBOL LIST.
- 2. DIMENSIONING AND TOLERANCING PER ANSI Y14.5M-1982.
- 3. ALL DIMENSIONS IN INCHES.

▲ SECTION A-A" APPLIES THROUGH LENGTH L.

	TITLE	ISSUE	DATE			
JEDEC SOLID STATE PRODUCT	16 LEAD FLANGE MOUNTED CERAMIC POWER PACKAGE (TYPE 2) R-CDFM-T16	A	JUNE 1993	M0-139		
OUTLINES				SHEET 2 OF 3		

Ş		\	/ARIAT	10	IONS (ALL DIMENSIONS SHOWN IN INCHES)							
V≯-₹BOL	AA			NO E				NO E				T CZ
2	MIN.	NOM.	MAX.	Ę	MIN.	NOM.	MAX.	Ę	MIN.	NOM.	MAX.	Ę
A	.215	.245	.265								•	
A1	.055	.060	.065									
A2	.026	.032	.038									
b b1	.033	.035	.037 .036									
b2	.045	.050	.055									
c	.014	.015	.017	-		·	:				•	
c1	.014	.015	.016									
D	1.475	1.480	1.485									
D1	1.465	1.480	1.495									
D2	1.275	1.280	1.285			į						
D3	.195	.200	.205									
E	1.695	1.700	1.705									
E1 E2	1.285	1.300	1.315 1.195			ļ				İ		
E3	1.165	1.180 1.100	1.105									
e	1.033	.125BSC	1.103									
e1		.875B5C										
еA		1.500BSC						l				
L	.090			4								
L1	.090	.100	.110									
M			.002					ŀ		Í		
N ØP	.116	16 .118	.120									
Q1	.100	.110	.120							i		İ
9		1.280BSC	20									İ
91		1.500BSC									ļ	
												İ
												ĺ
						ļ	:					
NOTE	1,2,3,	4										
REF	10-311											
ISSUE	Α								<u> </u>			
15050 1015					TITLE AD FLANGE MOUNTED			JΕ	DATE			
			MIC POWER PACKAGE				A	TI INTE 4000	MO-	M0-139		
			(TYPE 21	^		JUNE 1993	SHEF	SHEET 3 OF 3			
	 	<u></u>		R-	-CDFM-T1	6	_1		···	J 3. 122	. 5 01	