

C Programming

[INDEX](#)[◀ Previous](#)[Next ▶](#)

BUILT IN FUNCTIONS FOR STRING HANDLING

string.h

You may want to look at the section on [arrays](#) first!. The following macros are built into the file string.h

<i>strcat</i>	<i>Appends a string</i>
<i>strchr</i>	<i>Finds first occurrence of a given character</i>
<i>strcmp</i>	<i>Compares two strings</i>
<i>strcmpi</i>	<i>Compares two strings, non-case sensitive</i>
<i>strcpy</i>	<i>Copies one string to another</i>
<i>strlen</i>	<i>Finds length of a string</i>
<i>strlwr</i>	<i>Converts a string to lowercase</i>
<i>strncat</i>	<i>Appends n characters of string</i>
<i>strncmp</i>	<i>Compares n characters of two strings</i>
<i>strncpy</i>	<i>Copies n characters of one string to another</i>
<i>strnset</i>	<i>Sets n characters of string to a given character</i>
<i>strrchr</i>	<i>Finds last occurrence of given character in string</i>
<i>strrev</i>	<i>Reverses string</i>
<i>strset</i>	<i>Sets all characters of string to a given character</i>
<i>strspn</i>	<i>Finds first substring from given character set in string</i>
<i>strupr</i>	<i>Converts string to uppercase</i>

To convert a string to uppercase

```
#include <stdio.h>
#include <string.h>

main()
{
    char name[80]; /* declare an array of characters 0-79 */

    printf("Enter in a name in lowercase\n");
    scanf( "%s", name );
    strupr( name );
    printf("The name is uppercase is %s", name );
}
```

Sample Program Output

```
Enter in a name in lowercase
samuel
The name in uppercase is SAMUEL
```

BUILT IN FUNCTIONS FOR CHARACTER HANDLING

The following character handling functions are defined in ctype.h

<i>isalnum</i>	<i>Tests for alphanumeric character</i>
<i>isalpha</i>	<i>Tests for alphabetic character</i>
<i>isascii</i>	<i>Tests for ASCII character</i>

<i>isctrl</i>	Tests for control character
<i>isdigit</i>	Tests for 0 to 9
<i>isgraph</i>	Tests for printable character
<i>islower</i>	Tests for lowercase
<i>isprint</i>	Tests for printable character
<i>ispunct</i>	Tests for punctuation character
<i>isspace</i>	Tests for space character
<i>isupper</i>	Tests for uppercase character
<i>isxdigit</i>	Tests for hexadecimal
<i>toascii</i>	Converts character to ascii code
<i>tolower</i>	Converts character to lowercase
<i>toupper</i>	Converts character to uppercase

To convert a string array to uppercase a character at a time using *toupper()*

```
#include <stdio.h>
#include <ctype.h>
main()
{
    char name[80];
    int loop;

    printf("Enter in a name in lowercase\n");
    scanf( "%s", name );
    for( loop = 0; name[loop] != 0; loop++ )
        name[loop] = toupper( name[loop] );

    printf("The name is uppercase is %s", name );
}
```

Sample Program Output

```
Enter in a name in lowercase
samuel
The name in uppercase is SAMUEL
```

©Copyright B Brown. 1984-1999. All rights reserved.

