

[Home](#) [Projects](#) [Micro](#) [Tools](#) [Delphi](#) [Developer](#) [Site map](#)



Add to Favorites
 Print this page



Development board for AT89SXXX

10 June 2005
www.sixca.com

This is a development board for ATMEL AT89 series or ATMEL ISP. It uses In-System Programming. Easy to use for developing your ATMEL MCS-51 base projects.

[Microcontroller Microchip](#)

Microcontrollers, Analoga kretsar &
 Interfacekretsar, EEPROM
www.acal.se/

[Broadband Isp](#)

Bredband 24, 2 eller 8 - 0 kr startavgift & gratis
 trådlöst modem
www.bredbandsbolaget.se


Ads by Google

Features

- Support **ATMEL** AT89S series such as AT89S51, AT89S52, AT89S53, AT89S8252. (DIP 40 pin devices)
- Use In-System Programming (ISP). Low voltage programming
- RS232 X 1 .
- 5 V regulate on-board.
- No need any tools or programmer devices .
- connector for all I/O.
- Require one PC parallel port for ISP.
- Software supports for All Windows.
- easy to build your own single side PCB.
- Require power supply from DC adaptor 9-12VDC or AC



Fig. 1 Schematic



ISP Download cable

Fig. 2 ATMEL ISP cable

To use this ATMEL ISP board you need to download software ISP-3v0 developed by Muhammad Asim Khan and distributed by Prof. Wichit 's website or download at the bottom on this page.

 Add to Favorites
 Print this page



Development board for AT89SXXXX

10 June 2005
www.sixca.com

This is a development board for ATMEL AT89 series or ATMEL ISP. It uses In-System Programming. Easy to use for developing your ATMEL MCS-51 base projects.

[Microcontroller Microchip](#)

Microcontrollers, Analoga kretsar &
Interfacekretsar, EEPROM
www.acal.se/

[Broadband Isp](#)

Bredband 24, 2 eller 8 - 0 kr startavgift & gratis
trådlöst modem
www.bredbandsbolaget.se


Ads by Google

Features

- Support **ATMEL** AT89S series such as AT89S51, AT89S52, AT89S53, AT89S8252. (DIP 40 pin devices)
- Use In-System Programming (ISP). Low voltage programming
- RS232 X 1 .
- 5 V regulate on-board.
- No need any tools or programmer devices .
- connector for all I/O.
- Require one PC parallel port for ISP.
- Software supports for All Windows.
- easy to build your own single side PCB.
- Require power supply from DC adaptor 9-12VDC or AC



Fig. 1 Schematic



ISP Download cable

Fig. 2 ATMEL ISP cable

To use this ATMEL ISP board you need to download software ISP-3v0 developed by Muhammad Asim Khan and distributed by Prof. Wichit 's website or download at the bottom on this page.




Fig.3 Software ATMEL ISP V3.0

After download software.

1. Connect ATMEL ISP cable to PC parallel port and power supply. (see Fig.5)
2. Run software ISP3.0 for Windows95/98/ME use ISP-3v0.exe and WindowsXP/2000/NT use ISP-XP.bat .
3. Select your devices from drop down list menu.
4. Click "**Open file**" to open hex file.
5. Click "**Write**" to program device.

How to use RS232 port.

To use RS232 port ,first build a simple RS232 cable.




Fig. 4 RS232 cable





Fig.5

Example program to blink led on port2 (Compile with KEIL C51)

```
#include <reg52.h>
//=====
// delay function
//=====
void delay(int del_val)
{
    int i,k;
    for(i=0;i<=del_val;i++)
        for(k=0;k<=50;k++);
}

//=== main program =====
void main()
{
    int count,patt;
    while(1)
    {
        patt=0x1;    // 00000001
        for(count=0;count<=8;count++)
        {
            P2=~patt;
            patt=patt<<1;
            delay(1000);
        }
        patt=0x80;    // 10000000
        for(count=0;count<=8;count++)
        {
```

```
P2=~patt;  
patt=patt>>1;  
delay(1000);  
}  
}  
} // end of main program
```

**At89c51**

Buy Today! Hard to find Components For
urgent quotes call 877-972-7587

Ads by Google

[Download schematic and PCB](#)**Relate programmer**

ICD2 Clone Programmer and Debugger for Microchip devices

AVR ISP In-System Programmer ATMEL AVR Family.

8051 development tools

Compiler, Assembler, Simulator, IDE Free
4kb version. CodeCompressor.

Ads by Google

Copyright(c) 2005-2007 sixca.com, All right reserved.
Best view @ 800X600, IE 6.0 up [Terms of Use](#) [Privacy Policy](#)
[Jim Directory](#) - [Free Link Exchange](#) - [BRL Directory](#) - [SQL 2005 Web Hosting](#)