

```
/* Média geral de todo o período */
WITH media_entregador AS (
    SELECT
        entregador,
        ROUND(AVG(entregas_por_dia), 2) AS media_entregas_por_dia,
        RANK() OVER(ORDER BY AVG(entregas_por_dia) DESC) AS rank_entregador
    FROM (
        SELECT
            ud.driver_id AS entregador,
            DATE(o.order_moment_created) AS data,
            COUNT(o.order_id) AS entregas_por_dia
        FROM
            orders o
        INNER JOIN (
            SELECT
                DISTINCT delivery_order_id,
                driver_id,
                delivery_status
            FROM
                deliveries
            ) AS ud
        ON o.delivery_order_id = ud.delivery_order_id
        LEFT JOIN
            drivers dr ON ud.driver_id = dr.driver_id
        WHERE
            o.order_status = 'FINISHED' AND
            ud.driver_id IS NOT NULL AND
            ud.driver_id NOT IN (25651, 26223) AND
            ud.delivery_status = 'DELIVERED'
        GROUP BY
            ud.driver_id,
            DATE(o.order_moment_created)
    ) AS subquery
    GROUP BY
        entregador
)
SELECT
    entregador,
    media_entregas_por_dia,
    rank_entregador
FROM
    media_entregador
WHERE
    rank_entregador <= 5
ORDER BY
    rank_entregador
```

entregador	media_entregas_por_dia	rank_entregador
49.258	12,54	1
357	11,14	2
41.596	10,81	3
4.586	10,25	4
358	10,06	5