





c Alignment with characterised bacteriocins

GL002641 vs enterocin P (O30434) — 94.4% identity


*cand*MTNFGTKVDAATRSYDNGIYCNNSKCWVNWGEAKENIAGIVISGWASGLAGMGH
*hmlg*VTNFGTKVDAATRSYGNGVYCNNSKCWVNWGEAKENIAGIVISGWASGLAGMGH

diff at positions: 1, 16, 19

GL002679 vs hiracin JM79 — 59.3% identity

*cand*ILGIVLLSVSTLGITVDAATYYGNGVYCNTCKCWVDWSRARSEIVDRGVKAYVN
*hmlg*ILGTCLAGIGT-GIKVDAATYYGNGLYCNKEKCWVDWNQAKGEIGKIIVNGWVN

diff at positions: 4, 5, 7, 8, 9, 10, 12, 15, 26, 30, 31, 38, 39, 41, 42, 45, 46, 47, 48, 50, 51, 52



e Candidates: GL002641 (54 aa; pI 6.74; GRAVY −0.21) — enterocin P-like, YGNGV→YDNGI variant; GL002642 (88 aa) — Sakacin-A immunity factor; GL002679 (67 aa; pI 9.14; GRAVY +0.31) — hiracin JM79-like (59.3%).
Sequence-level homology only; no expression, processing, secretion or activity data are generated in this study.