1 Outline

- Extant CCG treatments of dynamic anaphora: de Groote 2006, Barker & Shan 2008. [Motivation for pursuing another approach. BS clearly no good (Charlow 2010). dG works well enough, and can be combined with BS regime, but...?]
- Continuized CCGs offer a grammar-wide generalization of scope-taking ("ubiquitous scopal pied piping") using three operations: **lift**, **triv**, and **scope**. Any constituent can be a scope-taker.
- Proposal: replace **lift** and **triv** with options that countenance side effects (Shan 2005). Any side effects regime can be grafted onto a continuized CCG, by replacing **lift** and **triv** with monadic functors (Moggi 1989, Wadler 1992, 1994, 1995, Shan 2002).
- We provide a general technique for integrating a monadic approach to side effects with continuations-based approaches to scope in CCG. We relate our approach to the ContT monad transformer (Liang et al. 1995). Offers a type-theoretic way to track effects, integrate them into a well-developed CCG framework for scope-taking.
- Dynamic semantics is (Shan 2001):[1]
  - State: ability to manipulate the discourse context, i.e. create discourse referents.
  - Nondeterminism: analogizes indefinites to referential expressions. Treats indefinites as referring expressions, though ones which refer indeterminately.
- Corollary: there is no need to settle on a single ("the") grammar. Different and quite varied side effects regimes can be modularly grafted onto a simple applicative ("pure") core. Lexical entries that would seem incongruous in a flat-footed standard perspective integrate seamlessly in a single grammar.
- Monads as a natural way to extend a continuations-based grammar with tools for dynamic binding and exceptional scope. In the end: you have functional application, plus the functors from whichever monads are implicated in a given language.
- The standard continuations-based perspective of Barker 2002, Shan & Barker 2006, Barker & Shan 2014 is an instantiation of a more general perspective.
- Standard dynamic techniques (DPL, DMG) not reducible to monads.
- Broader question: how this relates to the idea that continuations can simulate any monad (Filinski 1994). I don't understand this result well enough to say anything.

[1] NB: does not characterize all varieties of dynamic semantics. Dynamic treatments following Groenendijk & Stokhof 1990 (e.g. Zimmermann 1991, Dekker 1993, Szabolcsi 2003, de Groote 2006) provide a way for indefinites to extend their binding domain but do not treat indefinites as nondeterministic analogs of proper names.

2 Adding side effects to k

- Standard continuized grammar:
  - **lift**: $\lambda k.\, k\, x$
  - **triv**: $\lambda x.\, x$
  - **scope**: $\lambda k.\, m\,(\lambda f.\, n\,(\lambda x.\, k\,(f\, x)))$
- Type-theoretic details here
- Adding side effects (Wadler 1994, 1995, Shan 2002): monads
- Monad laws / punting
- Relating monads to continuized grammars:
  - Replace **lift** with $\star$
  - Replace **triv** with η
  - **scope** stays the same
- Two type constructors:
  - Bipartite Cont:
  - Unary Monadic:

3 Finding the dynamic monad

- The meat of PLA (Dekker 1994): sentences are relations on stacks. Non-empty relations correspond to truth. Non-functional pairs in the relation correspond to nondeterminism introduced by indefinites (and perhaps disjunction).

$$[\![\text{a linguist}]\!] = \lambda k s.\, \bigcup_{x \in \text{ling}} k\, x\, \widehat{s x}$$

- A different perspective on this: treating nondeterminism and state modification as side effects, within a functional programming setting for side effects.
- Monad for nondeterminism:

Definition 1 (The Set monad).

$$\begin{aligned} \mathsf{M}\, a &::= a \to t \\ \eta\, x &:= \{x\} \\ m \star k &:= \bigcup_{x \in m} k\, x \end{aligned}$$

- Monad for state (generalization of monad for environment-sensitivity):

  Definition 2 (The State monad).

$$\begin{aligned} \mathsf{M}\,a &::= s \to a \times s \\ \eta\, x &:= \lambda s.\langle x, s\rangle \\ m \star k &:= \lambda s.\, k\,(m\,s)_0\,(m\,s)_1 \end{aligned}$$

- Use StateT to stitch the two together[2]

  Definition 3 (The StateT monad transformer).

$$\begin{aligned} \mathsf{M}\,a &::= s \to \mathsf{L}\,(a \times s) \\ \eta\, x &:= \lambda s.\,\eta_{\mathsf{L}}\,\langle x, s\rangle \\ m \star k &:= \lambda s.\, m\,s \star_{\mathsf{L}} \lambda\pi.\, k\,\pi_0\,\pi_1 \end{aligned}$$

  Definition 4 (The State_Set monad).

$$\begin{aligned} \mathsf{M}\,a &::= s \to (a \times s) \to t \\ \eta\, x &:= \lambda s.\,\{\langle x, s\rangle\} \\ m \star k &:= \lambda s.\bigcup_{\pi \in m\,s} k\,\pi_0\,\pi_1 \end{aligned}$$

- Static lexicon, dynamic lexicon
- Modular treatment of binding.

$$\begin{aligned} &\text{Previous}: && \mathbf{bind}\,m := \lambda k.\, m\,(\lambda x.\, k\,x\,x) \\ &\text{Proposal}: && \mathbf{bind}\,m := \lambda k.\, m\,(\lambda x s.\, k\,x\,s\widehat{x}) \end{aligned}$$

- Summing up: three combinators for "order-insensitive" (i.e. continuized combination). **unit**, **run**, **bind**

	$\mathbf{lift}\,m$	$M\,\mathbf{triv}$	$\mathbf{bind}\,M$
Previous	$\lambda k.\, k\,m$	$M\,(\lambda x.\, x)$	$\lambda k.\, m\,(\lambda x.\, k\,x\,x)$
Proposal	$\lambda k.\, m \star k$	$M\,\eta$	$\lambda k.\, m\,(\lambda x s.\, k\,x\,s\widehat{x})$

4 Examples

- Some upshots: no dynamic conjunction, completely standard model theory (cf. de Groote 2006). "Contexts of evaluation" are constructed on the fly.

de Groote 2001 Charlow 2014 Bumford to appear

References

Barker, Chris. 2002. Continuations and the Nature of Quantification. *Natural Language Semantics* 10(3). 211–242. http://dx.doi.org/10.1023/A:1022183511876.

Barker, Chris & Chung-chieh Shan. 2008. Donkey Anaphora is In-Scope Binding. *Semantics & Pragmatics* 1(1). 1–46. http://dx.doi.org/10.3765/sp.1.1.

Barker, Chris & Chung-chieh Shan. 2014. *Continuations and Natural Language*. Oxford: Oxford University Press.

Bumford, Dylan. to appear. Incremental quantication and the dynamics of pair-list phenomena. *Semantics & Pragmatics* 8(9).

Charlow, Simon. 2010. Two kinds of binding out of DP. Unpublished ms.

Charlow, Simon. 2014. *On the semantics of exceptional scope*: New York University Ph.D. thesis.

Dekker, Paul. 1993. *Transsentential meditations: ups and downs in dynamic semantics*: University of Amsterdam Ph.D. thesis.

Dekker, Paul. 1994. Predicate Logic with Anaphora. In Mandy Harvey & Lynn Santelmann (eds.), *Proceedings of Semantics and Linguistic Theory 4*, 79–95. Ithaca, NY: Cornell University.

Filinski, Andrzej. 1994. Representing Monads. In *Proceedings of the 21st Annual ACM SIGPLAN-SIGACT Symposium on Principles of Programming Languages*, 446–457. New York: ACM Press.

Groenendijk, Jeroen & Martin Stokhof. 1990. Dynamic Montague Grammar. In Laszlo Kalman & Laszlo Polos (eds.), *Proceedings of the Second Symposium on Logic and Language*, 3–48. Budapest: Eötvös Loránd University Press.

de Groote, Philippe. 2001. Type raising, continuations, and classical logic. In Robert van Rooy & Martin Stokhof (eds.), *Proceedings of the Thirteenth Amsterdam Colloquium*, 97–101. University of Amsterdam.

de Groote, Philippe. 2006. Towards a Montagovian account of dynamics. In Masayuki Gibson & Jonathan Howell (eds.), *Proceedings of Semantics and Linguistic Theory 16*, 1–16. Ithaca, NY: Cornell University.

Liang, Sheng, Paul Hudak & Mark Jones. 1995. Monad Transformers and Modular Interpreters. In *22nd ACM Symposium on Principles of Programming Languages (POPL '95)*, 333–343. ACM Press.

Moggi, Eugenio. 1989. Computational lambda-calculus and monads. In *Proceedings of the Fourth Annual Symposium on Logic in computer science*, 14–23. Piscataway, NJ, USA: IEEE Press.

Shan, Chung-chieh. 2001. A Variable-Free Dynamic Semantics. In Robert van Rooy & Martin Stokhof (eds.), *Proceedings of the Thirteenth Amsterdam Colloquium*, University of Amsterdam.

Shan, Chung-chieh. 2002. Monads for natural language semantics. In Kristina Striegnitz (ed.), *Proceedings of the ESSLLI 2001 Student Session*, 285–298.

Shan, Chung-chieh. 2005. *Linguistic Side Effects*: Harvard University Ph.D. thesis.

Shan, Chung-chieh & Chris Barker. 2006. Explaining Crossover and Superiority as Left-to-right Evaluation. *Linguistics and Philosophy* 29(1). 91–134. http://dx.doi.org/10.1007/s10988-005-6580-7.

Szabolcsi, Anna. 2003. Binding on the Fly: Cross-Sentential Anaphora in Variable-Free Semantics. In Geert-Jan M. Kruijff & Richard T. Oehrle (eds.), *Resource-Sensitivity, Binding and Anaphora*, 215–227. Dordrecht: Kluwer Academic Publishers.

Wadler, Philip. 1992. Comprehending monads. In *Mathematical Structures in Computer Science*, vol. 2 (special issue of selected papers from 6th Conference on Lisp and Functional

2 Fn. about SetT

Programming), 461–493.

Wadler, Philip. 1994. Monads and composable continuations. *Lisp and Symbolic Computation* 7(1). 39–56. http://dx.doi.org/10.1007/BF01019944.

Wadler, Philip. 1995. Monads for functional programming. In Johan Jeuring & Erik Meijer (eds.), *Advanced Functional Programming*, vol. 925 Lecture Notes in Computer Science, 24–52. Springer Berlin Heidelberg. http://dx.doi.org/10.1007/3-540-59451-5_2.

Zimmermann, Thomas Ede. 1991. Dynamic logic and case quantification. In Martin Stokhof, Jeroen Groenendijk & David Beaver (eds.), *Quantification and Anaphora I* (DYANA Deliverable R2.2.A), 191–195.