





EAST CORNER-MOUNTED ARUCO MARKERS

A4 portrait | print at Actual Size / 100% | DICT_4X4_50 | cut out all four cards




Mount on rigid matte cards. Keep at least 10 mm of clean white border around each black square.




100 mm print-scale check

EAST COLOUR TARGETS - CUT-OUT PAGE


Print at Actual Size / 100% on matte white paper; mount targets flat on stiff card or matte vinyl




MAGENTA - moving




YELLOW - moving




MAGENTA - spare



YELLOW - spare



MAGENTA 50 mm



YELLOW 50 mm


Placement

1. Put both colours on the same rigid moving component whose rotation represents AFO angle.
2. Put yellow nearer the joint and magenta farther away; keep their centres at least 80 mm apart.
3. The line from yellow to magenta defines the measured orientation. Neither target must be on the fixed frame.
4. Keep both targets flat, fully visible, and near the same depth plane as the four ArUco markers.

Colour check




Use these patches when checking the mask preview.



100 mm print-scale check

EAST CAMERA CALIBRATION INSTALLATION RECORD

Install around the visible movement area on stationary frame members



Installation measurements

Date / setup ID: _____

ID 0 centre to ID 1 centre: _____ mm

ID 0 centre to ID 3 centre: _____ mm

ID 1 centre to ID 2 centre: _____ mm

ID 3 centre to ID 2 centre: _____ mm

Diagonal ID 0 to ID 2: _____ mm

Diagonal ID 1 to ID 3: _____ mm

Yellow-to-magenta centre spacing: _____ mm

Acceptance before recording

☐ All four IDs visible throughout full ROM ☐ Markers fixed to stationary frame

☐ Camera perpendicular and tripod locked ☐ Targets on one rigid moving member

☐ Initial 2 s recorded at machine zero ☐ Static -10, 0, +10 degree check completed