

Disposition, buckets, and review — model reference

****Last updated:**** 2026-07-08

A skimmable map of the day-to-day process for reviewing clips, committing work intent, and feeding the factory — not a schema dump or API reference. For implementation detail see [RATINGS_V1_PLAN.md] (./RATINGS_V1_PLAN.md).

1. Why this exists

ComfyUI output is broad and messy by design. The goal is ****discovery****: generate a lot, index what happened, surface keepers, and commit only the work that matters.

This document names the ****implicit process**** you already use in a review session so software can stay out of the way. It is a mental model, not a mandate to build every box on the diagram.

****Anti-goals:**** full API listing, over-engineered orchestration, or pretending every planned feature is shipped.

2. Day in the life

A typical review session on ``/discovery/rate``:


1. ****Open rate queue**** — the sampler draws a ****fixed batch**** of clips that need triage.
2. ****Rotate**** through the batch (Next / Prev / Skip). For each clip you may set ★ quality, appetite, and optionally a ****disposition**** entry. Nothing is final until you dismiss the batch.
3. ****Revisit**** clips in the same batch as many times as you need — ratings and disposition can change while you work.
4. ****Dismiss batch**** when you feel done with this pass.
5. ****Outcomes:****
 - Clips ****with**** an entry disposition → triage committed; they leave the review pool until disposition changes or a child output appears.
 - Clips ****without**** disposition → return to the undisposed pool for a future batch.
6. ****Later (planned):**** clips marked ****Advance**** may fan out into multiple ****work instances**** (Extend pool, Vary pool) with optional ****Queue now**** priority.

3. Judgment axes

Four related concepts; do not conflate them.


Axis	Question	Store	Required during batch?
Quality ★	How well executed?	XMP → `ratings_index.json`	No
Appetite	Want more in this direction?	`appetite_index.json`	No
Disposition	What work is committed next?	`disposition_index.json`	No
Triage	Have I finished review for this pass?	`trriage_index.json`	Recorded on **dismiss batch** (only if disposition set)

****Triage ≠ disposition.**** Finishing a batch with ****no disposition**** on a clip is normal — it means “no committed editing work right now,” not “undecided forever.”



4. Four layers

Buckets are ****mostly views**** over these layers — not folders you move files into.



Layer	Mutable?	Cardinality per asset
Asset	File on disk; lineage links versions	1 file
Triage pass	Recorded timestamp; re-triage opens new pass	0–1 active “needs review”
Disposition	Yes — set, change, clear	1 primary entry at a time
Work instance	Yes — queue, run, complete, retry	0–N
Bucket view	Computed query	Many views at once

5. Bucket types


Three lenses you will use repeatedly. Same clip can appear in more than one **view** at the same time.

Bucket type	Question it answers	Example
Review	Does this need a human look?	<code>`needs_triage`</code> — never triaged, or disposition changed since last triage
Editing	What kind of work is committed?	disposition = refine, advance, park, retire, ...
Orchestration	What is running or queued?	open factory jobs linked to source clip

Review is a **phase**, not a disposition marker. Editing buckets map to **disposition entries**. Orchestration buckets map to **work instances** (planned index; today: factory job files).

6. Review batch flow

The batch is a **stable working set** until you dismiss it.



Rules:

- **Next / Prev / Skip** only navigate inside the batch — they do **not** record triage or remove clips from the batch.
- **Dismiss batch** calls `POST /api/discovery/asset-triage/complete-batch` for every clip in the batch; the server **commits triage only** for clips with an entry disposition.
- Clips without disposition are unchanged in `triage\_index` and stay eligible for future review batches.
- **Re-triage:** a clip re-enters the review pool when `disposition\_updated\_at > last\_triaged\_at` (disposition changed after last committed triage).

7. Disposition entries (editing buckets)

One **primary entry** at a time per asset (mutually exclusive). Steps (e.g. refine.quality) are actions under an entry.


Entry	Meaning	Typical steps
Refine	Known delta — fix artifact	Aspect, Quality, Edit
Investigate	Unknown delta — route elsewhere	Salvage, pipeline, fix, retire
Advance	Feed next pipeline stage	Extend, Vary (+ priority)
Extract	Salvage part of clip	Frame, clip, reference
Re-evaluate later (park)	Deferred — committed "come back"	(none)
Retire	Remove from active work	Trash, Archive

Catalog source: [`disposition\_catalog.yaml`](../disposition_catalog.yaml).

Disposition is **mutable**: refine → advance → cleared → park is all valid over the asset's life.

8. Advance: pools vs priority

Under **Advance**, the same source clip can spawn **multiple work instances** — not multiple copies of the file, but multiple rows of committed work.



Concept	Role	Pool?
Extend	Chain this output into the video slot for a longer run	Yes — Extend pool
Vary	Replay with variation (often queue front)	Yes — Vary pool
Queue now	Run urgently / at front of queue	No — priority on an instance

Example: one keeper → instance A (Extend, normal priority) + instance B (Vary, **Queue now**). Two pools, one optional priority flag each.

Today’s UI: Advance router still presents Extend / Vary / Queue now as a single-choice “next step” menu. The model above is **planned**; work-item index and multi-route UI are not shipped yet.

9. Multi-bucket FAQ

Can one video be in multiple buckets at once?

Yes as **views** (e.g. “Advance disposition” + “has open factory job”). No as conflicting **lifecycle** (only one primary disposition entry).

Is bucket state on the asset, the bucket, or the instance?

Split: disposition on asset; work on **instances**; buckets are **queries**.

Same workproduct, same pool, two instances?

Yes for work (e.g. two Vary attempts). No for duplicate review slots in one batch.

When is a clip reviewed again?

Never triaged; disposition changed after last triage; (planned) work completed or new child output; explicit re-evaluate.

****No disposition after dismiss — what does that mean?****

“You looked; no editing work committed.” Clip returns to the undisposed pool.

10. Shipped vs planned

Capability	Status
Quality ★ + appetite on rate page	Shipped
Disposition entries + step hooks (v1)	Shipped
Triage index + dismiss batch	Shipped
Fixed batch rotation (Next ≠ triage)	Shipped
Re-triage on disposition change	Shipped
Work item index (`work_items_index.json`)	Planned
Advance multi-route UI (pool toggles)	Planned
Queue now as priority flag (not a pool)	Planned
Dedicated pool pages (`/discovery/refine`, ...)	Planned
Re-triage on work complete / child output	Planned

11. Glossary

Term	Definition
Asset	One output file (e.g. `og/.../clip.mp4`) plus `group_id` / lineage identity
Triage pass	A review session outcome recorded in `triage_index.json`
Disposition	Optional, mutable editing intent on an asset
Work instance	One committed route (pool + priority) → factory job
Bucket view	Computed list (review, editing, orchestration) — not a stored folder
Pool	Destination for work instances (Extend, Vary, Refine backlog, ...)
Priority	Scheduling hint (Queue now = front / urgent) — not a pool
Batch dismiss	End review batch; commit triage for disposed clips only

See also

- [RATINGS_V1_PLAN.md](./RATINGS_V1_PLAN.md) — implementation plan, APIs, indexes
- [DISCOVERY_SEARCH_AND_SIMILARITY_VISION.md](./DISCOVERY_SEARCH_AND_SIMILARITY_VISION.md) — browse and similarity
- [disposition_catalog.yaml](../disposition_catalog.yaml) — entry markers and hooks