Limitations

- Try to limit testing to objects that you own

  - Use `shiny::exportTestValues()`!

- Initial snapshot file contents **must be verified** by hand

  - Comparisons against **static values** are *always valid*

- Minimize usage of `AppDriver$expect_screenshot()` calls

  - Cannot compare images across Operating Systems or R Versions

- If developing a package, you must install it before testing locally

Limitations

- Try to limit testing to objects that you own

  - Use `shiny::exportTestValues()`!

- Initial snapshot file contents **must be verified** by hand

  - Comparisons against **static values** are *always valid*

- Minimize usage of `AppDriver$expect_screenshot()` calls

  - Cannot compare images across Operating Systems or R Versions

- If developing a package, you must install it before testing locally

`{shinytest2}`

Regression testing for Shiny applications

- "If you have time to pause, you have time to [record a test]" - Dad

- Slides: https://bit.ly/2022-appsilon-shinytest2

- Website: https://rstudio.github.io/shinytest2/

  - Getting Started article
    Many articles!

- 📖 Mastering Shiny, Chapter 21: Testing
  https://mastering-shiny.org/scaling-testing.html

- 📖 R Packages, Chapter 12:
  https://r-pkgs.org/tests.html

Barret Schloerke
RStudio / Shiny Team
@schloerke