

Limitations

- Try to limit testing to objects that you own
 - Use `shiny::exportTestValues()` !

- Initial snapshot file contents **must be verified by hand**
 - Comparisons against **static values** are *always valid*

- Minimize usage of `AppDriver$expect_screenshot()` calls
 - Cannot compare images across Operating Systems or R Versions

• If developing a package, you must install it before testing locally

Limitations

- Try to limit testing to objects that you own
 - Use `shiny::exportTestValues()` !
- Initial snapshot file contents **must be verified** by hand
 - Comparisons against **static values** are *always valid*
- Minimize usage of `AppDriver$expect_screenshot()` calls
 - Cannot compare images across Operating Systems or R Versions
- If developing a package, you **must** install it before testing locally

{ shinytest2 }

Regression testing for Shiny applications

- “If you have time to rest, you have time to [record a test]” - Dad
- Slides: <https://bit.ly/rinpharma-2022-shinytest2>
- Website: <https://rstudio.github.io/shinytest2/>
 - Getting Started article
 - Many articles!
- 📖 Mastering Shiny, Chapter 21: Testing
<https://mastering-shiny.org/scaling-testing.html>
- 📖 R Packages, Chapter 12:
<https://r-pkgs.org/tests.html>



Barret Schloerke
RStudio / Shiny Team
🐙🐦 @schloerke