



What is your name?

--

Greet

{shinytest2} expectations



Expect Shiny values



Expect screenshot



At least one expectation must be made

Code

```
1 app$set_window_size(width = 341, height = 403)
```

Save

Test name: hello



Random seed: (None)



Exit



Save test and exit

127.0.0.1:5608

127.0.0.1:5608

← → ↻


127.0.0.1:5608


⌕ ↗ ☆ ⚙ □ 👤 ⋮

What is your name?

Greet

{shinytest2} expectations

 Expect Shiny values ?

 Expect screenshot ?

At least one expectation must be made


Code


1 | app\$set_window_size(width = 341, height = 403)

Save

Test name: hello ?

Random seed: (None) ?

 Exit

 Save test and exit

127.0.0.1:5608

×

+

←

→

↺

127.0.0.1:5608

🔍

📄

☆

⚙️

🖼️


👤


⋮

What is your name?

Greet

{shinytest2} expectations

 Expect Shiny values ?

 Expect screenshot ?

At least one expectation must be made

Code

1 | app\$set_window_size(width = 341, height = 403)

Save

Test name: hello ?

Random seed: (None) ?

✖ Exit

➡ Save test and exit

test_that('shinytest2 rendering: hello', {

#File:tests/testthat/tests-shinytest2.R

libarray(shinytest)

app <- AppDriver\$new(name = "hello")



app\$click("get")

app\$set_inputs(name="Barret")

app\$expect_values()