



127.0.0.1:5608

×

+

←

→

↻

127.0.0.1:5608

⌕

📄

☆

⚙️

🖼️


👤


⋮

What is your name?

Greet

{shinytest2} expectations

 Expect Shiny values ?

 Expect screenshot ?

At least one expectation must be made

Code

1 | app\$set_window_size(width = 341, height = 403)

Save

Test name: hello ?

Random seed: (None) ?

✖ Exit

➡ Save test and exit

127.0.0.1:5608

127.0.0.1:5608

What is your name?

Greet

{shinytest2} expectations

Expect Shiny values

Expect screenshot

At least one expectation must be made

Code

1 | app\$set_window_size(width = 341, height = 403)

Save

Test name: hello

Random seed: (None)

Exit

Save test and exit

127.0.0.1:5608

×

+

←

→

↺

127.0.0.1:5608

🔍

📄

☆

⚙️

🖼️


👤


⋮

What is your name?

Greet

{shinytest2} expectations

 Expect Shiny values ?

 Expect screenshot ?

At least one expectation must be made

Code

1 | app\$set_window_size(width = 341, height = 403)

Save

Test name: hello ?

Random seed: (None) ?

✖ Exit

➡ Save test and exit

app <- AppDriver\$new(name = "hello")

#File:tests/testthat/tests-shinytest2.R

libarray(shinyt est2)

test_that('{shinytest2} rendering: hello',{

app\$expect_values()



app\$set_inputs(name="Barret")

app\$click("get")