

Galaxus and Digitec Webshops Explained

Next guild42.ch event on **October, 18th November 2024**



What is Slidev?

Slidev is a slides maker and presenter designed for developers, consist of the following features

-  **Text-based** - focus on the content with Markdown, and then style them later
-  **Themable** - themes can be shared and re-used as npm packages
-  **Developer Friendly** - code highlighting, live coding with autocompletion
-  **Interactive** - embed Vue components to enhance your expressions
-  **Recording** - built-in recording and camera view
-  **Portable** - export to PDF, PPTX, PNGs, or even a hostable SPA
-  **Hackable** - virtually anything that's possible on a webpage is possible in Slidev

Read more about [Why Slidev?](#)

Navigation

Hover on the bottom-left corner to see the navigation's controls panel, [learn more](#)

Keyboard Shortcuts

right / space

next animation or slide

left / shift space

previous animation or slide

up

previous slide

down

next slide

Here!





Table of contents

You can use the `Toc` component to generate a table of contents for your slides:

```
<Toc minDepth="1" maxDepth="1"></Toc>
```

The title will be inferred from your slide content, or you can override it with `title` and `level` in your frontmatter.

1. [Galaxus and Digitec Webshops Explained](#)
2. [What is Sliddev?](#)
 1. [Navigation](#)
3. [Table of contents](#)
4. [Code](#)
 1. [Shiki Magic Move](#)
5. [Components](#)
6. [Themes](#)
7. [Clicks Animations](#)
8. [Motions](#)
9. [LaTeX](#)
10. [Diagrams](#)
11. [Learn More](#)

Code

Use code snippets and get the highlighting directly, and even types hover!

```
// TwoSlash enables TypeScript hover information  
// and errors in markdown code blocks  
// More at https://shiki.style/packages/twoslash
```

```
import { computed, ref } from 'vue';
```

```
const count = ref(0);  
const doubled = computed(() => count.value * 2);
```

```
doubled.value = 2;
```

```
Cannot assign to 'value' because it is a read-only
```

```
// Inside ./snippets/external.ts  
export function emptyArray<T>(length: number) {  
  return Array.from<T>({ length })  
}
```

[Learn more](#)



Shiki Magic Move

Powered by [shiki-magic-move](#), Slidev supports animations across multiple code snippets.

Add multiple code blocks and wrap them with ````md magic-move` (four backticks) to enable the magic move. For example:

```
1 // step 1
2 const author = reactive({
3   name: 'John Doe',
4   books: [
5     'Vue 2 - Advanced Guide',
6     'Vue 3 - Basic Guide',
7     'Vue 4 - The Mystery',
8   ],
9 });
```

Components

You can use Vue components directly inside your slides.

We have provided a few built-in components like `<Tweet />` and `<Youtube />` that you can use directly. And adding your custom components is also super easy.

Check out [the guides](#) for more.


```
<Tweet id="1390115482657726468" />
```

Themes

Slidev comes with powerful theming support. Themes can provide styles, layouts, components, or even configurations for tools. Switching between themes by just **one edit** in your frontmatter:

```
---  
theme: default  
---
```

```
---  
theme: seriph  
---
```



Read more about [How to use a theme](#) and check out the [Awesome Themes Gallery](#).

Clicks Animations

You can add `v-click` to elements to add a click animation.

This shows up when you click the slide:

```
<div v-click>This shows up when you click the slide.</div>
```

The `v-mark` directive also allows you to add inline marks, powered by Rough Notation:

```
<span v-mark.underline.orange>inline markers</span>
```

[Learn more](#)

Motions

Motion animations are powered by [@vueuse/motion](https://vueuse.org/motion), triggered by `v-motion` directive.

```
<div
  v-motion
  :initial="{ x: -80 }"
  :enter="{ x: 0 }"
  :click-3="{ x: 80 }"
  :leave="{ x: 1000 }"
>
  Slidev
</div>
```



Slidev

[Learn more](#)

LaTeX

LaTeX is supported out-of-box. Powered by [KaTeX](#).

Inline $\sqrt{3x-1} + (1+x)^2$

Block

$$\nabla \cdot \vec{E} = \frac{\rho}{\varepsilon_0}$$

$$\nabla \cdot \vec{B} = 0$$





$$\nabla \times \vec{E} = -\frac{\partial \vec{B}}{\partial t}$$

$$\nabla \times \vec{B} = \mu_0 \vec{J} + \mu_0 \varepsilon_0 \frac{\partial \vec{E}}{\partial t}$$

[Learn more](#)

Diagrams

You can create diagrams / graphs from textual descriptions, directly in your Markdown.



Learn more: [Mermaid Diagrams](#) and [PlantUML Diagrams](#)

Learn More

[Documentation](#) · [GitHub](#) · [Showcases](#)

Powered by  Slidev